

ISO 10426-2:2003-10 (E)

Petroleum and natural gas industries - Cements and materials for well cementing - Part 2: Testing of well cements

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms, definitions and symbols	1
3.1	Terms and definitions	1
3.2	Symbols	7
4	Sampling	8
4.1	General	8
4.2	Sampling cement at field location	8
4.3	Sampling cement blends at field location	8
4.4	Sampling dry cement additives at field location	8
4.5	Sampling liquid cement additives at field location	8
4.6	Sampling mixing water	8
4.7	Shipping and storage	10
4.8	Sample preparation prior to testing	10
4.9	Sample disposal	10
5	Preparation of slurry	10
5.1	General	10
5.2	Apparatus	10
5.3	Procedure	12
6	Determination of slurry density	14
6.1	Preferred apparatus	14
6.2	Calibration	14
6.3	Procedure	14
6.4	Alternative apparatus and procedure	16
7	Well-simulation compressive strength tests	16
7.1	General	16
7.2	Sampling	16
7.3	Preparation of slurry	17
7.4	Apparatus	17
7.5	Procedure	18
7.6	Determination of cement compressive strength at the top of long cement columns	20
8	Non-destructive sonic testing of cement	26
8.1	General	26
8.2	Apparatus	26
8.3	Sampling	26
8.4	Preparation of slurry	26
8.5	Procedure	26
8.6	Curing time	26
8.7	Curing schedules	26
8.8	Data reporting	27

9	Well-simulation thickening-time tests	27
9.1	General	27
9.2	Apparatus and material	27
9.3	Calibration	28
9.4	Test procedure	30
9.5	Determination of test schedule	32
10	Static fluid-loss tests	38
10.1	General	38
10.2	Apparatus	38
10.3	Safety	39
10.4	Mixing procedure	39
10.5	Conditioning procedures	39
10.6	Procedures for testing at temperatures uuuu 88 °°°°C (190 °°°°F)	39
10.7	Procedures for testing at temperatures >>>> 88 °°°°C (190 °°°°F)	40
10.8	Filling the static fluid-loss cell	42
10.9	Fluid loss test	43
10.10	Test completion and clean-up	43
11	Permeability tests	45
11.1	General	45
11.2	Apparatus	45
11.3	Sample preparation	46
11.4	Liquid permeability (cement permeameter)	46
11.5	Alternative procedure (core permeameter) for liquid permeability	47
11.6	Calculating liquid permeability	50
11.7	Gas permeability (core permeameter)	50
11.8	Calculating gas permeability	51
12	Determination of rheological properties and gel strength using a rotational viscometer ...	52
12.1	General	52
12.2	Apparatus	52
12.3	Calibration	54
12.4	Determination of rheological properties	54
12.5	Determination of gel strength	56
12.6	Modelling of the rheological behaviour	57
13	Calculation of pressure drop and flow regime for cement slurries in pipes and annuli	65
13.1	General	65
13.2	Newtonian fluids	67
13.3	Power Law fluids	71
13.4	Bingham Plastic fluids	77
13.5	Conversion factors	87
14	Test procedure for arctic cementing slurries	87
14.1	General	87
14.2	Preparation of cement slurry	87
14.3	Fluid fraction	87
14.4	Thickening time	87
14.5	Compressive strength	87
14.6	Freeze-thaw cycling at atmospheric pressure	88
14.7	Compressive strength cyclic testing	88
15	Well-simulation slurry stability tests	88
15.1	Introduction	88
15.2	Slurry mixing	89
15.3	Slurry conditioning	89
15.4	Free-fluid test with heated static period	89
15.5	Free-fluid test with ambient temperature static period	90
15.6	Sedimentation test	90

16	Compatibility of wellbore fluids	94
16.1	General	94
16.2	Preparation of test fluids	94
16.3	Rheology	95
16.4	Thickening time	95
16.5	Compressive strength	95
16.6	Solids suspension and static gel strength	96
16.7	Fluid loss	96
17	Pozzolans	98
17.1	General	98
17.2	Types of pozzolan	98
17.3	Physical and chemical properties	98
17.4	Slurry calculations	99
17.5	Bulk volume of a blend	100
Annex A (normative) Procedure for preparation of large slurry volumes		102
Annex B (normative) Calibration procedures for thermocouples, temperature-measuring systems and controllers		104
Annex C (informative) Additional information relating to temperature determination		106
Annex D (normative) Alternative apparatus for well thickening-time tests		113
Annex E (informative) Cementing schedules		116
Bibliography		171