

# DIN EN ISO 13500:2006-06 (E)

Petroleum and natural gas industries - Drilling fluid materials - Specifications and tests (ISO 13500:2006); English version EN ISO 13500:2006

---

## Contents

Page

Foreword.....	5
Endorsement notice .....	5
Introduction .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms, definitions, symbols and abbreviations .....	7
3.1 Terms and definitions .....	7
3.2 Symbols and abbreviations .....	7
4 Requirements .....	9
4.1 Quality control instructions.....	9
4.2 Use of test calibration materials in checking testing procedures.....	9
4.3 Records retention .....	10
5 Calibration .....	10
5.1 Coverage.....	10
5.2 Equipment requiring calibration .....	10
5.3 Calibration intervals .....	15
6 Packaged material .....	16
6.1 Description .....	16
6.2 Apparatus — Pallets.....	16
6.3 Apparatus — Bags.....	17
6.4 Marking — Pallets.....	17
6.5 Marking — Bags.....	17
6.6 Pallet covers.....	17
6.7 Package weight.....	18
6.8 Storage.....	18
6.9 Recycling .....	18
7 Barite.....	18
7.1 Principle.....	18
7.2 Reagents and apparatus — Density by Le Chatelier flask .....	19
7.3 Procedure — Density by Le Chatelier flask .....	19
7.4 Calculation — Density by Le Chatelier flask.....	20
7.5 Reagents and apparatus — Water-soluble alkaline earths as calcium.....	20
7.6 Procedure — Water-soluble alkaline earth metals as calcium .....	21
7.7 Calculation — Water-soluble alkaline earths as calcium .....	21
7.8 Reagents and materials — Residue of diameter greater than 75 µm.....	22
7.9 Procedure — Residue of diameter greater than 75 µm.....	22
7.10 Calculation — Residue of diameter greater than 75 µm .....	23
7.11 Reagents and apparatus — Particles less than 6 µm in equivalent spherical diameter by sedimentation method .....	23
7.12 Procedure — Particles less than 6 µm in equivalent spherical diameter by sedimentation method .....	23
7.13 Calculation — Particles less than 6 µm in equivalent spherical diameter by sedimentation method .....	24
8 Haematite (hematite) .....	27
8.1 Principle.....	27
8.2 Reagent and apparatus — Density by Le Chatelier flask .....	28
8.3 Procedure — Density by Le Chatelier flask .....	28
8.4 Calculation — Density by Le Chatelier flask.....	29
8.5 Reagents and apparatus — Water-soluble alkaline earth metals as calcium .....	29
8.6 Procedure — Water-soluble alkaline earth metals as calcium .....	30
8.7 Calculation — Water-soluble alkaline earth metals as calcium.....	30
8.8 Reagents and apparatus — Residues greater than 75 µm and 45 µm .....	31
8.9 Procedure — Residues of diameter greater than 75 µm and 45 µm.....	31

8.10	Calculation — Residues of diameter greater than 75 $\mu\text{m}$ and 45 $\mu\text{m}$ .....	32
8.11	Reagents and apparatus — Particles less than 6 $\mu\text{m}$ in equivalent spherical diameter by sedimentation method.....	32
8.12	Procedure — Particles less than 6 $\mu\text{m}$ in equivalent spherical diameter by sedimentation method.....	33
8.13	Calculation — Particles less than 6 $\mu\text{m}$ in equivalent spherical diameter by sedimentation method.....	33
9	Bentonite.....	35
9.1	Principle.....	35
9.2	Reagents and apparatus — Suspension properties.....	36
9.3	Procedure — Rheology of suspension.....	36
9.4	Calculation — Rheology of suspension.....	37
9.5	Procedure — Filtrate volume of suspension.....	37
9.6	Calculation — Filtrate volume of suspension.....	37
9.7	Reagents and apparatus — Residue of diameter greater than 75 $\mu\text{m}$ .....	38
9.8	Procedure — Residue of diameter greater than 75 $\mu\text{m}$ .....	38
9.9	Calculation — Residue of diameter greater than 75 $\mu\text{m}$ .....	38
10	Non-treated bentonite.....	39
10.1	Principle.....	39
10.2	Reagents and apparatus — Suspension properties.....	39
10.3	Procedure — Rheology of suspension.....	40
10.4	Calculation — Rheology of suspension.....	40
10.5	Procedure — Dispersed plastic viscosity of suspension.....	40
10.6	Procedure — Dispersed filtrate volume of suspension.....	41
10.7	Calculation — Dispersed filtrate volume of suspension.....	41
11	OCMA grade bentonite.....	41
11.1	Principle.....	41
11.2	Reagents and apparatus — Suspension properties.....	42
11.3	Procedure — Rheology of suspension.....	42
11.4	Calculation — Rheology of suspension.....	42
11.5	Procedure — Filtrate volume of suspension.....	43
11.6	Calculation — Filtrate volume of suspension.....	43
11.7	Reagents and apparatus — Residue of diameter greater than 75 $\mu\text{m}$ .....	43
11.8	Procedure — Residue of diameter greater than 75 $\mu\text{m}$ .....	44
11.9	Calculation — Residue of diameter greater than 75 $\mu\text{m}$ .....	44
12	Attapulgit.....	44
12.1	Principle.....	44
12.2	Reagents and apparatus — Suspension properties.....	45
12.3	Procedure — 600 r/min dial reading of suspension.....	45
12.4	Reagent and apparatus — Residue of diameter greater than 75 $\mu\text{m}$ .....	46
12.5	Procedure — Residue of diameter greater than 75 $\mu\text{m}$ .....	46
12.6	Calculation — Residue of diameter greater than 75 $\mu\text{m}$ .....	46
12.7	Reagent and apparatus — Moisture.....	47
12.8	Procedure — Moisture.....	47
12.9	Calculation — Moisture.....	47
13	Sepiolite.....	47
13.1	Principle.....	47
13.2	Reagents and apparatus — Suspension properties.....	48
13.3	Procedure — 600 r/min dial reading of suspension.....	48
13.4	Reagents and apparatus — Residue of diameter greater than 75 $\mu\text{m}$ .....	49
13.5	Procedure — Residue of diameter greater than 75 $\mu\text{m}$ .....	49
13.6	Calculation — Residue of diameter greater than 75 $\mu\text{m}$ .....	50
13.7	Reagents and apparatus — Moisture.....	50
13.8	Procedure — Moisture.....	50
13.9	Calculation — Moisture.....	50

<b>14</b>	<b>Technical grade low-viscosity CMC (CMC-LVT)</b> .....	<b>51</b>
14.1	Principle.....	51
14.2	Reagents and apparatus — Determination of starch and starch derivatives .....	51
14.3	Procedure — Determination of starch and starch derivatives.....	52
14.4	Interpretation — Determination of starch and starch derivatives .....	52
14.5	Reagents and apparatus — Solution properties of water-soluble polymers .....	53
14.6	Procedure — Viscometer reading in deionized water.....	53
14.7	Procedure — Filtrate volume of solution .....	54
14.8	Calculation — Filtrate volume of solution.....	55
<b>15</b>	<b>Technical grade high-viscosity CMC (CMC-HVT)</b> .....	<b>55</b>
15.1	Principle.....	55
15.2	Reagents and apparatus — Determination of starch and starch derivatives .....	55
15.3	Procedure — Determination of starch and starch derivatives.....	56
15.4	Interpretation — Determination of starch and starch derivatives .....	56
15.5	Reagents and apparatus — Solution properties of water-soluble polymers .....	57
15.6	Procedure — Viscometer reading in deionized water.....	58
15.7	Procedure — Viscometer reading in 40 g/l salt water.....	58
15.8	Procedure — Viscometer reading in saturated salt water.....	58
15.9	Procedure — Filtrate volume of solution .....	59
15.10	Calculation — Filtrate volume of solution.....	60
<b>16</b>	<b>Starch</b> .....	<b>60</b>
16.1	Principle.....	60
16.2	Reagents and apparatus — Suspension properties .....	60
16.3	Procedure — Viscometer reading in 40 g/l salt water.....	61
16.4	Procedure — Filtrate volume of 40 g/l salt solution.....	62
16.5	Calculation — Filtrate volume of 40 g/l salt solution .....	62
16.6	Procedure — Viscometer reading in saturated salt solution .....	62
16.7	Procedure — Filtrate volume of saturated salt solution.....	63
16.8	Calculation — Filtrate volume of saturated salt solution .....	63
16.9	Reagents and apparatus — Residue greater than 2 000 $\mu\text{m}$ .....	64
16.10	Procedure — Residue greater than 2 000 $\mu\text{m}$ .....	64
<b>Annex A</b>	<b>(informative) Mineral impurities in barite</b> .....	<b>65</b>
<b>Annex B</b>	<b>(informative) Test precision</b> .....	<b>66</b>
<b>Annex C</b>	<b>(informative) Examples of calculations</b> .....	<b>71</b>
<b>Bibliography</b>	.....	<b>79</b>