

DIN ISO 18314-2:2017-04 (E)

Analytical colorimetry - Part 2: Saunderson correction, solutions of the Kubelka-Munk equation, tinting strength, hiding power (ISO 18314-2:2015)

| Contents | Page |
|---|------|
| National foreword | 3 |
| 1 Scope | 5 |
| 2 Terms, definitions, symbols, and abbreviated terms | 5 |
| 2.1 Terms and definitions | 5 |
| 2.2 Symbols and abbreviated terms | 6 |
| 3 Saunderson correction | 8 |
| 3.1 General | 8 |
| 3.2 Incidence diffuse, observation 0° (d/0°) | 8 |
| 3.3 Incidence 45°, observation 0° (45°: 0°) | 8 |
| 4 Solution of the Kubelka-Munk equations | 9 |
| 5 Determination of relative tinting strength and residual colour difference of coloured pigments | 10 |
| 5.1 General | 10 |
| 5.2 Principle | 10 |
| 5.3 Procedure | 10 |
| 5.3.1 General | 10 |
| 5.3.2 Evaluation of absorption at the absorption maximum | 11 |
| 5.3.3 Evaluation of the weighted K/S sum | 11 |
| 5.3.4 Evaluation by equalizing the tristimulus value, Y | 12 |
| 5.3.5 Evaluation by equalizing the smallest of the tristimulus values X, Y, and Z | 12 |
| 5.3.6 Evaluation by equalizing the shade depth | 13 |
| 6 Determination of hiding power of pigmented media | 14 |
| 6.1 General | 14 |
| 6.2 Example for white or light coloured paints with a contrast ratio of 0,98 as hiding power criterion | 15 |
| 7 Repeatability and reproducibility | 16 |
| 8 Test report | 16 |
| Annex A (normative) Tables of coefficients for calculating a() values (standard illuminant D65 and 10° standard observer) | 17 |
| Annex B (normative) Tables of coefficients for calculating a() values (standard illuminant C and 2° standard observer) | 19 |
| Bibliography | 21 |
| National Annex NA (informative) Bibliography | 4 |