ISO 18314-2:2023-01 (E)

Analytical colorimetry - Part 2: Saunderson correction, solutions of the Kubelka-Munk equation, tinting strength, depth of shade and hiding power

Contents

Page

Foreword iv

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Symbols and abbreviated terms 3

5 Saunderson correction 4
5.1 General 4
5.2 Incidence diffuse, observation 0° (d:0°) 5
5.3 Incidence 45°, observation 0° (45°:0°) 5

6 Solution of the Kubelka-Munk equations 5
6.1 General 5
6.2 Method 1 6
6.3 Method 2 6

7 Determination of relative tinting strength and residual colour difference of coloured pigments 7
7.1 General 7
7.2 Principle 7
7.3 Procedure 7
7.3.1 General 7
7.3.2 Evaluation of absorption at the absorption maximum 7
7.3.3 Evaluation of the weighted K/S sum 8
7.3.4 Evaluation by equalizing the tristimulus value, Y 9
7.3.5 Evaluation by equalizing the smallest of the tristimulus values X, Y, and Z 9
7.3.6 Evaluation by equalizing the depth of shade 10

8 Determination of hiding power of pigmented media 12
8.1 General 12
8.2 Example for white or light-coloured paints with a contrast ratio of 0,98 as hiding power criterion 12

9 Repeatability and reproducibility 13

Annex A (normative)Tablesofcoefficientsforcalculatinga() values (standard illuminant D65 and 10° standard observer) 14

Annex B (normative)Tablesofcoefficientsforcalculatinga() values (illuminant C and 2° standard observer) 16

Bibliography 18