

ISO 18639-4:2018 (E)

PPE ensembles for firefighters undertaking specific rescue activities — Part 4: Gloves

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Design and general requirements
4.1	General
4.2	Glove sizing
4.2.1	Hand dimensions
4.2.2	Minimum sizing
4.2.3	Labelling
4.3	Glove body length
4.4	Wristlet or cuff
4.5	Other design requirements
5	Pre-treatment, conditioning and sampling
5.1	Inspection
5.2	Testing
5.2.1	Specimens
5.2.2	Exposure surface
5.2.3	Interpretation criteria
5.3	Pre-treatments
5.3.1	Laundrying
5.3.2	Conditioning
5.3.3	Wetting
6	Performance requirements
6.1	General
6.2	Summary of requirements and classification
6.3	Road traffic crash (RTC)
6.4	Flame resistance
6.5	Heat transfer (flame exposure)
6.6	Heat transfer (radiant exposure)
6.7	Heat transfer (conductive exposure)
6.8	Heat resistance
6.9	Liquid penetration resistance (optional)
6.10	Whole glove integrity test
6.11	Urban search and rescue (USAR)
7	Mechanical and other requirements
7.1	Abrasion resistance
7.2	Cut resistance
7.3	Tear resistance
7.4	Puncture resistance
7.5	Label legibility
7.6	Ergonomic requirements
7.6.1	Dexterity
7.6.2	Grip

7.6.3	Donning
8	Leather chromium(VI) content
9	Marking
10	Manufacturer/supplier information
Annex A (normative) Grip test	
A.1	Principle
A.2	Equipment
A.3	Specimens
A.4	Procedure
A.5	Test report
Annex B (normative) Donning test	
B.1	Principle
B.2	Specimens
B.3	Procedure
B.4	Test report
Annex C (normative) Whole glove integrity test	
C.1	Principle
C.2	Equipment
C.3	Specimens
C.4	Procedure
C.5	Test report
Annex D (informative) Marking	

Page count: 20