

# ISO 23388:2018 (E)

## Protective gloves against mechanical risks

---

### Contents

|           |                                   |
|-----------|-----------------------------------|
|           | Foreword                          |
|           | Introduction                      |
| 1         | Scope                             |
| 2         | Normative references              |
| 3         | Terms and definitions             |
| 4         | Requirements                      |
| 4.1       | General                           |
| 4.2       | Additional protection (Optional)  |
| 4.2.1     | General                           |
| 4.2.2     | Impact protection                 |
| 5         | Sampling and conditioning         |
| 6         | Test methods                      |
| 6.1       | Abrasion resistance               |
| 6.1.1     | Principle                         |
| 6.1.2     | Consumables                       |
| 6.1.2.1   | Abradant                          |
| 6.1.2.2   | Double-sided adhesive tape        |
| 6.1.3     | Apparatus                         |
| 6.1.4     | Test specimens                    |
| 6.1.5     | Test procedure                    |
| 6.1.5.1   | Setting up the machine            |
| 6.1.5.1.1 | Mounting test specimens           |
| 6.1.5.1.2 | Mounting abradant                 |
| 6.1.5.1.3 | Mounting specimen holders         |
| 6.1.5.2   | Method of assessment              |
| 6.1.5.3   | Test method                       |
| 6.1.6     | Test report                       |
| 6.2       | Blade cut resistance              |
| 6.2.1     | Principle                         |
| 6.2.2     | Equipment                         |
| 6.2.3     | Test specimen                     |
| 6.2.4     | Control specimen                  |
| 6.2.5     | Canvas                            |
| 6.2.6     | Test method                       |
| 6.2.7     | Calculation of test results       |
| 6.2.8     | Test report                       |
| 6.3       | Cut resistance method (ISO 13997) |
| 6.3.1     | General                           |
| 6.3.2     | Test specimen                     |
| 6.3.3     | Test report                       |
| 6.4       | Tear resistance                   |
| 6.4.1     | Principle                         |
| 6.4.2     | Equipment                         |
| 6.4.3     | Test specimen                     |
| 6.4.4     | Setting up the test specimen      |
| 6.4.5     | Test method                       |
| 6.4.6     | Test report                       |
| 6.5       | Puncture resistance               |

|         |   |
|---------|---|
| 6.5.1   | Principle   |
| 6.5.2   | Equipment   |
| 6.5.3   | Test specimen   |
| 6.5.4   | Test method   |
| 6.5.5   | Test report   |
| 6.6     | Impact test   |
| 7       | Marking   |
| 7.1     | General   |
| 7.2     | Pictograms  |
| 7.3     | Marking of additional requirements impact protection                          |
| 7.4     | Examples of marking   |
| 8       | Information supplied by the manufacturer in the user notice                   |
| Annex A | (normative) Abradant  |
| A.1     | Definition of the abradant  |
| A.2     | Acceptation criteria of the abradant  |
| Annex B | (informative) Test results — Uncertainty of measurement                       |
| Annex C | (normative) Validation test for the adhesive used in 6.1.2.2 of this document |
| C.1     | Objective   |
| C.2     | Apparatus and materials   |
| C.3     | Preparation of test specimens   |
| C.4     | Test procedure  |
| C.5     | Examples of acceptable adhesive tape  |

Page count: 27