

# ISO 16073-9:2020 (E)

## Wildland firefighting personal protective equipment — Requirements and test methods — Part 9: Firehoods

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	General design requirements
4.1	General
4.2	Firehood flexibility and facial opening
4.3	Yoke interface area
4.4	Sizing
4.5	Seam construction
4.6	Labels
4.7	Particulate protection (Optional)
5	Sampling and pre-treatment
5.1	Sampling
5.2	Pre-treatment by cleaning
5.3	Conditioning
6	Performance requirements
6.1	Flame resistance — Face ignition
6.2	Sewing thread thermal stability
6.3	Heat resistance
6.4	Heat transfer — Flame exposure
6.5	Heat transfer — Radiant exposure
6.6	Residual burst strength of material following radiant heat exposure
6.7	Seam burst strength
6.8	Dimensional change
6.9	Particulate protection
6.9.1	General
6.9.2	Test method 1
6.9.3	Test method 2
6.10	Water vapour resistance
7	Marking and labelling
7.1	General
7.2	Label durability and legibility
7.3	Compliance marking requirements
8	Information supplied by the manufacturer
Annex A	(normative) Donning, doffing and shape retention test
Annex B	(normative) Particulate test method 1
B.1	Introduction
B.2	Principle
B.3	Test equipment
B.4	Procedure

<b>B.5</b>	<b>Calculation of the penetration</b>
<b>Annex C</b>	<b>(normative) Particulate test method 2</b>
<b>C.1</b>	<b>Introduction</b>
<b>C.2</b>	<b>Apparatus and test parameters</b>
<b>C.3</b>	<b>Procedure</b>
<b>C.4</b>	<b>Calculation of the penetration</b>
<b>Annex D</b>	<b>(informative) Particulate testing results</b>

**Page count: 16**