

ISO 13995:2000-12 (E)

Protective clothing - Mechanical properties - Test method for the determination of the resistance to puncture and dynamic tearing of materials

Contents

| | |
|---|----------|
| Foreword..... | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Terms and definitions..... | 1 |
| 2.1 Test specimen mounting block..... | 1 |
| 2.2 Tearing blade..... | 1 |
| 3 Requirements | 1 |
| 3.1 Use of this standard | 1 |
| 4 Test apparatus and procedures | 2 |
| 4.1 Principle of the puncture and dynamic tear test | 2 |
| 4.2 Types of tear and their measurement..... | 2 |
| 4.3 Performance levels | 3 |
| 4.4 Test apparatus | 3 |
| 4.5 Falling mass - blade holding block | 3 |
| 4.6 The tearing blade | 3 |
| 4.7 The test specimen mounting block and clamps..... | 4 |
| 4.7.1 Dimensions of the test specimen mounting block..... | 4 |
| 4.7.2 The test specimen clamping system | 4 |
| 4.8 Preparing the apparatus..... | 4 |
| 4.9 Preparation of test specimens..... | 4 |
| 4.10 Mounting the test specimens | 5 |
| 4.11 Carrying out a test | 5 |
| 4.12 Classification of results | 6 |
| 4.13 Test report | 6 |
| Annex A (informative) Informative annex on the specification of puncture and dynamic tear tests on materials and clothing..... | 7 |
| A.1 Introduction | 7 |
| A.2 Scope | 7 |
| A.3 Use of this European Standard | 7 |
| A.4 Hazard identification - choice of test method | 7 |
| A.4.1 Puncture and propagating tear..... | 7 |
| A.4.2 Puncture..... | 7 |
| A.4.3 Impact cut, stab..... | 8 |
| A.4.4 Sliding cut..... | 8 |
| A.4.5 Impact abrasion | 8 |
| A.4.6 Shearing, puncturing and tear | 8 |
| A.4.7 Tearing or bursting | 8 |
| A.4.8 Summary of test method choice | 8 |
| A.5 Risk analysis | 9 |
| A.5.1 Threat identification and quantification | 9 |
| A.5.2 Estimation of potential harm | 10 |
| A.5.3 Risk level estimation | 10 |
| A.6 Performance criteria | 11 |
| A.7 Specification of performance levels | 11 |
| A.8 Special conditions and deviation from the method in this European Standard | 11 |
| A.8.1 Area of hole or tear length | 12 |
| A.8.2 Pre-conditioning | 12 |
| A.8.3 Special test conditions..... | 12 |