

# ISO 16269-8:2004-09 (E)

## Statistical interpretation of data - Part 8: Determination of prediction intervals

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions and symbols .....</b>	<b>2</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>3.2</b>	<b>Symbols .....</b>	<b>2</b>
<b>4</b>	<b>Prediction intervals .....</b>	<b>3</b>
<b>4.1</b>	<b>General .....</b>	<b>3</b>
<b>4.2</b>	<b>Comparison with other types of statistical interval .....</b>	<b>4</b>
<b>4.2.1</b>	<b>Choice of type of interval .....</b>	<b>4</b>
<b>4.2.2</b>	<b>Comparison with a statistical tolerance interval .....</b>	<b>4</b>
<b>4.2.3</b>	<b>Comparison with a confidence interval for the mean .....</b>	<b>4</b>
<b>5</b>	<b>Prediction intervals for all observations in a further sample from a normally distributed population with unknown population standard deviation .....</b>	<b>4</b>
<b>5.1</b>	<b>One-sided intervals .....</b>	<b>4</b>
<b>5.2</b>	<b>Symmetric two-sided intervals .....</b>	<b>5</b>
<b>5.3</b>	<b>Prediction intervals for non-normally distributed populations that can be transformed to normality .....</b>	<b>5</b>
<b>5.4</b>	<b>Determination of a suitable initial sample size, n, for a given maximum value of the prediction interval factor, k .....</b>	<b>6</b>
<b>5.5</b>	<b>Determination of the confidence level corresponding to a given prediction interval .....</b>	<b>6</b>
<b>6</b>	<b>Prediction intervals for all observations in a further sample from a normally distributed population with known population standard deviation .....</b>	<b>6</b>
<b>6.1</b>	<b>One-sided intervals .....</b>	<b>6</b>
<b>6.2</b>	<b>Symmetric two-sided intervals .....</b>	<b>7</b>
<b>6.3</b>	<b>Prediction intervals for non-normally distributed populations that can be transformed to normality .....</b>	<b>7</b>
<b>6.4</b>	<b>Determination of a suitable initial sample size, n, for a given value of k .....</b>	<b>7</b>
<b>6.5</b>	<b>Determination of the confidence level corresponding to a given prediction interval .....</b>	<b>8</b>
<b>7</b>	<b>Prediction intervals for the mean of a further sample from a normally distributed population .....</b>	<b>8</b>
<b>8</b>	<b>Distribution-free prediction intervals .....</b>	<b>8</b>
<b>8.1</b>	<b>General .....</b>	<b>8</b>
<b>8.2</b>	<b>One-sided intervals .....</b>	<b>8</b>
<b>8.3</b>	<b>Two-sided intervals .....</b>	<b>9</b>
<b>Annex A (normative)</b>	<b>Tables of one-sided prediction interval factors, k, for unknown population standard deviation .....</b>	<b>13</b>
<b>Annex B (normative)</b>	<b>Tables of two-sided prediction interval factors, k, for unknown population standard deviation .....</b>	<b>31</b>

<b>Annex C (normative) Tables of one-sided prediction interval factors, k, for known population standard deviation .....</b>	<b>49</b>
<b>Annex D (normative) Tables of two-sided prediction interval factors, k, for known population standard deviation .....</b>	<b>67</b>
<b>Annex E (normative) Tables of sample sizes for one-sided distribution-free prediction intervals .....</b>	<b>85</b>
<b>Annex F (normative) Tables of sample sizes for two-sided distribution-free prediction intervals .....</b>	<b>91</b>
<b>Annex G (normative) Interpolating in the tables .....</b>	<b>97</b>
<b>Annex H (informative) Statistical theory underlying the tables .....</b>	<b>101</b>
<b>Bibliography .....</b>	<b>108</b>