

# ISO/IEC/IEEE 80005-1:2012-07 (E)

## Utility connections in port - Part 1: High Voltage Shore Connection (HVSC) Systems - General requirements

---

### Contents

	Page
FOREWORD .....	5
INTRODUCTION .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	10
4 General requirements .....	11
4.1 System description .....	11
4.2 Distribution system .....	12
4.2.1 General .....	12
4.2.2 Equipotential bonding .....	12
4.3 Compatibility assessment before connection .....	12
4.4 HVSC system design and operation .....	13
4.4.1 System design .....	13
4.4.2 System operation .....	13
4.5 Personnel safety .....	13
4.6 Design requirements .....	13
4.6.1 General .....	13
4.6.2 Protection against moisture and condensation .....	13
4.6.3 Location and construction .....	13
4.6.4 Electrical equipment in areas where flammable gas or vapour and/or combustible dust may be present .....	14
4.7 Electrical requirements .....	14
4.8 System study and calculations .....	15
4.9 Emergency shutdown including emergency stop facilities .....	15
5 HV shore supply system requirements .....	17
5.1 Voltages and frequencies .....	17
5.2 Quality of HV shore supply .....	18
6 Shore side installation .....	19
6.1 General .....	19
6.2 System component requirements .....	19
6.2.1 Circuit-breaker, disconnector and earthing switch .....	19
6.2.2 Transformer .....	19
6.2.3 Neutral earthing resistor .....	20
6.2.4 Equipment earthing conductor bonding .....	20
6.3 Shore to ship electrical protection system .....	20
6.4 HV interlocking .....	21
6.4.1 General .....	21
6.4.2 Handling of HV plug/socket-outlets .....	21
6.4.3 Operating of the high-voltage (HV) circuit-breakers, disconnectors and earthing switches .....	21

6.5	Shore connection convertor equipment.....	22
6.5.1	General .....	22
6.5.2	Degree of protection .....	22
6.5.3	Cooling .....	22
6.5.4	Protection .....	23
7	Ship to shore connection and interface equipment.....	23
7.1	General .....	23
7.2	Cable management system .....	23
7.2.1	General .....	23
7.2.2	Monitoring of cable tension .....	24
7.2.3	Monitoring of the cable length .....	24
7.2.4	Connection conductor current unbalance protection.....	24
7.2.5	Equipotential bond monitoring .....	25
7.2.6	Slip ring units .....	25
7.3	Plugs and socket-outlets .....	25
7.3.1	General .....	25
7.3.2	Pilot contacts.....	26
7.3.3	Earth contact .....	26
7.3.4	Fibre optical plug/socket.....	26
7.4	Interlocking of earthing switches .....	26
7.5	Ship to shore connection cable.....	27
7.6	Independent control and monitoring cable .....	27
7.7	Storage .....	27
7.8	Data communication.....	27
8	Ship requirements .....	28
8.1	General .....	28
8.2	Ship electrical distribution system protection .....	28
8.2.1	Short-circuit protection .....	28
8.2.2	Earth fault protection, monitoring and alarm .....	28
8.3	Shore connection switchboard.....	28
8.3.1	General .....	28
8.3.2	Circuit-breaker, disconnector and earthing switch.....	29
8.3.3	Instrumentation and protection .....	29
8.4	On board transformer .....	29
8.5	On board receiving switchboard connection point .....	30
8.5.1	General .....	30
8.5.2	Circuit-breaker and earthing switch.....	30
8.5.3	Instrumentation.....	30
8.5.4	Protection.....	30
8.5.5	Operation of the circuit-breaker .....	31
8.6	Ship power restoration .....	32
9	HVSC system control and monitoring.....	32
9.1	General requirements .....	32
9.2	Load transfer via blackout .....	33
9.3	Load transfer via automatic synchronization .....	33
9.3.1	General .....	33
9.3.2	Protection requirements.....	33
10	Verification and testing .....	33
10.1	General .....	33

10.2	Initial tests of shore side installation .....	34
10.2.1	General .....	34
10.2.2	Tests .....	34
10.3	Initial tests of ship side installation .....	34
10.3.1	General .....	34
10.3.2	Tests .....	34
10.4	Tests at the first call at a shore supply point.....	35
10.4.1	General .....	35
10.4.2	Tests .....	35
11	Periodic tests and maintenance.....	35
11.1	General .....	35
11.2	Tests at repeated calls of a shore supply point.....	36
11.2.1	General .....	36
11.2.2	Verification .....	36
12	Documentation .....	36
12.1	General .....	36
12.2	System description .....	36
	Annex A (informative) Ship to shore connection cable.....	37
	Annex B (normative) Additional requirements for Roll-on Roll-off (Ro-Ro) cargo ships and Ro-Ro passenger ships .....	42
	Annex C (normative) Additional requirements for cruise ships.....	45
	Annex D (normative) Additional requirements of container ships .....	51
	Annex E (normative) Additional requirements of liquefied natural gas carriers (LNGC).....	55
	Annex F (normative) Additional requirements for tankers .....	60
	Bibliography.....	63
	Figure 1 – Block diagram of a typical described HVSC system arrangement .....	11
	Figure 2 – Phase sequence rotation – Positive direction .....	17
	Figure 3 – Balanced three-phase variables in time domain .....	18
	Figure A.1 – Bending test arrangement.....	41
	Figure B.1 – Example for general system layout .....	42
	Figure B.2 – Example of a safety circuit.....	43
	Figure B.3 – Power plug and socket pin assignment .....	44
	Figure C.1 – General system layout .....	45
	Figure C.2 – Cruise ship HVSC system single line diagram.....	46
	Figure C.3 – Example of safety and control circuit .....	47
	Figure C.4 – Shore power connector pin assignment .....	49
	Figure C.5 – The power inlet fitted with fail-safe limit switch .....	50
	Figure D.1 – General system layout .....	51
	Figure D.2 – Safety circuits.....	53
	Figure D.3 – Power plug and socket pin assignment .....	54
	Figure E.1 – General system layout .....	55
	Figure E.2 – Power plug and socket pin assignment .....	58
	Figure F.1 – General system layout .....	60
	Figure F.2 – Power plug and socket pin assignment .....	61
	Table E.1 – LNGC 140 000 – 225 000 m <sup>3</sup> .....	56
	Table E.2 – LNGC > 225 000 m <sup>3</sup> .....	57