

DIN EN 16840:2017-05 (E)

Inland navigation vessels - Electrical shore connection, three-phase current 400 V, 50 Hz, at least 250 A

Contents		Page
European foreword		4
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Requirements	7
4.1	Components	7
4.2	Electrical characteristics	9
4.3	Basic safety requirements	9
4.3.1	General	9
4.3.2	Plug-in connectors	9
4.3.3	On-shore Connection Monitoring	9
4.4	Other requirements	9
Annex A (normative) Shore-based section		10
A.1	General	10
A.1.1	Components	10
A.1.2	Designs	11
A.1.3	General requirements	11
A.1.4	On-shore Connection Monitoring	11
A.1.5	Lighting	12
A.1.6	Transfer station	12
A.2	Mechanical specifications	12
A.3	Electrical safety	12
A.4	Further connections	12
A.5	Other requirements	12
A.6	Operating instructions	13
A.7	Designation	13
A.8	Labelling	14
Annex B (normative) On-board section		15
B.1	On-shore Cable Connection	15
B.1.1	Components	15
B.1.2	Selection	15
B.1.3	Layout	16
B.2	On-Board Rectifier Unit	16
B.2.1	Components	16
B.2.2	On-shore Connection Monitoring	17
B.2.3	Mechanical specifications	17
B.2.4	Electrical specifications	18
B.3	Operating instructions	18
B.4	Designation	18
B.4.1	On-shore connecting cable	18
B.4.2	On-shore connecting cable	19

B.5	Labelling	19
B.5.1	On-shore connecting cable	19
B.5.2	On-board rectifier unit	19
Annex C (informative) Dimensions for On-shore Connection Cables		20
Bibliography		21
Figures	Figure 1 -- Schematic representation of an electrical shore connection	8
	Figure A.1 -- Circuit diagram -- Example of a charging station with two connection units	11
	Figure B.1 -- Schematic diagram of an on-shore cable connection	15
	Figure B.2 -- Circuit diagram for an on-board rectifier unit	17
Tables	Table C.1 -- Current-carrying Capacity and Mass of a single-wire, flexible Hose Cable for Heavy-duty Use	20