

DIN EN 16840:2017-05 (E)

Inland navigation vessels - Electrical shore connection, three-phase current 400 V, 50 Hz, at least 250 A

| Contents | | Page |
|---|--|-------------|
| European foreword | | 4 |
| Introduction | | 5 |
| 1 Scope | | 6 |
| 2 Normative references | | 6 |
| 3 Terms and definitions | | 6 |
| 4 Requirements | | 7 |
| 4.1 Components | | 7 |
| 4.2 Electrical characteristics | | 9 |
| 4.3 Basic safety requirements | | 9 |
| 4.3.1 General | | 9 |
| 4.3.2 Plug-in connectors | | 9 |
| 4.3.3 On-shore Connection Monitoring | | 9 |
| 4.4 Other requirements | | 9 |
| Annex A (normative) Shore-based section | | 10 |
| A.1 General | | 10 |
| A.1.1 Components | | 10 |
| A.1.2 Designs | | 11 |
| A.1.3 General requirements | | 11 |
| A.1.4 On-shore Connection Monitoring | | 11 |
| A.1.5 Lighting | | 12 |
| A.1.6 Transfer station | | 12 |
| A.2 Mechanical specifications | | 12 |
| A.3 Electrical safety | | 12 |
| A.4 Further connections | | 12 |
| A.5 Other requirements | | 12 |
| A.6 Operating instructions | | 13 |
| A.7 Designation | | 13 |
| A.8 Labelling | | 14 |
| Annex B (normative) On-board section | | 15 |
| B.1 On-shore Cable Connection | | 15 |
| B.1.1 Components | | 15 |
| B.1.2 Selection | | 15 |
| B.1.3 Layout | | 16 |
| B.2 On-Board Rectifier Unit | | 16 |
| B.2.1 Components | | 16 |
| B.2.2 On-shore Connection Monitoring | | 17 |
| B.2.3 Mechanical specifications | | 17 |
| B.2.4 Electrical specifications | | 18 |
| B.3 Operating instructions | | 18 |
| B.4 Designation | | 18 |
| B.4.1 On-shore connecting cable | | 18 |
| B.4.2 On-shore connecting cable | | 19 |

| | | |
|--|---|-----------|
| B.5 | Labelling | 19 |
| B.5.1 | On-shore connecting cable | 19 |
| B.5.2 | On-board rectifier unit | 19 |
| Annex C (informative) Dimensions for On-shore Connection Cables | | 20 |
| Bibliography | | 21 |
| Figures | Figure 1 -- Schematic representation of an electrical shore connection | 8 |
| | Figure A.1 -- Circuit diagram -- Example of a charging station with two connection units | 11 |
| | Figure B.1 -- Schematic diagram of an on-shore cable connection | 15 |
| | Figure B.2 -- Circuit diagram for an on-board rectifier unit | 17 |
| Tables | Table C.1 -- Current-carrying Capacity and Mass of a single-wire, flexible Hose Cable for Heavy-duty Use | 20 |