ISO 29400:2020-05 (E)

Ships and marine technology - Offshore wind energy - Port and marine operations

Contents

Page

Foreword ..... **xi**

Introduction ..... **xii**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **2**

4 Symbols and abbreviated terms **25**
4.1 Symbols 25
4.2 Abbreviated terms 29

5 General considerations **32**
5.1 Introduction 32
5.1.1 General 32
5.1.2 Safety requirements 33
5.2 Jurisdiction 34
5.2.1 Introduction 34
5.2.2 Safety of life at sea 34
5.2.3 Environment 35
5.3 HSSE plan 35
5.4 Risk management 35
5.4.1 Introduction 35
5.4.2 Techniques to evaluate risks 36
5.5 Job safety analysis 36
5.6 Environmental impact study 37
5.7 Manning, qualifications, job and safety training 37
5.8 Daily progress and incident reporting 37
5.9 Personnel tracking 38
5.10 Approval by national authorities 38

6 Organization, documentation and planning **38**
6.1 Introduction 38
6.2 Organization and communication 39
6.2.1 Project organization 39
6.2.2 Operational organization 39
6.3 Quality assurance and administrative procedures 40
6.4 Technical procedures 40
6.5 Technical documentation 41
6.5.1 Document numbering system 41
6.5.2 RAMS for port and marine operations 41
6.5.3 Operational schedule/programme 42
6.5.4 Contingency philosophy 43
6.5.5 Contingency planning and emergency procedures 43
6.5.6 Emergency response coordination plan 44
6.5.7 As-built documentation/Post construction file 45
6.5.8 Standards for data transfer to CAD systems 46
6.6 Certification and documentation 48
6.6.1 Introduction 48
6.6.2 Required or recommended documentation 49
6.7 Marine warranty survey 49
6.7.1 Introduction 49
6.7.2 Role of the marine warranty surveyor 49

6.7.3 MWS scope of work 50
6.7.4 Certificate of approval 50
6.8 Systems and equipment 51
6.8.1 Introduction 51
6.8.2 Marine vessels 51
6.8.3 Major equipment 51

7 Metocean requirements 51
7.1 Introduction 51
7.2 Weather-restricted/weather-unrestricted operations 52
7.2.1 Weather-restricted operations 52
7.2.2 Weather-unrestricted operations 52
7.3 Metocean conditions 52
7.3.1 Wind 52
7.3.2 Wave, wave period and swell conditions 53
7.3.3 Current 53
7.3.4 Other metocean factors 53
7.3.5 Temperature 54
7.3.6 Marine growth 54
7.4 Metocean criteria 54
7.4.1 Design criteria and operational limits 54
7.4.2 Return periods 55
7.4.3 Vessel response-based analysis 55
7.4.4 Probability distributions of sea state parameters 55
7.5 Operational duration, contingency and weather window 55
7.5.1 Planned operational duration 55
7.5.2 Weather window and contingency 56
7.5.3 Point of no return 56
7.5.4 Forecasted and monitored operational limits, metocean reduction factor 57
7.6 Weather forecasts 58
7.6.1 Introduction 58
7.6.2 Forecast parameters 58
7.7 On-site monitoring 58

8 Onshore transport and nearshore transport 59
8.1 Introduction 59
8.2 Structural integrity calculations 59
8.3 Transport by road 59
8.4 Transport via inland waterways 59
8.5 Transport via nearshore waterways 60
8.6 Transport via railways 60
8.7 Transport frames and equipment 60

9 Intermediate storage areas 60
9.1 Introduction 60
9.2 Infrastructure requirements 61
9.2.1 Load bearing 61
9.2.2 Surface 61
9.3 Storage frames and equipment 61
9.4 Requirements of components for storage 62
9.5 Protection of components against environmental conditions 62
9.6 Structural integrity calculations 62
9.6.1 Introduction 62
9.6.2 Vortex shedding 62
9.7 Security measures 63

10 Pre-assembly 63
10.1 Introduction 63
10.2 Pre-assembly area requirements 63
10.3 Pre-assembly activities 63
10.4 Pre-assembly equipment 64
10.5 Structural integrity calculations 64
10.6 Vortex shedding 64
10.7 Security measures 64

11 Port activities **64**
11.1 Introduction 64
11.2 Accessibility of harbour areas 64
11.2.1 Water access 64
11.2.2 Inland access 65
11.3 Storage areas of quayside 65
11.4 Security measures 65
11.5 Quayside requirements 65
11.6 Port subsea soil requirements for jacking activities 65

12 Weight control **66**
12.1 Introduction 66
12.2 Weight control classes 67
12.3 Weight and CoG constraints 67
12.4 Weight control monitoring 67
12.5 Dimensional control 68
12.6 Serial items 68
12.7 Weight determinations 68

13 Stability **68**
13.1 Introduction 68
13.2 General requirements 69
13.3 Stability calculations 69
13.4 Intact stability 70
13.4.1 Introduction 70
13.4.2 Intact stability criteria 71
13.5 Damage stability 72
13.5.1 Introduction 72
13.5.2 Damage stability criteria 74
13.6 Single-barge transports 75
13.7 Multi-barge transports 75
13.8 Classed vessels 76
13.9 Self-floating structures 76
13.9.1 Introduction 76
13.9.2 Intact and damage stability 76
13.9.3 Upending and installation of self-floating and launched structures 77
13.10 Loadout operations 78
13.11 Watertight integrity and temporary closures 79
13.12 Inclining tests 79

14 Ballasting operations **80**
14.1 Introduction 80
14.2 Ballast calculations for different stages 81
14.3 In ballast system 81
14.3.1 Operational aspects 81
14.3.2 Other operational considerations 82
14.4 Protection against damage and deterioration 82
14.4.1 Introduction 82
14.4.2 Freezing 83
14.5 Prevention of progressive flooding in damage condition 83
14.6 Control and indicating systems 83
14.7 Pumps 84
14.7.1 Introduction 84
14.7.2 Specification and layout 84
14.7.3 Pump performance curves and functional limitations 84
14.8 Valve arrangements 84
14.9 Vent systems 85
14.10 Air cushion system capacity 85
14.11 System testing 85

15 Loadout **85**
15.1 Introduction 85
15.2 Categories of loadout 86
15.2.1 Introduction 86
15.2.2 Design: structural analysis during all loadout phases 87
15.2.3 Loadout planning 87
15.2.4 Cargo weight details and CoG information 87
15.2.5 Deck loading plan 88
15.3 Structure being loaded 88
15.4 Site and quay 88
15.5 Barge 89
15.6 Link beams, skidways and skidshoes 89
15.7 Moorings 89
15.7.1 Weather-restricted operation 89
15.7.2 Temporary mooring system 90
15.8 Grounded loadouts 90
15.9 Pumping and ballasting 91
15.9.1 Pump capacity 91
15.9.2 Recommended pump capacity 91
15.10 Loadouts by trailers, SPMTs or hydraulic skidshoes 92
15.10.1 Introduction 92
15.10.2 Structural capacity 92
15.10.3 Load equalization and stability 93
15.10.4 Vertical alignment 93
15.10.5 Skidshoes 93
15.11 Propulsion system design, redundancy and back-up 93
15.11.1 Propulsion system 93
15.11.2 Redundancy and recommendations 94
15.12 Float-on onto submersible barges or vessels 95
15.13 Lifted loadouts 96
15.14 Horizontal loadouts 97
15.15 Barge reinstatement and sea fastenings 97
15.16 Tugs 98
15.17 Management and organization 98
15.18 Loadout manual 98
15.19 Operating manual 98

16 Transportation **100**
16.1 Introduction 100
16.2 General considerations 100
16.2.1 Manned tows 100
16.2.2 Unmanned tows 101
16.2.3 Navigation lights, signals and day shapes 101
16.2.4 Contingency 101
16.2.5 Motion responses 101
16.2.6 Verification of the transported object 101
16.2.7 Structural analysis during all transport phases 101
16.2.8 Transport planning 102
16.3 Weather routeing and forecasting 102
16.4 Ports of shelter, shelter areas, holding areas 102
16.5 Inspections during the towage or voyage 103
16.6 Responsibility 103
16.7 Hazardous materials 103
16.8 Ballast water 104
16.9 Restricted depths, heights and manoeuvrability 104
16.10 Under-keel clearances 104
16.11 Air draught 105
16.12 Channel width 105
16.13 Survey requirements 105

16.14 Towline pull required, fleet composition and towing arrangement 106
16.14.1 Towline pull required 106
16.14.2 Towing fleet 107
16.14.3 Towing arrangement 107
16.14.4 Towline length 108
16.15 Tow out from dry dock 108
16.15.1 Introduction 108
16.15.2 Under-keel clearance 108
16.15.3 Side clearances 108
16.15.4 Air cushion/air pressure 108
16.15.5 Capacity of winching and towing arrangements 109
16.15.6 Positioning systems 109
16.15.7 Survey requirements 109
16.16 Inshore tow 109
16.16.1 Tow route and towing clearances 109
16.16.2 Positioning systems 110
16.17 Transport onboard a vessel/Offshore tow 110
16.17.1 Vessel selection 110
16.17.2 Stability 110
16.17.3 Sea fastening 110
16.17.4 Vortex shedding 112
16.17.5 Navigation systems 112
16.18 Transport manual 112

17 Temporary mooring and stationkeeping for marine operations 113
17.1 Introduction 113
17.2 Environmental criteria 113
17.3 Determination of mooring response 114
17.3.1 Analysis methods 114
17.3.2 General considerations on the mooring design 114
17.4 Sizing of mooring lines 115
17.4.1 General considerations 115
17.4.2 Line tension limits and design safety factors 115
17.4.3 Particular mooring conditions 116
17.5 Sizing of anchors 116
17.6 Sizing of attachments 117
17.7 Sizing of mooring line components 117
17.8 Clearances under extreme conditions 117
17.9 Clearances during positioning 118
17.10 Tensioning of moorings 118
17.11 Other stationkeeping means 118
17.11.1 Introduction 118
17.11.2 DP systems 119
17.11.3 Purpose-built mooring arrangements 119
17.11.4 Use of tugs 119
17.12 System for common reference stations 119

18 Offshore installation operations 120
18.1 Introduction 120
18.1.1 Foundation 120
18.1.2 Transition piece 120
18.1.3 Wind turbine generator 120
18.1.4 Offshore substation/Offshore accommodation platforms 120
18.1.5 Installation plan 120
18.1.6 Cargo weight details and CoG information 123
18.2 Installation site 123
18.2.1 Sea floor survey 123
18.2.2 Soil survey 124
18.2.3 Soil preparation 124

18.2.4 Site charts 124
18.2.5 Unexploded ordnance (UXO) 125
18.3 Systems and equipment 127
18.3.1 Introduction 127
18.3.2 Vessels 127
18.3.3 Equipment 127
18.3.4 Position reference system 128
18.3.5 Ballast systems 128
18.3.6 Transport vessel interface with marine equipment 128
18.4 Positioning of vessels 128
18.5 Site reference system 129
18.6 Geotechnical site-specific assessment for jack-up operations 129
18.6.1 Introduction 129
18.6.2 Required soil investigations 129
18.6.3 Penetration analysis, punch-through and horizontal-vertical-interaction 130
18.7 Vessel operation manual 132
18.8 Jack-up preloading procedure 133
18.9 Ballasting 133
18.10 Lifted installations 133
18.10.1 Introduction 133
18.10.2 Installation of liftable jackets 133
18.10.3 Installation of templates for piles 134
18.10.4 Installation of piles 134
18.10.5 Installation of transition pieces 134
18.10.6 Installation of GBS 134
18.10.7 Transfer of items from a barge to the deck of a crane vessel/jack-up vessel 135
18.10.8 Installation of towers 135
18.10.9 Installation of WTG including nacelle, hub and blades 135
18.10.10 Installation of topsides of offshore substations/accommodation platforms 135
18.10.11 Operational aspects 135
18.10.12 Operational control parameters 136
18.11 Lowering by ballasting 136
18.11.1 Introduction 136
18.11.2 Operational aspects 136
18.11.3 Operational control parameters 136
18.12 Precise positioning on the sea floor by active and passive means 137
18.12.1 Introduction 137
18.12.2 Operational design aspects 137
18.12.3 Operational control parameters 137
18.13 Skirt penetration 138
18.13.1 Introduction 138
18.13.2 Gravity penetration 138
18.13.3 Suction penetration 138
18.13.4 Operational design aspects 138
18.13.5 Operational control parameters 138
18.14 Pile installation 139
18.14.1 Introduction 139
18.14.2 Operational design aspects 139
18.14.3 Operational control parameters 140
18.15 Grouting 140
18.15.1 Introduction 140
18.15.2 Grouting of pile/transition piece structure 140
18.15.3 Underbase grouting of pile/jacket structure 141
18.15.4 Operational design aspects 141
18.15.5 Preparations 141

18.15.6 Operational control parameters 142
18.16 Bolted connections of foundation 142
18.17 Welding of piles/foundation to topsides 142
18.18 Noise mitigation measures 142
18.19 Crew transfer to and from installation units 143
18.20 Offshore completion 143
18.20.1 Introduction 143
18.20.2 ROV inspection 143
18.20.3 Removal of temporary equipment 144
18.20.4 Scour protection 144
18.20.5 Final inspection 144
18.21 Project execution manual 144

19 Design and operation of lifting equipment 145
19.1 Introduction 145
19.2 Rigging geometry 147
19.3 Actions and action effects 147
19.4 Weight contingency factors 149
19.5 Dynamic amplification factors (DAFs) 150
19.5.1 Introduction 150
19.5.2 Lifts by a crane 150
19.5.3 Offshore lifts by cranes on two or more vessels 152
19.6 Representative hook load 152
19.6.1 One-hook lifts by a single crane 152
19.6.2 Two-hook lifts by two cranes 152
19.7 Representative lift weight per lift point 153
19.7.1 One-hook lifts 153
19.7.2 Two-hook lifts 153
19.8 Representative forces on a lift point 154
19.8.1 Representative vertical force 154
19.8.2 Representative force in line with the sling direction 155
19.8.3 Representative lateral force 155
19.9 Representative force for slings and grommets 156
19.10 Design values of actions and action effects 156
19.11 Strengths of slings, grommets and shackles 158
19.11.1 Steel cable slings 158
19.11.2 Fibre rope slings and fibre rope grommets 158
19.11.3 Working load limits and design strengths of fibre slings and grommets 159
19.11.4 Working load limit and design strength of shackles 160
19.12 Design verifications 160
19.12.1 Allowable hook load 160
19.12.2 Slings and grommets 161
19.12.3 Lift points and their attachment to the structure and supporting members 163
19.13 Lift point design 164
19.13.1 Introduction 164
19.13.2 Sling ovalization 164
19.13.3 Plate rolling direction and direction of loading 164
19.13.4 Pinholes 164
19.13.5 Cast padears and welded trunnions 165
19.13.6 Cheek plates 165
19.13.7 Padeyes 165
19.14 Clearances 165
19.14.1 Introduction 165
19.14.2 Clearances around lifted objects 166
19.14.3 Clearances around crane vessel 166
19.14.4 Clearances around jack-up crane vessel 167
19.14.5 Clearances around mooring lines and anchors of crane vessels 167
19.14.6 Clearances around array cable zones 168
19.14.7 Clearances around spud-can positions of jack-up vessels 168

19.15 Bumpers and guides ... 168
19.15.1 Introduction ... 168
19.15.2 Object movements ... 168
19.15.3 Position of bumpers and guides ... 168
19.15.4 Bumper and guide loads ... 169
19.15.5 Design considerations ... 169
19.16 Heave compensated lifts ... 170
19.17 Lifts using DP ... 170
19.18 Practical considerations ... 170
19.18.1 Access ... 170
19.18.2 Design of seafastening ... 170
19.18.3 Equipment ... 170
19.18.4 Slings ... 171
19.19 Certification requirements for lifting equipment ... 171
19.19.1 Standard lifting equipment ... 171
19.19.2 Custom-made lifting equipment ... 171
19.19.3 Recertification of lifting equipment ... 172

20 Laying, burial, jointing, and repair of sub-sea cables ... 172
20.1 Introduction ... 172
20.2 Planning and design ... 172
20.2.1 Cable dimensions and handling parameters ... 172
20.2.2 Seafloor survey — Specifically cable route corridors between turbines and substation(s) ... 173
20.2.3 Vessel suitability ... 175
20.2.4 Cable storage and cable handling equipment ... 177
20.2.5 Navigation equipment — Positioning and control of vessel/cable interface ... 177
20.3 Cable loadout and offshore transfer ... 178
20.3.1 Introduction ... 178
20.3.2 Handling and lifting ... 178
20.3.3 Loadout by reeling, spooling, winding and coiling ... 178
20.3.4 Lifted loadout and offshore transfer ... 180
20.4 Cable laying ... 180
20.4.1 Introduction ... 180
20.4.2 Cable pull-in procedures ... 181
20.4.3 Laying ... 182
20.5 Cable protection ... 182
20.5.1 Introduction ... 182
20.5.2 Cable burial ... 182
20.5.3 Non-burial cable protection ... 183
20.6 Cable crossings ... 185
20.7 Landfalls ... 185
20.8 Cable jointing and repair ... 185
20.9 As-built survey ... 186
20.10 Cable integrity check ... 186
20.11 Cable installation manual ... 186

21 Construction management ... 186
21.1 Introduction ... 186
21.2 Marine coordination ... 187
21.3 Harbour coordination ... 188
21.4 Guard vessel ... 188
21.5 Reporting ... 188
21.6 Personnel tracking ... 188

Annex A (informative) **Additional information and guidance ... 189**

Bibliography ... 203