

# ISO 28005-1:2024-12 (E)

## Ships and marine technology - Electronic port clearance (EPC) - Part 1: Message structures and application programming interfaces

---

### Contents

Page

- Foreword..... ix
- Introduction..... xi
- 1 Scope..... 1
- 2 Normative references..... 1
- 3 Terms, definitions, and abbreviated terms..... 1
  - 3.1 Terms and definitions..... 1
  - 3.2 Abbreviated terms..... 5
- 4 Structure of XSD data type and object definitions..... 6
  - 4.1 General..... 6
  - 4.2 Principles for XML descriptions in the ISO 28005 series..... 7
    - 4.2.1 No use of XML attributes..... 7
    - 4.2.2 Defaults for minOccurs and maxOccurs..... 7
    - 4.2.3 Signalling empty XML tags..... 7
    - 4.2.4 Order of child elements in XSD files..... 7
    - 4.2.5 Character set..... 7
    - 4.2.6 Principles for defining types with code lists..... 7
    - 4.2.7 XSD name space for general XSD data types..... 8
    - 4.2.8 ISO 28005 name space..... 8
    - 4.2.9 Use of Xpath expressions..... 8
  - 4.3 Structure of clauses defining data types..... 8
    - 4.3.1 Clause and data type name..... 8
    - 4.3.2 Definition..... 8
    - 4.3.3 Type defined as XSD code..... 9
    - 4.3.4 Representation..... 9
  - 4.4 Creating valid XSD schema files..... 9
    - 4.4.1 File structure..... 9
    - 4.4.2 Numbering of XSD files and message version code..... 10
    - 4.4.3 Location of XSD files..... 11
  - 4.5 Reference to data types defined in ISO 28005-2:2021..... 11
- 5 Adapted XSD data types for ISO 28005..... 12
  - 5.1 General..... 12
  - 5.2 epc:anyURI – Generalized URI..... 12
    - 5.2.1 Definition..... 12
    - 5.2.2 Type..... 12
    - 5.2.3 Representation..... 12
  - 5.3 epc:boolean – Boolean flag..... 12
    - 5.3.1 Definition..... 12
    - 5.3.2 Type..... 12
    - 5.3.3 Representation..... 12
  - 5.4 epc:date – General date..... 12
    - 5.4.1 Definition..... 12
    - 5.4.2 Type..... 12
    - 5.4.3 Representation..... 13
  - 5.5 epc:dateTime – Time and date, with time zone..... 13
    - 5.5.1 Definition..... 13
    - 5.5.2 Type..... 13
    - 5.5.3 Representation..... 13
  - 5.6 epc:decimal – decimal number..... 13

5.6.1	Definition	13
5.6.2	Type	13
5.6.3	Representation	13
5.7	epc:duration – Time duration	14
5.7.1	Definition	14
5.7.2	Type	14
5.7.3	Representation	14
5.8	epc:int – Integer number	14
5.8.1	Definition	14
5.8.2	Type	14
5.8.3	Representation	14
5.9	epc:string – General string	14
5.9.1	Definition	14
5.9.2	Type	14
5.9.3	Representation	15
5.10	epc:token – Computer-understandable string	15
5.10.1	Definition	15
5.10.2	Type	15
5.10.3	Representation	15
5.11	epc:xpath – Identification of an XML data item	15
5.11.1	Definition	15
5.11.2	Type	15
5.11.3	Representation	15
<b>6</b>	<b>General ISO 28005 data types</b>	<b>15</b>
6.1	General	15
6.2	epc:AuthenticatorType – Authenticator of information	15
6.2.1	Definition	15
6.2.2	Type	16
6.2.3	Representation	16
6.3	epc:AuthorizationTokenType – Authorization token	16
6.3.1	Definition	16
6.3.2	Type	16
6.3.3	Representation	16
6.4	epc:ContactInfoType – Contact information	16
6.4.1	Definition	16
6.4.2	Type	17
6.4.3	Representation	17
6.5	epc:CommunicationNumberType – Communication number information	17
6.5.1	Definition	17
6.5.2	Type	17
6.5.3	Representation	18
6.6	epc:CountryCodeContentType – Country identification	18
6.6.1	Definition	18
6.6.2	Type	18
6.6.3	Representation	18
6.7	epc:CountrySubdivisionCodeContentType – Country subdivision identification	18
6.7.1	Definition	18
6.7.2	Type	18
6.7.3	Representation	19
6.8	epc:CrewDutyType – Duty onboard or on shore	19
6.8.1	Definition	19
6.8.2	Type	19
6.8.3	Representation	19
6.9	epc:LocationType – Identification of a location	19
6.9.1	Definition	19
6.9.2	Type	19
6.9.3	Representation	21
6.10	epc:NameType – Name of person	21
6.10.1	Definition	21
6.10.2	Type	21
6.10.3	Representation	21

6.11	epc:OrganizationType – Description of an organization.....	22
6.11.1	Definition.....	22
6.11.2	Type.....	22
6.11.3	Representation.....	22
6.12	epc:PostalAddressType – A postal mail address.....	22
6.12.1	Definition.....	22
6.12.2	Type.....	22
6.12.3	Representation.....	23
6.13	epc:ShipIDType – Ship identity.....	23
6.13.1	Definition.....	23
6.13.2	Type.....	23
6.13.3	Representation.....	23
6.14	epc:ReportingSystemType – Name of a reporting system.....	24
6.14.1	Definition.....	24
6.14.2	Type.....	24
6.14.3	Representation.....	24
6.15	epc:AttachmentType – Reference to an attached document.....	24
6.15.1	Definition.....	24
6.15.2	Type.....	24
6.15.3	Representation.....	24
6.16	epc:ReferenceCodeType – General reference code.....	25
6.16.1	Definition.....	25
6.16.2	Type.....	25
6.16.3	Representation.....	25
6.17	epc:SystemIDType – Identity code for a software system.....	25
6.17.1	Definition.....	25
6.17.2	Type.....	25
6.17.3	Representation.....	25
6.18	epc:SignatureCertificateIDType – Name of digital signature holder.....	26
6.18.1	Definition.....	26
6.18.2	Type.....	26
6.18.3	Representation.....	26
6.19	epc:VersionType – Version code.....	26
6.19.1	Definition.....	26
6.19.2	Type.....	26
6.19.3	Representation.....	27
<b>7</b>	<b>ISO 28005 design principles.....</b>	<b>27</b>
7.1	Harmonization with the IMO reference data model.....	27
7.2	Fully automated machine to machine.....	27
7.3	Using carrier independent and internet-based protocols.....	28
7.4	General format of message sequence diagrams.....	28
7.5	Sender and receiver versus client and server — asynchronous message transfers.....	29
7.6	Generalization of service.....	30
7.7	Different levels of sessions.....	30
7.7.1	HTTP session.....	30
7.7.2	Session.....	31
7.7.3	Session context.....	32
7.8	One service per request and session.....	33
7.9	Linking receivers to service providers.....	33
7.10	Service request states.....	33
7.10.1	Message processing.....	33
7.10.2	State diagram for service requests.....	34
7.10.3	Message functions.....	36
7.10.4	Specification of request timeout.....	36
7.10.5	Message and service request return values.....	37
7.11	Send data once only.....	37
7.12	Message context.....	37
7.13	General message structure.....	39
7.14	Digital signatures.....	40
7.15	Secure data transfer.....	40

7.16	Additional authorization for accessing API.....	40
7.17	Message implementation guide.....	41
7.18	Other formats than XML for the message body.....	41
7.19	No explicit service discovery.....	41
<b>8</b>	<b>Message exchange patterns.....</b>	<b>41</b>
8.1	General rules.....	41
8.1.1	Application of this specification.....	41
8.1.2	Use of reference codes.....	42
8.1.3	Use of final flag in message header.....	42
8.1.4	Use of service timeout or session context end.....	43
8.1.5	Status and error codes.....	43
8.1.6	Multiple senders.....	44
8.1.7	Interleaving update requests with status messages.....	45
8.2	Sequence diagrams.....	45
8.2.1	Pattern 1: Service request and updates.....	45
8.2.2	Pattern 2: Status poll.....	47
8.2.3	Pattern 3: Simple report.....	47
8.2.4	Pattern 4: Request information.....	48
8.2.5	Pattern 5: Subscribe to service or information.....	48
<b>9</b>	<b>Using HTTP multi-part message.....</b>	<b>49</b>
9.1	General.....	49
9.2	Example of an ISO 28005-1 multi-part message.....	50
9.3	Content-Type: multipart/form-data.....	50
9.4	Content-Encoding: gzip.....	51
9.5	Prose text.....	51
9.6	Content-Type: application, image or other.....	51
9.7	Content-Disposition: form-data; name = name; filename = file.name;.....	51
<b>10</b>	<b>Definitions related to the message header part.....</b>	<b>52</b>
10.1	General.....	52
10.2	epc:MessageFunctionCodeContentType – Message function code.....	52
10.2.1	Definition.....	52
10.2.2	Type.....	52
10.2.3	Representation.....	52
10.3	epc:ReplyInformationType – Type of sender response code.....	52
10.3.1	Definition.....	52
10.3.2	Type.....	52
10.3.3	Representation.....	53
10.4	epc:MessageBodyFormatContentType – Format of body data.....	53
10.4.1	Definition.....	53
10.4.2	Type.....	53
10.4.3	Representation.....	53
10.5	epc:ServiceTypeCodeContentType – Code for identification of service type.....	53
10.5.1	Definition.....	53
10.5.2	Type.....	54
10.5.3	Representation.....	54
10.6	epc:ServiceCodeContentType – Code for identification of a service in a group.....	54
10.6.1	Definition.....	54
10.6.2	Type.....	54
10.6.3	Representation.....	54
10.7	epc:StatusType – General message and service request status and error codes.....	54
10.7.1	Definition.....	54
10.7.2	Type.....	54
10.7.3	Representation.....	55
10.8	epc:SpecialAttachmentType – Description of special attachment.....	55
10.8.1	Definition.....	55
10.8.2	Type.....	55
10.8.3	Representation.....	56

10.9	epc:MessageManifestType – Number of message parts .....	56
10.9.1	Definition .....	56
10.9.2	Type .....	56
10.9.3	Representation .....	56
10.10	epc:EPCMessageHeaderType – Standard header for an EPC message .....	56
10.10.1	Definition .....	56
10.10.2	Type .....	56
10.10.3	Representation .....	59
<b>11</b>	<b>Definitions related to the message body part .....</b>	<b>61</b>
11.1	General .....	61
11.2	XML message body .....	61
11.2.1	epc:EPCMessageBodyType – the XML body data type .....	61
11.2.2	Structure of message body definition table .....	62
11.3	Encryption of selected content .....	62
11.4	UN/EDIFACT message body .....	63
11.5	UN/EDIFACT status message .....	63
11.6	JSON message body .....	63
<b>12</b>	<b>Definitions related to attachment message parts .....</b>	<b>63</b>
12.1	General .....	63
12.2	Reference to an attached document in an XML body .....	63
<b>13</b>	<b>Definitions related to X.509 certificate message parts .....</b>	<b>64</b>
<b>14</b>	<b>Definitions related to the digital signature message part .....</b>	<b>64</b>
14.1	General .....	64
14.2	Signers .....	64
14.3	epc:EPCMessageSignatureType – Digital signatures of message parts .....	65
14.3.1	Definition .....	65
14.3.2	Type .....	65
14.3.3	Representation .....	65
<b>15</b>	<b>General definitions related to the use of HTTP .....</b>	<b>65</b>
15.1	Conceptual structure of a receiver .....	65
15.2	Conceptual structure of a sender .....	66
15.3	Transmission protocol .....	67
15.4	Avoid use of HTTP redirect and similar mechanisms .....	67
15.5	Optional use of HTTP keep-alive .....	67
15.6	API access point URL .....	67
15.7	HTTP methods .....	67
15.8	Different types of synchronous return values .....	68
15.8.1	General .....	68
15.8.2	Connection error .....	68
15.8.3	HTTP error codes .....	68
15.8.4	Message status .....	68
15.8.5	Service request status .....	69
<b>16</b>	<b>API access points for asynchronous HTTP communication .....</b>	<b>69</b>
16.1	General .....	69
16.2	Message patterns to use .....	69
16.3	No authorization on the sender's URL .....	69
<b>17</b>	<b>API access point for synchronous HTTP communication .....</b>	<b>69</b>
17.1	General .....	69
17.2	Message patterns to use .....	69
<b>18</b>	<b>Authorization to access API access point .....</b>	<b>70</b>
18.1	General .....	70
18.2	The message pattern .....	70
18.3	epc:ServiceAuthorizationType – Type of service authorization .....	71
18.3.1	Definition .....	71
18.3.2	Type .....	71

18.3.3	Representation.....	71
18.4	The message body.....	72
<b>19</b>	<b>Specifications for the message implementation guide (MIG)</b> .....	<b>72</b>
19.1	General structure of MIG.....	72
19.2	MIG Introduction.....	72
19.3	High level description of use case.....	72
19.4	Prerequisites.....	72
19.5	Message sequence diagrams.....	72
<b>Annex A</b>	<b>(normative) EPC request body</b> .....	<b>74</b>
<b>Annex B</b>	<b>(informative) Message implementation guide for access authorization</b> .....	<b>75</b>
<b>Annex C</b>	<b>(informative) Message implementation guide for maritime single window and mandatory ship reporting system</b> .....	<b>80</b>
<b>Annex D</b>	<b>(normative) Code list for special attachments</b> .....	<b>87</b>
<b>Annex E</b>	<b>(normative) Message function codes for XML messages</b> .....	<b>88</b>
<b>Annex F</b>	<b>(normative) Message and service request status codes</b> .....	<b>89</b>
<b>Annex G</b>	<b>(normative) Service codes</b> .....	<b>90</b>
<b>Annex H</b>	<b>(normative) Software system type codes</b> .....	<b>94</b>
<b>Annex I</b>	<b>(normative) Code list for authenticator and contact point roles</b> .....	<b>95</b>
<b>Annex J</b>	<b>(normative) Codes for digital signatures</b> .....	<b>96</b>
<b>Annex K</b>	<b>(informative) IMO FAL mapping</b> .....	<b>97</b>
<b>Bibliography</b>	.....	<b>99</b>