

ISO 15739:2013-06 (E)

Photography - Electronic still-picture imaging - Noise measurements

| Contents | | Page |
|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Test conditions | 3 |
| 4.1 | General | 3 |
| 4.2 | Illumination | 3 |
| 4.3 | Temperature and relative humidity | 4 |
| 4.4 | White balance | 4 |
| 4.5 | Infrared (IR) blocking filter | 4 |
| 4.6 | Photosite integration time | 4 |
| 4.7 | Colour noise weighting | 4 |
| 4.8 | Compression | 5 |
| 5 | Noise measurement procedures | 5 |
| 5.1 | General | 5 |
| 5.2 | Measurement of a DSC having a removable lens | 6 |
| 5.3 | Measurement of a DSC having manual exposure control | 7 |
| 5.4 | Measurement of a DSC using a test chart | 7 |
| 6 | Calculation and reporting of results | 9 |
| 6.1 | General | 9 |
| 6.2 | Signal-to-noise ratios -- large area | 9 |
| 6.3 | DSC dynamic range | 12 |
| Annex A (normative) Noise component analysis | | 14 |
| Annex B (normative) Visual noise measurements | | 18 |
| Annex C (informative) Removing low frequency variations from the image data | | 27 |
| Annex D (informative) Recommended procedure for determining signal to noise ratio | | 29 |
| Annex E (informative) Recommended practical viewing conditions for various output media | | 30 |
| Bibliography | | 31 |