ISO/TS 17321-4:2016-06 (E)

Graphic technology and photography - Colour characterization of digital still cameras (DSCs) - Part 4: Programmable light emission system

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Termsanddefinitions 1

4 Requirements 2
4.1 General 2
4.2 Hardware requirements 3
4.2.1 General 3
4.2.2 Operating condition 4
4.2.3 Specifications of the system 4
4.2.4 Time stability and long-term stability of light intensity 7
4.3 Figure of merit for a colour target using a programmable light emission system 9
4.3.1 General 9
4.3.2 Terms and notations of SR2 9
4.3.3 Method for the calculation of SR2 10
4.3.4 Figure of merit 11
4.4 Report 11

Annex A (informative) Integrating sphere method and LED-driving method 13

Annex B (informative) Spectral power distribution optimization procedure for multiple LEDs 15

Annex C (informative) The need for constraints on the average values and maximum values of SR2 and CIEDE2000 19

Annex D (informative) Evaluation method for light source generated by a programmable light emission system 21

Annex E (informative) SR2 and CIEDE2000 recommendations for colorimetric image capture 24

Annex F (normative) SR2L and SR2 calculation methods for a light emission system in which spectral distribution is only obtained by measurements 26

Bibliography 28