

ISO 15739:2023-04 (E)

Photography - Electronic still-picture imaging - Noise measurements

Contents		Page
Foreword		v
Introduction		vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Test conditions	3
4.1	General	3
4.2	Illumination	4
4.2.1	Characteristics	4
4.2.2	Daylight illumination	4
4.2.3	Tungsten illumination	4
4.2.4	Uniformity of illumination and reflection test chart illumination geometry	4
4.2.5	Light source amplitude variations	4
4.3	Temperature and relative humidity	4
4.4	White balance	5
4.5	Infrared (IR) blocking filter	5
4.6	Photosite integration time	5
4.7	Compression	5
5	Noise measurement procedures	5
5.1	General	5
5.2	Measurement of a DSC using a test chart	5
5.2.1	General	5
5.2.2	OECF measurement	5
5.2.3	Adjustment of illumination	6
5.2.4	Test chart	6
5.2.5	Non-uniformity and image structure spatial components	6
5.2.6	Camera lens focus	6
5.3	Measurement of a DSC having manual exposure control	7
5.3.1	General	7
5.3.2	OECF measurement	7
5.3.3	Adjustment of illumination	8
5.3.4	Test densities	8
5.3.5	Diffuser setting	8
5.3.6	Camera lens focus	8
5.4	Measurement of a DSC having a removable lens	9
5.4.1	General	9
5.4.2	OECF measurement	9
5.4.3	Adjustment of illumination	9
5.4.4	Test densities	9
6	Calculation of metrics	10
6.1	General	10
6.2	Noise	10
6.2.1	General	10
6.2.2	Determining the noise for luminance measurements	11
6.2.3	Determining the noise for exposure measurements	12

6.3	Signal-to-noise ratios -- large area	12
6.3.1	General	12
6.3.2	Determining the reference luminance and luminance value for calculating signal-to-noise ratio	12
6.3.3	Determining the signal-to-total noise ratio	13
6.3.4	Determining the temporal signal-to-noise ratio	14
6.3.5	Determining the fixed pattern signal-to-noise ratio	14
6.3.6	Determining the exposure values and the signal-to-noise ratios for exposure measurements	15
6.4	DSC dynamic range	15
6.4.1	General	15
6.4.2	Determining the DSC dynamic range for luminance measurements	15
6.4.3	Determining the DSC dynamic range for exposure measurements	17
7	Presentation of results	17
7.1	General	17
7.2	Signal-to-noise ratios	17
7.3	DSC dynamic range	17
Annex A (normative) Noise component analysis		18
Annex B (normative) Visual noise measurements		24
Annex C (normative) Removing low frequency variations from the image signals		34
Annex D (informative) Procedure for determining signal-to-noise ratio		35
Annex E (informative) Practical viewing conditions for various output media		37
Annex F (informative) Introduction of perceptually uniform mapping of visual noise to noisiness JND		38
Bibliography		41