ISO/TS 13434:2008-11 (E)

Geosynthetics - Guidelines for the assessment of durability

Contents

Page

Foreword vi

1 Scope 1

2 Normative references 1

3 Terms, definitions, symbols and abbreviated terms 1
3.1 Terms and definitions 1
3.2 Symbols 1
3.3 Abbreviated items 2

4 Generalized procedure 3
4.1 Introduction 3
4.2 Available and required properties 4
4.2.1 Condition of acceptability 4
4.2.2 Development of the required and available properties with time 5
4.3 Design life 6
4.4 Margin of safety 6
4.5 End of life (function) 7
4.6 Durability study 7

5 Constituents of geosynthetics 7
5.1 Types of geosynthetic 7
5.1.1 Polymeric durability considerations 7
5.1.2 Geotextiles 8
5.1.3 Geosynthetic barriers or polymeric and bituminous geosynthetic barriers 8
5.1.4 GSB-C 8
5.1.5 Geogrids 9
5.1.6 Geonets 9
5.1.7 Geocells 9
5.1.8 Geomats 9
5.1.9 Geocomposites 9
5.1.10 Geofoam 9
5.2 Individual polymer types 9
5.2.1 General 9
5.2.2 Polypropylene (PP) 9
5.2.3 Flexible polypropylene (fPP) 10
5.2.4 Polyethylene (PE) 10
5.2.5 Polyesters (i.e. PET, PEN) 10
5.2.6 Polyvinyl chloride (PVC) 10
5.2.7 Polyamides (PA) 10
5.2.8 Ethylene propylene diene monomer (EPDM) 10
5.2.9 Ethylene interpolymer alloy (EIA) 11
5.2.10 Chlorinated polyethylene (CPE) 11
5.2.11 Chlorosulfonated polyethylene (CSPE) 11
5.2.12 Bitumen (MB) 11
5.2.13 Aramid 11
5.2.14 Polyvinyl alcohol (PVA) 12
5.2.15 Polystyrene (PS) 12
5.3 Manufacturing process 12
5.3.1 General 12
5.3.2 Geotextiles 12

5.3.3 Geosynthetic barriers 14
5.3.4 Geogrids 14
5.3.5 Geonets 15
5.3.6 Geocomposites 15
5.3.7 Geocells 15
5.3.8 GBR-C 15
5.4 Recycled and reworked materials 15
5.5 Additives, stabilizers, fillers and reinforcement scrims 16
5.5.1 General 16
5.5.2 Antioxidants 16
5.5.3 Acid scavengers 16
5.5.4 Metal ion deactivators 16
5.5.5 UV stabilizers 16
5.5.6 Plasticizers 17
5.5.7 Lubricants 17
5.5.8 Mineral fillers 17
5.5.9 Scrims 17

6 Environmental factors that may lead to degradation 17
6.1 The environment above ground 17
6.2 The environment below ground 18
6.3 Chemical and biological effects on a geosynthetic 19
6.3.1 General 19
6.3.2 Hydrolysis of PET and PA 19
6.3.3 Oxidation of PE and PP 20
6.3.4 Biochemical attack 20
6.3.5 Chemical effects on other geosynthetic barriers 20
6.4 Effects of load and mechanical damage 22
6.4.1 Tensile load: creep and creep-rupture 22
6.4.2 Synergy of tensile load with environmental effects (environmental stress cracking) 22
6.4.3 Effect of mechanical load on weathering and oxidation 23
6.4.4 Loading during installation: mechanical damage 23
6.4.5 Normal pressure: compressive creep and penetration 23
6.4.6 Abrasion and dynamic loading 23

7 Evidence of the durability of geosynthetics 24
7.1 Historical development 24
7.2 Empirical evidence of durability from geosynthetics extracted from the soil 24
7.2.1 Geotextiles 24
7.2.2 Geosynthetic barriers 25
7.2.3 Geogrids 27
7.3 Summary 28

8 Procedure for assessment of durability 28
8.1 Introduction 28
8.1.1 Need for testing 28
8.1.2 Scope of durability assessment 28
8.2 Procedure 29
8.2.1 Material 29
8.2.2 Function and application 29
8.2.3 Environment 29
8.2.4 Mechanism of degradation 30
8.2.5 Design life 30
8.2.6 The "end-of-life" criterion 30
8.3 Degradation during storage and installation 31
8.3.1 Weathering 31
8.3.2 Mechanical damage 31
8.4 Short- and medium-term applications of up to 25 years 32
8.5 Assessment of long-term durability 32
8.5.1 General 32
8.5.2 Index test for long-term durability of polyester geosynthetics 33
8.5.3 Evidence from service 33

8.5.4 Accelerated testing 34
8.6 Prediction of durability 37
8.6.1 Statement of the durability 37
8.6.2 Level of confidence 37
8.7 Planning for future inspection 37

Bibliography 39