

ISO/TS 13434:2008-11 (E)

Geosynthetics - Guidelines for the assessment of durability

Contents		Page
Foreword		vi
1	Scope	1
2	Normative references	1
3	Terms, definitions, symbols and abbreviated terms	1
3.1	Terms and definitions	1
3.2	Symbols	1
3.3	Abbreviated items	2
4	Generalized procedure	3
4.1	Introduction	3
4.2	Available and required properties	4
4.2.1	Condition of acceptability	4
4.2.2	Development of the required and available properties with time	5
4.3	Design life	6
4.4	Margin of safety	6
4.5	End of life (function)	7
4.6	Durability study	7
5	Constituents of geosynthetics	7
5.1	Types of geosynthetic	7
5.1.1	Polymeric durability considerations	7
5.1.2	Geotextiles	8
5.1.3	Geosynthetic barriers or polymeric and bituminous geosynthetic barriers	8
5.1.4	GSB-C	8
5.1.5	Geogrids	9
5.1.6	Geonets	9
5.1.7	Geocells	9
5.1.8	Geomats	9
5.1.9	Geocomposites	9
5.1.10	Geofoam	9
5.2	Individual polymer types	9
5.2.1	General	9
5.2.2	Polypropylene (PP)	9
5.2.3	Flexible polypropylene (fPP)	10
5.2.4	Polyethylene (PE)	10
5.2.5	Polyesters (i.e. PET, PEN)	10
5.2.6	Polyvinyl chloride (PVC)	10
5.2.7	Polyamides (PA)	10
5.2.8	Ethylene propylene diene monomer (EPDM)	10
5.2.9	Ethylene interpolymer alloy (EIA)	11
5.2.10	Chlorinated polyethylene (CPE)	11
5.2.11	Chlorosulfonated polyethylene (CSPE)	11
5.2.12	Bitumen (MB)	11
5.2.13	Aramid	11
5.2.14	Polyvinyl alcohol (PVA)	12
5.2.15	Polystyrene (PS)	12
5.3	Manufacturing process	12
5.3.1	General	12
5.3.2	Geotextiles	12

5.3.3	Geosynthetic barriers	14
5.3.4	Geogrids	14
5.3.5	Geonets	15
5.3.6	Geocomposites	15
5.3.7	Geocells	15
5.3.8	GBR-C	15
5.4	Recycled and reworked materials	15
5.5	Additives, stabilizers, fillers and reinforcement scrims	16
5.5.1	General	16
5.5.2	Antioxidants	16
5.5.3	Acid scavengers	16
5.5.4	Metal ion deactivators	16
5.5.5	UV stabilizers	16
5.5.6	Plasticizers	17
5.5.7	Lubricants	17
5.5.8	Mineral fillers	17
5.5.9	Scrims	17
6	Environmental factors that may lead to degradation	17
6.1	The environment above ground	17
6.2	The environment below ground	18
6.3	Chemical and biological effects on a geosynthetic	19
6.3.1	General	19
6.3.2	Hydrolysis of PET and PA	19
6.3.3	Oxidation of PE and PP	20
6.3.4	Biochemical attack	20
6.3.5	Chemical effects on other geosynthetic barriers	20
6.4	Effects of load and mechanical damage	22
6.4.1	Tensile load: creep and creep-rupture	22
6.4.2	Synergy of tensile load with environmental effects (environmental stress cracking)	22
6.4.3	Effect of mechanical load on weathering and oxidation	23
6.4.4	Loading during installation: mechanical damage	23
6.4.5	Normal pressure: compressive creep and penetration	23
6.4.6	Abrasion and dynamic loading	23
7	Evidence of the durability of geosynthetics	24
7.1	Historical development	24
7.2	Empirical evidence of durability from geosynthetics extracted from the soil	24
7.2.1	Geotextiles	24
7.2.2	Geosynthetic barriers	25
7.2.3	Geogrids	27
7.3	Summary	28
8	Procedure for assessment of durability	28
8.1	Introduction	28
8.1.1	Need for testing	28
8.1.2	Scope of durability assessment	28
8.2	Procedure	29
8.2.1	Material	29
8.2.2	Function and application	29
8.2.3	Environment	29
8.2.4	Mechanism of degradation	30
8.2.5	Design life	30
8.2.6	The "end-of-life" criterion	30
8.3	Degradation during storage and installation	31
8.3.1	Weathering	31
8.3.2	Mechanical damage	31
8.4	Short- and medium-term applications of up to 25 years	32
8.5	Assessment of long-term durability	32
8.5.1	General	32
8.5.2	Index test for long-term durability of polyester geosynthetics	33
8.5.3	Evidence from service	33

8.5.4 Accelerated testing 34
8.6 Prediction of durability 37
8.6.1 Statement of the durability 37
8.6.2 Level of confidence 37
8.7 Planning for future inspection 37
Bibliography 39