

ISO/TS 13434:2020 (E)

Geosynthetics — Guidelines for the assessment of durability

Contents

| | |
|--------|---|
| | Foreword |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms, definitions, symbols and abbreviated terms |
| 3.1 | Terms and definitions |
| 3.2 | Symbols |
| 3.3 | Abbreviated items |
| 4 | Generalized procedure |
| 4.1 | General |
| 4.2 | Available and required properties |
| 4.2.1 | Condition of acceptability |
| 4.2.2 | Development of the required and available properties with time |
| 4.3 | Design life |
| 4.4 | Margin of safety |
| 4.5 | End of life (function) |
| 4.6 | Durability study |
| 5 | Constituents of geosynthetics |
| 5.1 | Types of geosynthetic |
| 5.1.1 | Polymeric durability considerations |
| 5.1.2 | Geotextiles |
| 5.1.3 | Geosynthetic barriers or polymeric and bituminous geosynthetic barriers |
| 5.1.4 | GBR-C |
| 5.1.5 | Geoblankets (GBL) |
| 5.1.6 | Geogrids |
| 5.1.7 | Geonets |
| 5.1.8 | Geocells |
| 5.1.9 | Geomats |
| 5.1.10 | Geocomposites |
| 5.1.11 | Geofoam |
| 5.1.12 | Geospacers |
| 5.2 | Individual polymer types |
| 5.2.1 | General |
| 5.2.2 | Polypropylene (PP) |
| 5.2.3 | Flexible polypropylene (fPP) |
| 5.2.4 | Polyethylene (PE) |
| 5.2.5 | Polyesters (i.e. PET, PEN) |
| 5.2.6 | Flexible polyvinyl chloride (PVC-P) |
| 5.2.7 | Polyamides (PA) |
| 5.2.8 | Ethylene propylene diene monomer (EPDM) |
| 5.2.9 | Ethylene interpolymer alloy (EIA) |
| 5.2.10 | Chlorinated polyethylene (CPE) |
| 5.2.11 | Chlorosulfonated polyethylene (CSPE) |
| 5.2.12 | Bitumen |
| 5.2.13 | Aramid |
| 5.2.14 | Polyvinyl alcohol (PVAL) |
| 5.2.15 | Polystyrene (PS) |
| 5.2.16 | Typical physical properties of polymeric geosynthetics |
| 5.3 | Manufacturing process |
| 5.3.1 | General |
| 5.3.2 | Geotextiles |

- 5.3.2.1 General
- 5.3.2.2 Non-woven geotextiles
- 5.3.2.3 Woven and knitted geotextiles
- 5.3.3 Geosynthetic barriers
- 5.3.4 Geogrids
- 5.3.5 Geonets
- 5.3.6 Geocomposites
- 5.3.7 Geocells
- 5.3.8 GBR-C
- 5.4 Recycled and reworked materials
- 5.5 Additives, stabilizers, fillers and reinforcement scrims
 - 5.5.1 General
 - 5.5.2 Antioxidants
 - 5.5.3 Acid scavengers
 - 5.5.4 Metal ion deactivators
 - 5.5.5 UV stabilizers
 - 5.5.6 Plasticizers
 - 5.5.7 Lubricants
 - 5.5.8 Mineral fillers
 - 5.5.9 Scrims
- 6 Environmental factors that may lead to degradation
 - 6.1 The environment above ground
 - 6.2 The environment below ground
 - 6.3 Chemical and biological effects on a geosynthetic
 - 6.3.1 General
 - 6.3.2 Hydrolysis of PET and PA
 - 6.3.3 Oxidation of PE and PP
 - 6.3.4 Biochemical attack
 - 6.3.5 Chemical effects on other geosynthetic barriers
 - 6.4 Effects of load and mechanical damage
 - 6.4.1 Tensile load: Creep and creep-rupture
 - 6.4.2 Synergy of tensile load with environmental effects (environmental stress cracking)
 - 6.4.3 Effect of mechanical load on weathering and oxidation
 - 6.4.4 Loading during installation: Mechanical damage
 - 6.4.5 Normal pressure: Compressive creep and penetration
 - 6.4.6 Abrasion and dynamic loading
- 7 Evidence of the durability of geosynthetics
 - 7.1 Historical development
 - 7.2 Empirical evidence of durability from geosynthetics extracted from the soil
 - 7.2.1 Geotextiles
 - 7.2.2 Geosynthetic barriers
 - 7.2.3 Geogrids
 - 7.3 Summary
- 8 Procedure for assessment of durability
 - 8.1 General
 - 8.1.1 Need for testing
 - 8.1.2 Testing concepts for lifetime index tests
 - 8.1.3 Scope of durability assessment
 - 8.2 Procedure
 - 8.2.1 Material
 - 8.2.2 Function and application
 - 8.2.3 Environment
 - 8.2.4 Mechanism of degradation
 - 8.2.5 Design life
 - 8.2.6 The “end-of-life” criterion
 - 8.3 Degradation during storage and installation
 - 8.3.1 Weathering
 - 8.3.2 Mechanical damage
 - 8.4 Short-, medium-, and long-term applications
 - 8.5 Assessment of long-term durability
 - 8.5.1 General

- 8.5.2 Evidence from service
- 8.5.3 Accelerated testing
 - 8.5.3.1 General
 - 8.5.3.2 Increasing frequency
 - 8.5.3.3 Increasing severity
 - 8.5.3.4 Increasing temperature
 - 8.5.3.5 Examples of chemical degradation and accelerated testing
 - 8.5.3.5.1 Oxidation
 - 8.5.3.5.2 Internal hydrolysis
 - 8.5.3.5.3 Resistance to alkalis and acids under aerobic conditions
 - 8.5.3.5.4 Resistance to biological effects
- 8.6 Prediction of durability
 - 8.6.1 Statement of the durability
 - 8.6.2 Level of confidence
- 8.7 Planning for future inspection

Page count: 42