

ISO/IEC 13213:1994-10 (E)

Information technology - Microprocessor systems - Control and Status Registers (CSR) architecture for microcomputer buses

Contents

Page

1.	Document structure and notation.....	1
1.1	Document structure	1
1.2	References	1
1.3	Conformance levels	1
1.4	Technical glossary	2
1.5	Bit, byte, and quadlet ordering	9
1.6	Numerical values	9
1.7	C code notation	10
1.8	CSR, ROM, and field notation	10
1.9	Register specification format.....	11
1.10	Reserved registers and fields	12
2.	Objectives and scope	15
2.1	Scope.....	15
2.2	Objectives	15
3.	Transaction set requirements	17
3.1	Transaction overview.....	17
3.2	Read and write transactions	17
3.3	Noncoherent lock transactions 1.....	8
3.4	Transaction errors.....	20
3.5	Immediate effects	21
4.	Node addressing	23
4.1	Node addresses.....	23
4.2	Extended addressing	23
4.3	64-bit fixed addressing	25
4.4	Private addresses.....	26
4.5	Initial node space	26
4.6	Extended address spaces	27
4.7	Indirect space	28
4.8	Address space offsets.....	29
5.	Node architectures.....	31
5.1	Modules, nodes, and units	31
5.2	Node states	32
5.3	Node testing.....	33
5.3.1	Access-path tests.....	33
5.3.2	Reset test	33
5.3.3	Diagnostic tests.....	34
5.3.4	Non-standard diagnostic tests.....	35
5.4	Multinode modules.....	36
5.5	On-line replacement (OLR).....	36
6.	Unit architectures	39
6.2	Interrupts	39
6.2.1	Interrupt-target registers	39
6.2.2	Interrupt-poll registers.....	40
6.3	Message passing.....	41
6.4	Globally synchronized clocks.....	41
6.4.1	Clock overview	41
6.4.2	Clock synchronization	42
6.4.3	Clock update models	43
6.4.4	Updating clock registers	44
6.4.5	Clock accuracy requirements	45
6.5	Memory unit architectures	45
6.6	Unit architecture environment	45

7.	CSR definitions	47
7.	1 Register names and offsets	47
7.2	Minimal implementations	50
7.3	Unsupported register accesses	51
7.4	Register definitions	51
7.4.1	STATE_CLEAR	51
7.4.2	STATE_SET	54
7.4.3	NODE_JDS	55
7.4.4	RESET_START	56
7.4.5	INDIRECT_ADDRESS	57
7.4.6	INDIRECT_DATA	58
7.4.7	SPLIT_TIMEOUT	58
7.4.8	ARGUMENT	59
7.4.9	TEST_START	61
7.4.10	TEST_STATUS	64
7.4.11	UNITS_BASE	66
7.4.12	UNITS_BOUND	68
7.4.13	MEMORY_BASE	69
7.4.14	MEMORY_BOUND	70
7.4.15	INTERRUPT_TARGET	71
7.4.16	INTERRUPT_MASK	72
7.4.17	CLOCK_VALUE	72
7.4.18	CLOCK_TICK_PERIOD	74
7.4.19	CLOCK_STROBE_ARRIVED	75
7.4.20	CLOCK_STROBE_INFO	76
7.4.21	Message targets	76
7.4.22	ERROR_LOG registers	77
8.	ROM specification	79
8.1	Introduction	79
8.1.1	ROM design assumptions	79
8.1.2	ROM formats	79
8.1.3	Driver and diagnostic identifiers	79
8.1.4	ASCII text	81
8.1.5	CRC calculations	81
8.2	ROM formats	83
8.2.1	First ROM quadlet	83
8.2.2	Minimal ROM format	83
8.2.3	General ROM format	83
8.2.4	Directory formats	84
8.2.5	Leaf format	86
8.2.6	Textual_descriptor	86
8.3	bus_info_block	88
8.4	Root directory entries	89
8.4.1	Bus_Dependent_Info	90
8.4.2	Module_Vendor_Id	90
8.4.3	Module_Hw_Version	90
8.4.4	Module_Spec_Id	91
8.4.5	Module_Sw_Version	91
8.4.6	Module_Dependent_Info	91
8.4.7	Node_Vendor_Id	91
8.4.8	Node_Hw_Version	91
8.4.9	Node_Spec_Id	91
8.4.10	Node_Sw_Version	92
8.4.11	Node_Capabilities	92
8.4.12	Node_Unique_Id	92
8.4.13	Node_Units_Extent	92
8.4.13.1	Node_Units_Extent immediate format	93
8.4.13.2	Node_Units_Extent offset format	94
8.4.14	Node_Memory_Extent	95
8.4.14.1	Node_Memory_Extent immediate format	95
8.4.14.2	Node_Memory_Extent offset format	96
8.4.15	Node_Dependent_Info	96

8.4.16	Unit_Directory.....	96
8.5	Unit directories	96
8.5.1	Unit_Spec_Id.....	97
8.5.2	Unit_Sw_Version	97
8.5.3	Unit_Dependent_Info	97
8.5.4	Unit_Location.....	97
8.5.5	Unit_Poll_Mask	98
8.6	Key definitions.....	98
8.7	company_ids.....	99
8.7.1	company_id assignments	99
8.7.2	company_id mappings	100
9.	Bus Standard requirements	101

ANNEXES

A.	Bibliography (Informative)	103
B.	Bus topologies (Informative)	105
B.1	Specialized buses 1	05
B.1.1	Multiple-bus topologies	105
B.1.2	Dual-port nodes	106
B.2	Fault retry protocols	106
B.2.1	Hardware fault recovery	106
B.2.2	Software fault recovery	107
C.	System initialization (Informative)	109
C.1	System initialization summary	109
C.2	Node address assignments	109
C.3	Processor-cache model	110
C.4	Address protection 1	10
C.5	Power distribution models III	
D.	Bus transactions (Informative).....	113
D.1	Transaction overview	113
D.2	Transaction components	113
D.3	Request subaction fields	113
D.4	Response subaction fields	114
E.	Bus bridges (Informative) 1	17
E.1	Address-invariant mappings	117
E.2	Transaction forwarding	118
E.3	Transaction ordering	119
E.3.1	Split-response transaction ordering	119
E.3.2	Buffered-write transparency 1	19
E.3.3	Weakly ordered move transactions	120
E.3.4	Queue-dependency deadlocks	121
E.4	Address domains	122
E.5	Protection boundaries	124
E.6	Coherence domains.....	124