DIN SPEC 19289:2022-08 (E)

Fibre-reinforced composites - Measurement of Interfacial Shear Strength by means of a Micromechanical Single-Fibre Pull-Out Test; Text in English

Inhalt

Seite

Foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 7

4 Principle 9

5 Abbreviations, symbols and dimensions 9
5.1 Symbols 9
5.2 Abbreviations 10

6 Apparatus 11
6.1 Fibre diameter determination 11
6.1.1 General 11
6.1.2 Vibroscopic fibre linear density and diameter test 11
6.1.3 Optical fibre diameter determination 12
6.2 Embedding station 12
6.3 CRE testing machine 13

7 Test specimen 13

8 Procedure 15
8.1 Overview 15
8.2 General 16
8.3 Fibre sampling and preparation 17
8.3.1 General 17
8.3.2 Fibre diameter determination 17
8.3.3 Fibre insertion into the embedding device 17
8.4 Matrix preparation 17
8.4.1 Thermoset matrices 17
8.4.2 Thermoplastic matrices 17
8.4.3 Concrete matrices 17
8.5 Preparation of matrix droplet 17
8.5.1 General 17
8.5.2 Thermoset matrices 18
8.5.3 Thermoplastic matrices 18
8.5.4 Concrete matrices 18
8.6 Fibre positioning, embedding and final forming 18
8.7 Solidification of the test specimen 19
8.7.1 General 19
8.7.2 Thermoset matrices 19
8.7.3 Thermoplastic matrices 20
8.7.4 Concrete matrices 20
8.8 Test specimen requirements and final validation 20
8.9 Post-preparation and conditioning 21
8.9.1 General 21
8.9.2 Thermoset matrices 21

8.9.3 Thermoplastic matrices 21
8.9.4 Concrete matrices 21
8.10 Pull-out test 21
8.10.1 General 21
8.10.2 Test specimen insertion and clamping 22
8.10.3 Testing conditions 23
8.10.4 Testing 23
8.10.5 Validation 23
9 Evaluation 23
9.1 General 23
9.2 Measured values and basic evaluation 23
9.2.1 Fibre diameter 23
9.2.2 Embedded length 24
9.2.3 Maximum force and apparent interfacial shear strength 24
9.2.4 Interfacial frictional force and stress 24
9.3 Further evaluations 24
9.3.1 General 24
9.3.2 Local interfacial shear strength derived from the debonding force 24
9.3.3 Alternative determination of local interfacial shear strength 25
9.3.4 Critical energy release rate 25
10 Expression of results 25
11 Test report 25
Annex A (informative) Images of embedding procedure 29
A.1 Exemplary images of a correct embedding procedure 29
A.2 Exemplary images of invalid embedding procedures 30
Annex B (informative) Images of force-displacement curves of pull-out tests 32
Annex C (informative) Exemplary embedding and pull-out settings for thermoset matrices 36
Annex D (informative) Exemplary embedding and pull-out settings for thermoplastic matrices 40
Annex E (informative) Exemplary embedding and pull-out settings for concrete matrices 44
Annex F (informative) Specific material parameters 47
Annex G (informative) Typical test results and precision data 49
Bibliography 52

Figures

Figure 1 — Test specimen, crucible dimensions 14
Figure 2 — Test specimen, lateral section 14
Figure 3 — Test specimen in CRE testing machine, lateral section 15
Figure 4 — Typical temperature profile for thermoset matrices 16
Figure 5 — Typical temperature profile for thermoplastic matrices 16
Figure 6 — Ideal force-displacement curve 22
Figure A.1 — GF/Two-component EP with amine hardener 29
Figure A.2 — GF/PP 29

Figure A.3 — CF/Concrete **30**

Figure A.4 — Natural fibre (Sisal)/PP **30**

Figure A.5 — Development of bubbles while curing (GF/PU) **30**

Figure A.6 — Drop forms no convex shape — too little matrix material (CF/PC) **31**

Figure A.7 — Development of bubbles while melting (CF/PC) **31**

Figure A.8 — Misalignment of the fibre after fast cooling **31**

Figure A.9 — Incomplete melting — preparing an invalid test specimen due to an incompletely melted matrix **31**

Figure B.1 — Exemplary pull-out curves of thermoset matrices **33**

Figure B.2 — Exemplary pull-out curves from thermoplastic matrices, part 1 ..... **33**

Figure B.3 — Exemplary pull-out curves from thermoplastic matrices, part 2 ..... **34**

Figure B.4 — Exemplary pull-out curves from a concrete matrix **34**

Figure B.5 — Exemplary regular vs. invalid pull-out curves **35**

Tables

Table 1 — Test characteristics, symbols, and dimensions **9**

Table 2 — Materials and abbreviations **11**

Table C.1 — Exemplary embedding and pull-out settings for thermoset matrices **36**

Table D.1 — Exemplary embedding and pull-out settings for thermoplastic matrices **40**

Table E.1 — Exemplary embedding and pull-out settings for concrete matrices **44**

Table F.1 — Exemplary parameters for matrix materials (used during the development of this document) **47**

Table F.2 — Exemplary parameters for fibre materials (used during development of this document) **47**

Table G.1 — Precision data of round robin test on thermoset matrices **49**

Table G.2 — Precision data of round robin test on thermoplastic matrices **50**

Table G.3 — Precision data of round robin test on a concrete matrix **51**