

DIN SPEC 19289:2022-08 (E)

Fibre-reinforced composites - Measurement of Interfacial Shear Strength by means of a Micromechanical Single-Fibre Pull-Out Test; Text in English

Inhalt	Seite
Foreword	5
Introduction.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions.....	7
4 Principle.....	9
5 Abbreviations, symbols and dimensions.....	9
5.1 Symbols.....	9
5.2 Abbreviations	10
6 Apparatus.....	11
6.1 Fibre diameter determination	11
6.1.1 General.....	11
6.1.2 Vibroscopic fibre linear density and diameter test.....	11
6.1.3 Optical fibre diameter determination	12
6.2 Embedding station	12
6.3 CRE testing machine	13
7 Test specimen.....	13
8 Procedure	15
8.1 Overview	15
8.2 General.....	16
8.3 Fibre sampling and preparation.....	17
8.3.1 General.....	17
8.3.2 Fibre diameter determination	17
8.3.3 Fibre insertion into the embedding device.....	17
8.4 Matrix preparation	17
8.4.1 Thermoset matrices	17
8.4.2 Thermoplastic matrices	17
8.4.3 Concrete matrices	17
8.5 Preparation of matrix droplet.....	17
8.5.1 General.....	17
8.5.2 Thermoset matrices	18
8.5.3 Thermoplastic matrices	18
8.5.4 Concrete matrices	18
8.6 Fibre positioning, embedding and final forming	18
8.7 Solidification of the test specimen.....	19
8.7.1 General.....	19
8.7.2 Thermoset matrices	19
8.7.3 Thermoplastic matrices	20
8.7.4 Concrete matrices	20
8.8 Test specimen requirements and final validation.....	20
8.9 Post-preparation and conditioning.....	21
8.9.1 General.....	21
8.9.2 Thermoset matrices	21

8.9.3	Thermoplastic matrices	21
8.9.4	Concrete matrices	21
8.10	Pull-out test.....	21
8.10.1	General	21
8.10.2	Test specimen insertion and clamping	22
8.10.3	Testing conditions.....	23
8.10.4	Testing	23
8.10.5	Validation.....	23
9	Evaluation.....	23
9.1	General	23
9.2	Measured values and basic evaluation.....	23
9.2.1	Fibre diameter	23
9.2.2	Embedded length.....	24
9.2.3	Maximum force and apparent interfacial shear strength	24
9.2.4	Interfacial frictional force and stress	24
9.3	Further evaluations.....	24
9.3.1	General	24
9.3.2	Local interfacial shear strength derived from the debonding force.....	24
9.3.3	Alternative determination of local interfacial shear strength	25
9.3.4	Critical energy release rate	25
10	Expression of results.....	25
11	Test report.....	25
Annex A (informative)	Images of embedding procedure.....	29
A.1	Exemplary images of a correct embedding procedure	29
A.2	Exemplary images of invalid embedding procedures	30
Annex B (informative)	Images of force-displacement curves of pull-out tests.....	32
Annex C (informative)	Exemplary embedding and pull-out settings for thermoset matrices	36
Annex D (informative)	Exemplary embedding and pull-out settings for thermoplastic matrices.....	40
Annex E (informative)	Exemplary embedding and pull-out settings for concrete matrices.....	44
Annex F (informative)	Specific material parameters.....	47
Annex G (informative)	Typical test results and precision data	49
Bibliography	52

Figures

Figure 1	— Test specimen, crucible dimensions	14
Figure 2	— Test specimen, lateral section.....	14
Figure 3	— Test specimen in CRE testing machine, lateral section	15
Figure 4	— Typical temperature profile for thermoset matrices	16
Figure 5	— Typical temperature profile for thermoplastic matrices	16
Figure 6	— Ideal force-displacement curve	22
Figure A.1	— GF/Two-component EP with amine hardener.....	29
Figure A.2	— GF/PP	29

Figure A.3 — CF/Concrete	30
Figure A.4 — Natural fibre (Sisal)/PP	30
Figure A.5 — Development of bubbles while curing (GF/PU)	30
Figure A.6 — Drop forms no convex shape — too little matrix material (CF/PC).....	31
Figure A.7 — Development of bubbles while melting (CF/PC).....	31
Figure A.8 — Misalignment of the fibre after fast cooling	31
Figure A.9 — Incomplete melting — preparing an invalid test specimen due to an incompletely melted matrix.....	31
Figure B.1 — Exemplary pull-out curves of thermoset matrices.....	33
Figure B.2 — Exemplary pull-out curves from thermoplastic matrices, part 1.....	33
Figure B.3 — Exemplary pull-out curves from thermoplastic matrices, part 2.....	34
Figure B.4 — Exemplary pull-out curves from a concrete matrix.....	34
Figure B.5 — Exemplary regular vs. invalid pull-out curves.....	35

Tables

Table 1 — Test characteristics, symbols, and dimensions	9
Table 2 — Materials and abbreviations.....	11
Table C.1 — Exemplary embedding and pull-out settings for thermoset matrices.....	36
Table D.1 — Exemplary embedding and pull-out settings for thermoplastic matrices.....	40
Table E.1 — Exemplary embedding and pull-out settings for concrete matrices	44
Table F.1 — Exemplary parameters for matrix materials (used during the development of this document).....	47
Table F.2 — Exemplary parameters for fibre materials (used during development of this document).....	47
Table G.1 — Precision data of round robin test on thermoset matrices.....	49
Table G.2 — Precision data of round robin test on thermoplastic matrices.....	50
Table G.3 — Precision data of round robin test on a concrete matrix.....	51