

# DIN SPEC 91516:2025-07 (E)

## Human performance regarding the dynamic driving task for the specification of AI in ATO; Text in English

---

Inhalt	Seite
Foreword .....	5
Introduction.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms and definitions.....	9
4 Summary of regulations.....	15
4.1 Reference system comparison according to regulation .....	15
4.2 Regulations hinting driver performance.....	16
5 Similarity of human and technical senses as input interfaces.....	17
5.1 General.....	17
5.2 Basic similarity of visual perception capabilities .....	17
5.2.1 General.....	17
5.2.2 Purview.....	17
5.2.3 Dynamic range and discretization .....	18
5.2.4 Colour distinction.....	19
5.2.5 Angular perception, visual acuity and human eye resolution .....	19
5.2.6 Temporal resolution .....	20
5.2.7 Overall consideration and summary.....	20
6 Categorization of functions .....	21
6.1 General.....	21
6.2 Object recognition and collision prediction .....	24
6.3 Recognition of railway signals .....	25
6.3.1 General.....	25
6.3.2 Stationary optical trackside signals .....	25
6.3.3 Non-stationary optical signals .....	25
6.3.4 Acoustic signals.....	26
6.4 Recognition of points of turnouts.....	26
6.5 Recognition of damages and anomalies.....	26
6.6 Vehicle localisation.....	26
6.7 Velocity control.....	27
7 Performance metrics.....	27
7.1 General.....	27
7.2 Comparison by PFD and PFH .....	28
7.3 Comparison by reaction time, time to collision and distance to obstacle.....	28
7.4 Comparison by rate of avoided accidents.....	29
7.5 Submetrics for indirect measurement of mental processing and execution time .....	29
8 Measurement methods.....	30
8.1 General.....	30
8.2 Human reliability analysis .....	30
8.3 Driving simulators .....	31
8.4 In-field experiments.....	31
8.5 Accident and incident statistics .....	32
8.5.1 Accident and incident statistics for European mainline railways .....	32

8.5.2	List of accidents and incidents for German mainline railways .....	32
9	Performance shaping factors .....	32
9.1	General .....	32
9.2	PSFs in safety records .....	33
10	Sample measurements .....	33
10.1	General .....	33
10.2	Human performance at collision prediction .....	34
10.2.1	Human reliability analysis .....	34
10.2.2	Semi-estimated measurements .....	34
10.2.3	In-field experiments.....	35
10.2.4	Accident statistics .....	36
10.3	Human performance at signal detection .....	37
10.3.1	Human reliability analysis .....	37
10.3.2	Semi-estimated rates of SPADs .....	37
10.3.3	In-field measurements of signal detection .....	38
10.3.4	Statistics of SPADs.....	38
10.4	Human performance at recognition of damages and anomalies .....	41
10.5	Human performance at in- and outbound communication with the train traffic controller... ..	41
11	Abbreviated Terms.....	42
	Bibliography .....	44

## Figures

Figure 1	— Reaction time, time to collision and distance to obstacle.....	28
Figure 2	— Points of CSM-RA placed into PSF taxonomy according to DIN EN 62508 (VDE 0050-2):2011-05.....	33

## Tables

Table 1	— Operational assumptions for probability of failure [SUBSET-091] .....	16
Table 2	— Summary of similarity between human vision and camera system .....	21
Table 3	— Subtasks and functions of the driver .....	22
Table 4	— Submetrics for the performance of the human driver .....	29
Table 5	— Human reliability analysis procedure from DIN VDE V 0831-103:2020-09 .....	30
Table 6	— Human reliability analysis of collision prediction [15] .....	34
Table 7	— Distance to obstacle semi-estimated measurements [38][14].....	35
Table 8	— Distance to obstacle semi-estimated measurements for fluorescent cubic objects at night [38][13].....	35
Table 9	— Distance to obstacle in-field measurements [12] .....	35
Table 10	— Distance to obstacle measurements for collision prediction [8] .....	36
Table 11	— Distances to obstacles recorded for collision prediction [6].....	36

<b>Table 12 — Human reliability analysis at signal detection [15].....</b>	<b>37</b>
<b>Table 13 — Rates of signals passed per signal indicating stop from different origins [23] .....</b>	<b>37</b>
<b>Table 14 — Distance to obstacle measurements for signal detection [8].....</b>	<b>38</b>
<b>Table 15 — CSI data of SPADs per million train kilometres [16] .....</b>	<b>39</b>
<b>Table 16 — Human reliability analysis at recognition of damages and anomalies [15].....</b>	<b>41</b>
<b>Table 17 — Human reliability analysis at in- and outbound communication with the train traffic controller [15] .....</b>	<b>42</b>