

DIN SPEC 91519:2026-03 (E)

Creation of a product carbon footprint (PCF) for power tools for forestry, landscape conservation, construction, industry and the trades; Text in English

Inhalt	Seite
Foreword	5
Introduction.....	7
1 Scope.....	8
2 Normative references	8
3 Terms and definitions.....	8
4 Symbols and abbreviations.....	11
5 Product carbon footprint (PCF)	12
5.1 General.....	12
5.1.1 General definitions	12
5.1.2 Life cycle inventory.....	12
5.1.3 Well-to-tank-emissions	12
5.1.4 Allocation rules	13
5.1.5 Allocation between co-products.....	13
5.1.6 Allocation for reuse and recycling operations.....	13
5.1.7 Exclusion from system boundary.....	14
5.1.8 Cut-off criteria	14
5.1.9 Data quality	15
5.1.10 Units.....	15
5.1.11 Life cycle impact assessment.....	15
5.2 Definition of the scenario	16
5.2.1 General.....	16
5.2.2 Functional units	19
5.2.3 Determination of energy consumption	22
5.2.4 Total service life (TSL).....	22
5.2.5 Tank-to-Tool	26
5.2.6 Maintenance.....	26
5.2.7 Repair	26
5.2.8 End-of-life treatment.....	28
5.2.9 Recycling	29
5.3 Reporting	30
5.3.1 General.....	30
5.3.2 Background report (for verifier only)	30
5.3.3 PCF report.....	31
5.3.4 PCF information B2C	31
5.3.5 Digital provision	32
5.4 Critical review	32
5.5 Workflow diagram and calculation example	32
5.6 Creating new product specific rules (PSRs).....	32
Annex A (normative) Priority parts and tables for calculating the ESL	33
A.1 Priority parts (PP).....	33
A.2 Average service life extension (ASLE)	35
A.3 Ease of repair (ER)	35
A.4 Part affordability (PA)	37
A.5 Repair affordability (RA)	38

Annex B (normative) Recycling and landfill rates	40
Annex C (informative) Example for maximum power determination.....	41
Annex D (informative) Workflow diagram and calculation example.....	43
Bibliography.....	46

Figures

Figure 1 — Categorization of emissions in the different life cycle stages.....	12
Figure 2 — Cradle-to-grave scenario for the PCR of power tools in two different representations: Life cycle flow chart (top) and life cycle stage assignment to categories (bottom)	17
Figure 3 — Determination of the RSL for power tools.....	23
Figure 4 — Calculation rule for calculating the TSL when an ESL bonus is granted (PF = 1)	24
Figure 5 — Definition of the end-of-life phase for the PCR of power tools.....	28
Figure 6 — System Boundary of the product system (emissions related to the material lifecycle)	30
Figure A.1 — Visual representation of disassembly sequence and number of steps [6]	36
Figure A.2 — Example for disassembly depth [6].....	37
Figure C.1 — Peak and continuous power determination of power tools.....	42

Tables

Table 1 — Functional unit for various power tools or functions of power tools.....	20
Table 2 — Testing materials	20
Table 3 — Additional requirements for the testing and for the consumables.....	22
Table 4 — Determining whether a product can be repaired or not (PF).....	25
Table A.1 — Product with internal combustion engine (ICE).....	33
Table A.2 — Electrical product.....	33
Table A.3 — Examples for typical power transmission parts.....	34
Table A.4 — Average service life extension (ASLE)	35
Table A.5 — Ease of repair (ER)	35
Table A.6 — Ease of repair (ER), alternative.....	37
Table A.7 — Part affordability (PA)	37
Table A.8 — Repair affordability (RA)	38

Table B.1 — Recycling and landfill rates 40
Table D.1 — Workflow diagram and calculation example 43