DIN SPEC 91533:2026-04 (E)

Battery swapping systems for electric heavy-duty vehicles for range extension; Text in English

Contents

Page

Foreword 5

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 9

4 Abbreviations 10

5 General information 10
5.1 General 10
5.2 System components' nomenclatura 10
5.3 Depth of standardization 12
5.4 Full and partial battery swap 13
5.5 Targeted vehicles 13
5.6 Battery position 13
5.7 Drive position 14
5.8 Vehicle Coordinate System 14
5.9 Battery swapping station coordinate system 14

6 Specific requirements 15
6.1 Standard Infrastructure Interface (SII) only vehicles 15
6.1.1 General 15
6.1.2 Package 15
6.1.3 Modularity 16
6.1.4 Access 16
6.1.5 Centering system 17
6.1.6 Fastening system 17
6.1.7 Contacting system 18
6.1.8 Thermal management 19
6.1.9 Safety/security 19
6.2 Standard Battery Housing (SBH) 20
6.2.1 General 20
6.2.2 Package 20
6.2.3 Modularity 21
6.2.4 Access 21
6.2.5 Centering system 21
6.2.6 Fastening system 22
6.2.7 Contacting system 22
6.2.8 Thermal management system 22
6.2.9 Safety/security 23

Annex A (informative) Exemplary Implementation 24
A.1 UniSwapHD implementation 24
A.1.1 General 24
A.1.2 Modularity 24
A.1.3 Centering system 24
A.1.4 Fastening system 25

A.1.5 Definitions for contacting interface between each swappable battery system and the vehicle 25
A.1.6 Design and centering system for contacting interface 25
A.1.7 Thermal management system 26
A.2 Qiji Solution 27
A.2.1 General 27
A.2.2 Package 27
A.2.3 Modularity 27
A.2.4 Fastening system 28
A.2.5 Definitions for contacting interface between each swappable battery system and the vehicle 29
A.2.6 Design and centering system for contacting interface 30
Bibliography 31

Figures

Figure 1 — Nomenclatura, battery swapping ecosystem 11
Figure 2 — Nomenclatura, vehicle-sided systems 12
Figure 3 — Overview over different depth of standardization for swappable battery system and BSU 13
Figure 4 — Vehicle coordinate system 14
Figure 5 — Swapping station coordinate system 15
Figure 6 — Vehicle swapping unit dimensions 16
Figure 7 — Exemplary layout definition of screwhead position (bottom view) 18
Figure A.1 — Example of two module configuration 24
Figure A.2 — Exemplary layout definition (bottom view) 25
Figure A.3 — Concept contacting design 26
Figure A.4 — Basic structure of cooling system 27
Figure A.5 — Example of three module configuration 28
Figure A.6 — Exemplary layout definition (bottom view) 29
Figure A.7 — Connector Interface design 30

Tables

Table 1 — Technical parameters of the vehicle swapping unit for SII 16
Table 2 — Technical parameters of the vehicle swapping unit for SBH 21
Table A.1 — Overview of tolerances in the vehicle to station positioning system 24
Table A.2 — Technical parameters of the vehicle swapping unit 27