

# PAS 1013: 2001 (D)

## MechaSTEP\_ - STEP-Datenmodelle zur Simulation mechatronischer Systeme

---

Contents	Page
1 Normative references . . . . .	2
2 Terms, definitions, and abbreviations . . . . .	7
2.1 Terms defined in ISO 10303-1 . . . . .	7
2.2 Terms defined in ISO 10303-31 . . . . .	8
2.3 Terms defined in ISO 10303-42 . . . . .	8
2.4 Terms defined in ISO 10303-44 . . . . .	10
2.5 Terms defined in ISO 10303-45 . . . . .	10
2.6 Terms defined in ISO 10303-46 . . . . .	10
2.7 Terms defined in ISO 10303-47 . . . . .	10
2.8 Terms defined in ISO 10303-105 . . . . .	11
2.9 Terms defined in ISO 10303-202 . . . . .	11
2.10 Terms defined in ISO 13584-42 . . . . .	11
2.11 Abbreviations . . . . .	11
3 Information requirements . . . . .	13
3.1 Units of functionality . . . . .	13
3.2 Application objects . . . . .	54
3.2.1 Absolute_value_element . . . . .	55
3.2.2 Acceleration_sensor_rotation . . . . .	55
3.2.3 Acceleration_sensor_translation . . . . .	56
3.2.4 Accuracy . . . . .	57
3.2.5 Addition_element . . . . .	58
3.2.6 Appearance_assignment . . . . .	58
3.2.7 Application_context . . . . .	59
3.2.8 Applied_force_sensor . . . . .	60
3.2.9 Applied_torque_sensor . . . . .	61
3.2.10 Assembly_definition . . . . .	61
3.2.11 B_rep . . . . .	61
3.2.12 B_rep_model . . . . .	62
3.2.13 B_spline_curve . . . . .	62
3.2.14 B_spline_surface . . . . .	63
3.2.15 Barrier_layer_field_effect_transistor . . . . .	63
3.2.16 Behaviour_description . . . . .	65
3.2.17 Bipolar_transistor . . . . .	66
3.2.18 Block . . . . .	68
3.2.19 Body_reference_frame . . . . .	68
3.2.20 Boolean_result . . . . .	68
3.2.21 Branching_element . . . . .	69
3.2.22 Bushing_frame_related . . . . .	70
3.2.23 Capacitor . . . . .	71
3.2.24 Cartesian_direction . . . . .	72
3.2.25 Cartesian_point_3d . . . . .	73

3.2.26	Change . . . . .	73
3.2.27	Circle . . . . .	75
3.2.28	Classification_association . . . . .	75
3.2.29	Classification_attribute . . . . .	76
3.2.30	Classification_system . . . . .	78
3.2.31	Closed_shell . . . . .	78
3.2.32	Coil . . . . .	78
3.2.33	Composite_curve . . . . .	80
3.2.34	Composite_equation . . . . .	80
3.2.35	Compound_model . . . . .	80
3.2.36	Conical_surface . . . . .	81
3.2.37	Connection_element . . . . .	81
3.2.38	Connector_information . . . . .	81
3.2.39	Contact_ratio . . . . .	81
3.2.40	Container . . . . .	82
3.2.41	Context_dependent_appearance_assignment . . . . .	82
3.2.42	Control_connection . . . . .	83
3.2.43	Control_element . . . . .	83
3.2.44	Control_information . . . . .	84
3.2.45	Control_port . . . . .	84
3.2.46	Control_port_definition . . . . .	84
3.2.47	Coupled_coil . . . . .	84
3.2.48	Csg_model . . . . .	86
3.2.49	Csg_primitive . . . . .	86
3.2.50	Current_steered_current_source . . . . .	86
3.2.51	Current_steered_source . . . . .	87
3.2.52	Current_steered_voltage_source . . . . .	88
3.2.53	Curve . . . . .	88
3.2.54	Curve_appearance . . . . .	89
3.2.55	Curve_on_surface . . . . .	89
3.2.56	Curve_set_3d . . . . .	90
3.2.57	Cylindrical_direction . . . . .	91
3.2.58	Cylindrical_joint . . . . .	91
3.2.59	Cylindrical_point_3d . . . . .	92
3.2.60	Cylindrical_surface . . . . .	93
3.2.61	D_element . . . . .	94
3.2.62	D_t1_element . . . . .	95
3.2.63	Damper_rot_direction_related . . . . .	95
3.2.64	Damper_rot_frame_related . . . . .	96
3.2.65	Damper_trans_direction_related . . . . .	96
3.2.66	Damper_trans_frame_related . . . . .	97
3.2.67	Damper_trans_point_to_point . . . . .	98
3.2.68	Data_environment . . . . .	98
3.2.69	Date_and_person_assignment . . . . .	99
3.2.70	Date_and_person_organization . . . . .	100
3.2.71	Date_time . . . . .	101

3.2.72	Date_time_assignment . . . . .	101
3.2.73	Dead_zone_element . . . . .	103
3.2.74	Derived_point . . . . .	104
3.2.75	Design_discipline_item_definition . . . . .	105
3.2.76	Detailed_element . . . . .	106
3.2.77	Detailed_geometric_model_element . . . . .	106
3.2.78	Detailed_model_element . . . . .	107
3.2.79	Diagonal_matrix . . . . .	107
3.2.80	Digital_document . . . . .	107
3.2.81	Digital_file . . . . .	108
3.2.82	Diode . . . . .	108
3.2.83	Direction_3d . . . . .	109
3.2.84	Direction_base_of_frame . . . . .	109
3.2.85	Direction_explicit . . . . .	110
3.2.86	Direction_on_curve . . . . .	110
3.2.87	Direction_on_surface . . . . .	110
3.2.88	Direction_perpendicular . . . . .	111
3.2.89	Dissipationless_line . . . . .	111
3.2.90	Document . . . . .	113
3.2.91	Document_assignment . . . . .	114
3.2.92	Document_content_property . . . . .	116
3.2.93	Document_creation_property . . . . .	118
3.2.94	Document_file . . . . .	119
3.2.95	Document_file_relationship . . . . .	120
3.2.96	Document_format_property . . . . .	123
3.2.97	Document_location_property . . . . .	124
3.2.98	Document_representation . . . . .	125
3.2.99	Document_size_property . . . . .	127
3.2.100	Document_structure . . . . .	127
3.2.101	Document_type_property . . . . .	129
3.2.102	Document_version . . . . .	130
3.2.103	Document_version_relationship . . . . .	131
3.2.104	Edge_loop . . . . .	132
3.2.105	Edge_transition . . . . .	133
3.2.106	Electrical_connectivity_definition . . . . .	134
3.2.107	Electrical_current_sensor . . . . .	135
3.2.108	Electrical_element . . . . .	135
3.2.109	Electrical_information . . . . .	136
3.2.110	Electrical_parameter_type . . . . .	136
3.2.111	Electrical_power_sensor . . . . .	137
3.2.112	Electrical_sensor_element . . . . .	137
3.2.113	Electrical_sensor_element_definition . . . . .	139
3.2.114	Electrical_temperature_sensor . . . . .	139
3.2.115	Electrical_user_defined_sensor . . . . .	139
3.2.116	Electrical_voltage_sensor . . . . .	140
3.2.117	Ellipse . . . . .	140

3.2.118	Equation . . . . .	140
3.2.119	Equation_section . . . . .	141
3.2.120	Equation_system . . . . .	142
3.2.121	Euler_parameter_defined_rotation . . . . .	142
3.2.122	External_description . . . . .	142
3.2.123	External_file_id_and_location . . . . .	143
3.2.124	External_terminal_connection . . . . .	144
3.2.125	Face . . . . .	144
3.2.126	Face_bound . . . . .	144
3.2.127	Face_transition . . . . .	145
3.2.128	Faceted_b_rep . . . . .	146
3.2.129	Faceted_b_rep_model . . . . .	147
3.2.130	Faceted_closed_shell . . . . .	147
3.2.131	Faceted_face . . . . .	148
3.2.132	Force_element_3d . . . . .	148
3.2.133	Force_or_joint_element . . . . .	149
3.2.134	Force_sensor . . . . .	149
3.2.135	Frame . . . . .	150
3.2.136	Full_model_change . . . . .	151
3.2.137	Fully_restricted_joint . . . . .	151
3.2.138	Gear_joint . . . . .	151
3.2.139	General_classification . . . . .	153
3.2.140	General_classification_hierarchy . . . . .	154
3.2.141	General_direction_related_force . . . . .	155
3.2.142	General_direction_related_torque . . . . .	156
3.2.143	General_electric_element . . . . .	157
3.2.144	General_frame_related_force . . . . .	157
3.2.145	General_frame_related_torque . . . . .	158
3.2.146	General_item_definition_relationship . . . . .	159
3.2.147	General_point_to_point_force . . . . .	160
3.2.148	General_property . . . . .	160
3.2.149	General_tolerance_table . . . . .	161
3.2.150	General_tolerances . . . . .	162
3.2.151	Generic_joint . . . . .	162
3.2.152	Generic_matrix . . . . .	163
3.2.153	Generic_matrix_3x3 . . . . .	164
3.2.154	Geometric_model . . . . .	164
3.2.155	Geometric_model_relationship . . . . .	166
3.2.156	Geometric_model_relationship_with_transformation . . . . .	167
3.2.157	Geometric_model_version . . . . .	167
3.2.158	Geometric_point_3d . . . . .	167
3.2.159	Geometric_set_3d . . . . .	168
3.2.160	Geometrical_relationship . . . . .	168
3.2.161	Geometrically_bounded_surface_model . . . . .	169
3.2.162	Graph . . . . .	170
3.2.163	Graph_value_list . . . . .	171

3.2.164	Gravity	171
3.2.165	Half_space_solid	172
3.2.166	Hardcopy	172
3.2.167	Hardness	172
3.2.168	Hatching	174
3.2.169	Hidden_element_handling	175
3.2.170	Homokinetic_universal_joint	176
3.2.171	Hybrid_geometric_model_3d	176
3.2.172	Hydraulic_chamber_variable_pressure	176
3.2.173	Hydraulic_chamber_variable_pressure_constant_volume	176
3.2.174	Hydraulic_connection	178
3.2.175	Hydraulic_element	178
3.2.176	Hydraulic_fluid	178
3.2.177	Hydraulic_information	178
3.2.178	Hydraulic_port	179
3.2.179	Hydraulic_port_definition	179
3.2.180	Hydraulic_tank_constant_pressure	179
3.2.181	Hyperbola	180
3.2.182	I_element	180
3.2.183	I_t1_element	181
3.2.184	Ideal_independent_current_source	182
3.2.185	Ideal_independent_voltage_source	182
3.2.186	Ideal_source_element	183
3.2.187	Identity_matrix	184
3.2.188	Incremental_model_change	184
3.2.189	Inertial_frame	185
3.2.190	Instance_placement	185
3.2.191	Interaction_element	186
3.2.192	Internal_terminal_connection	186
3.2.193	Interpolation	186
3.2.194	Item	187
3.2.195	Item_definition_relationship	188
3.2.196	Item_instance	189
3.2.197	Item_instance_relationship	190
3.2.198	Item_shape	191
3.2.199	Item_version	192
3.2.200	Item_version_relationship	193
3.2.201	Joint_element	194
3.2.202	Joint_position	195
3.2.203	Joint_range	195
3.2.204	Joint_velocity	196
3.2.205	Kinematic_joint_sensor	197
3.2.206	Kinematic_sensor_rotation	198
3.2.207	Kinematic_sensor_translation	198
3.2.208	Language	199
3.2.209	Light_source	199

3.2.210	Limits_and_fits . . . . .	200
3.2.211	Line . . . . .	201
3.2.212	Linear_control_element . . . . .	201
3.2.213	Mass_property . . . . .	201
3.2.214	Material . . . . .	202
3.2.215	Material_parameter . . . . .	203
3.2.216	Material_property . . . . .	203
3.2.217	Matrix . . . . .	204
3.2.218	Measurement_path . . . . .	204
3.2.219	Mixture_of_liquid_and_vapour_fluid . . . . .	204
3.2.220	Model_change . . . . .	205
3.2.221	Model_image . . . . .	206
3.2.222	Moments_of_inertia . . . . .	208
3.2.223	Mos_field_effect_transistor . . . . .	208
3.2.224	Multi_body_information . . . . .	211
3.2.225	Multi_language_string . . . . .	212
3.2.226	Named_size . . . . .	213
3.2.227	Next_higher_assembly . . . . .	213
3.2.228	Non_linear_control_element . . . . .	214
3.2.229	Offset_curve . . . . .	215
3.2.230	Offset_surface . . . . .	215
3.2.231	Organization . . . . .	215
3.2.232	Organization_relationship . . . . .	216
3.2.233	Orientation_angle_defined_frame . . . . .	218
3.2.234	Orientation_euler_parameter_defined_frame . . . . .	218
3.2.235	Orientation_rotation_matrix_defined_frame . . . . .	219
3.2.236	Orientation_three_point_defined_frame . . . . .	220
3.2.237	Orientation_translation_defined_frame . . . . .	222
3.2.238	Oriented_edge_curve . . . . .	223
3.2.239	Origin_direction_defined_frame . . . . .	223
3.2.240	Origin_point . . . . .	224
3.2.241	P_d_element . . . . .	225
3.2.242	P_d_t1_element . . . . .	225
3.2.243	P_element . . . . .	226
3.2.244	P_i_d_element . . . . .	227
3.2.245	P_i_d_t1_element . . . . .	228
3.2.246	P_i_element . . . . .	229
3.2.247	P_i_t1_element . . . . .	229
3.2.248	P_t1_element . . . . .	230
3.2.249	P_t2_element . . . . .	231
3.2.250	Parabola . . . . .	231
3.2.251	Parameter_or_variable_of_state . . . . .	231
3.2.252	Parameter_or_variable_of_state_classification . . . . .	232
3.2.253	Parameter_or_variable_of_state_with_symbol . . . . .	233
3.2.254	Parameter_or_variable_of_state_with_symbol_value . . . . .	233
3.2.255	Parameter_or_variable_of_state_with_value . . . . .	233

3.2.256	Parameterizable_fluid	234
3.2.257	Partial_document_assignment	235
3.2.258	Passiv_element	235
3.2.259	Person	235
3.2.260	Person_in_organization	236
3.2.261	Person_organization_assignment	237
3.2.262	Physical_document	239
3.2.263	Physical_model	239
3.2.264	Physical_representation	239
3.2.265	Pipe	240
3.2.266	Pipe_compressibility_viscous_friction	242
3.2.267	Pipe_wave_propagation_viscous_friction	242
3.2.268	Planar_curve_joint	243
3.2.269	Planar_joint	243
3.2.270	Plane	244
3.2.271	Plus_minus_bounds	244
3.2.272	Plus_minus_toleranced_datum	245
3.2.273	Point	246
3.2.274	Point_appearance	246
3.2.275	Point_direction	246
3.2.276	Point_direction_model	247
3.2.277	Point_direction_sequence	247
3.2.278	Point_on_curve	248
3.2.279	Point_on_planar_curve_joint	249
3.2.280	Point_on_surface	249
3.2.281	Point_on_surface_joint	250
3.2.282	Point_sequence	250
3.2.283	Poly_loop	250
3.2.284	Polyline	251
3.2.285	Position_sensor_frame_rotation_angle	251
3.2.286	Position_sensor_frame_rotation_euler	252
3.2.287	Position_sensor_frame_rotation_matrix	253
3.2.288	Position_sensor_translation	253
3.2.289	Position_sensor_vector_rotation	254
3.2.290	Pre_defined_joint_element	254
3.2.291	Prismatic_joint	254
3.2.292	Property	255
3.2.293	Property_change	256
3.2.294	Property_relationship	257
3.2.295	Pure_liquid_fluid	259
3.2.296	Pure_vapour_fluid	260
3.2.297	Quantified_instance	261
3.2.298	Rack_and_pinion_joint	261
3.2.299	Rate_limiter_element	262
3.2.300	Reaction_force_sensor	263
3.2.301	Reaction_torque_sensor	264

3.2.302	Rectangular_size . . . . .	264
3.2.303	Resistor . . . . .	265
3.2.304	Revolute_joint . . . . .	266
3.2.305	Right_angular_wedge . . . . .	267
3.2.306	Right_circular_cone . . . . .	268
3.2.307	Right_circular_cylinder . . . . .	268
3.2.308	Rolling_curve_joint . . . . .	268
3.2.309	Rolling_surface_joint . . . . .	269
3.2.310	Rotation_matrix_defined_rotation . . . . .	269
3.2.311	Rubber_frame_related . . . . .	269
3.2.312	Saturation_element . . . . .	271
3.2.313	Saturation_with_hysteresis_element . . . . .	272
3.2.314	Screw_joint . . . . .	273
3.2.315	Section_value . . . . .	275
3.2.316	Semiconductor_element . . . . .	275
3.2.317	Sensor_element . . . . .	275
3.2.318	Serial_spring_damper_trans_point_to_point . . . . .	276
3.2.319	Shape_description_association . . . . .	276
3.2.320	Shape_element . . . . .	277
3.2.321	Shape_element_relationship . . . . .	278
3.2.322	Shell . . . . .	279
3.2.323	Sign_reversal_element . . . . .	279
3.2.324	Significant_number_of_digits . . . . .	280
3.2.325	Signum_function_element . . . . .	280
3.2.326	Single_instance . . . . .	280
3.2.327	Sliding_curve_joint . . . . .	281
3.2.328	Sliding_surface_joint . . . . .	281
3.2.329	Solid_fill_area . . . . .	281
3.2.330	Solid_of_linear_extrusion . . . . .	281
3.2.331	Solid_of_revolution . . . . .	281
3.2.332	Solid_replica . . . . .	282
3.2.333	Sparse_matrix . . . . .	282
3.2.334	Specific_item_classification . . . . .	283
3.2.335	Specific_item_classification_hierarchy . . . . .	285
3.2.336	Specified_instance . . . . .	286
3.2.337	Sphere . . . . .	287
3.2.338	Spherical_direction . . . . .	287
3.2.339	Spherical_joint . . . . .	287
3.2.340	Spherical_point_3d . . . . .	288
3.2.341	Spherical_surface . . . . .	290
3.2.342	Spring_rot_direction_related . . . . .	290
3.2.343	Spring_rot_frame_related . . . . .	291
3.2.344	Spring_trans_direction_related . . . . .	291
3.2.345	Spring_trans_frame_related . . . . .	292
3.2.346	Spring_trans_point_to_point . . . . .	293
3.2.347	Standard_brake_fluid . . . . .	294

3.2.348	Standard_diesel_fluid	294
3.2.349	Standard_gasoline_fluid	294
3.2.350	Steered_source_element	294
3.2.351	String_with_language	295
3.2.352	Styled_element	296
3.2.353	Styled_model	296
3.2.354	Styled_model_relationship	298
3.2.355	Styled_model_version	299
3.2.356	Surface	299
3.2.357	Surface_appearance	299
3.2.358	Surface_appearance_element	300
3.2.359	Surface_condition	300
3.2.360	Surface_condition_association	301
3.2.361	Surface_joint	301
3.2.362	Surface_model	302
3.2.363	Surface_of_linear_extrusion	303
3.2.364	Surface_of_revolution	303
3.2.365	Surface_texture	303
3.2.366	Surface_texture_parameter	304
3.2.367	Swept_face_solid	305
3.2.368	Symmetric_matrix	305
3.2.369	Symmetric_matrix_3x3	306
3.2.370	T1_element	306
3.2.371	T2_element	307
3.2.372	Tactile_appearance	307
3.2.373	Template_instance	309
3.2.374	Terminal	310
3.2.375	Terminal_definition	311
3.2.376	Text_appearance	311
3.2.377	Three_step_controller_element	312
3.2.378	Throttle	313
3.2.379	Throttle_laminar_turbulent	315
3.2.380	Throttle_laminar_turbulent_controlled_cross_section	315
3.2.381	Tiling	316
3.2.382	Tolerance_table_cell	316
3.2.383	Topologically_connected_set	318
3.2.384	Toroidal_surface	318
3.2.385	Torque_sensor	318
3.2.386	Torus	319
3.2.387	Trans_plain_joint	319
3.2.388	Translation_cartesian_defined_frame	319
3.2.389	Translation_cylindrical_defined_frame	320
3.2.390	Translation_spherical_defined_frame	321
3.2.391	Translation_two_point_definition	322
3.2.392	Treatment_result	322
3.2.393	Trimmed_curve	323

3.2.394	Trimmed_surface . . . . .	323
3.2.395	Two_point_direction . . . . .	323
3.2.396	Two_step_controller_element . . . . .	324
3.2.397	Two_step_controller_with_hysteresis_element . . . . .	325
3.2.398	Universal_joint . . . . .	326
3.2.399	Unrestricted_joint . . . . .	327
3.2.400	Upper_lower_limit . . . . .	327
3.2.401	Upper_lower_toleranced_datum . . . . .	327
3.2.402	User_defined_direction_related_force . . . . .	328
3.2.403	User_defined_direction_related_torque . . . . .	328
3.2.404	User_defined_electric_element . . . . .	329
3.2.405	User_defined_frame_related_force . . . . .	330
3.2.406	User_defined_frame_related_torque . . . . .	331
3.2.407	User_defined_hydraulic_element . . . . .	332
3.2.408	User_defined_joint_element . . . . .	333
3.2.409	User_defined_point_to_point_force . . . . .	333
3.2.410	Value_limit . . . . .	334
3.2.411	Value_limitation . . . . .	334
3.2.412	Value_range . . . . .	335
3.2.413	Vector_appearance . . . . .	336
3.2.414	Velocity_sensor_rotation . . . . .	336
3.2.415	Velocity_sensor_translation . . . . .	337
3.2.416	Vertex_loop . . . . .	337
3.2.417	Vertex_point . . . . .	337
3.2.418	Vhdl_description . . . . .	338
3.2.419	Vhdl_interface_entity . . . . .	338
3.2.420	Visual_appearance . . . . .	339
3.2.421	Visual_structure_element_property . . . . .	341
3.2.422	Voltage_steered_current_source . . . . .	342
3.2.423	Voltage_steered_source . . . . .	342
3.2.424	Voltage_steered_voltage_source . . . . .	344
3.2.425	Wireframe_model_3d . . . . .	344
3.3	Application assertions . . . . .	345
3.3.1	Acceleration_sensor_rotation to Direction_3d . . . . .	345
3.3.2	Acceleration_sensor_rotation to Orientation_translation_defined_frame . . . . .	345
3.3.3	Acceleration_sensor_rotation to Origin_direction_defined_frame . . . . .	345
3.3.4	Acceleration_sensor_rotation to Parameter_or_variable_of_state_with_symbol . . . . .	345
3.3.5	Acceleration_sensor_translation to Orientation_translation_defined_frame . . . . .	345
3.3.6	Acceleration_sensor_translation to Origin_direction_defined_frame . . . . .	346
3.3.7	Accuracy to Face . . . . .	346
3.3.8	Accuracy to Geometric_model . . . . .	346
3.3.9	Accuracy to Multi_language_string . . . . .	346
3.3.10	Accuracy to Oriented_edge_curve . . . . .	346
3.3.11	Accuracy to Vertex_point . . . . .	346
3.3.12	Addition_element to Control_port . . . . .	347
3.3.13	Appearance_assignment to Curve_appearance . . . . .	347

3.3.14	Appearance_assignment to Hatching	347
3.3.15	Appearance_assignment to Point_appearance	347
3.3.16	Appearance_assignment to Solid_fill_area	347
3.3.17	Appearance_assignment to Surface_appearance	347
3.3.18	Appearance_assignment to Text_appearance	348
3.3.19	Appearance_assignment to Tiling	348
3.3.20	Appearance_assignment to Vector_appearance	348
3.3.21	Application_context to Multi_language_string	348
3.3.22	Applied_force_sensor to Force_element_3d	348
3.3.23	Applied_torque_sensor to Force_element_3d	348
3.3.24	B_rep to Closed_shell	349
3.3.25	B_rep_model to B_rep	349
3.3.26	Barrier_layer_field_effect_transistor to Parameter_or_variable_of_state	349
3.3.27	Barrier_layer_field_effect_transistor to Terminal	349
3.3.28	Behaviour_description to Composite_equation	349
3.3.29	Behaviour_description to Design_discipline_item_definition	350
3.3.30	Behaviour_description to Equation	350
3.3.31	Behaviour_description to Equation_system	350
3.3.32	Behaviour_description to External_description	350
3.3.33	Behaviour_description to Graph	350
3.3.34	Behaviour_description to Vhdl_description	350
3.3.35	Bipolar_transistor to Parameter_or_variable_of_state	351
3.3.36	Bipolar_transistor to Terminal	351
3.3.37	Boolean_result to B_rep_model	351
3.3.38	Boolean_result to Boolean_result	351
3.3.39	Boolean_result to Csg_primitive	352
3.3.40	Boolean_result to Faceted_b_rep_model	352
3.3.41	Boolean_result to Half_space_solid	352
3.3.42	Boolean_result to Solid_replica	352
3.3.43	Boolean_result to Swept_face_solid	353
3.3.44	Branching_element to Control_port	353
3.3.45	Bushing_frame_related to Frame	353
3.3.46	Bushing_frame_related to Parameter_or_variable_of_state	353
3.3.47	Capacitor to Parameter_or_variable_of_state	354
3.3.48	Capacitor to Terminal	354
3.3.49	Cartesian_direction to Parameter_or_variable_of_state	354
3.3.50	Cartesian_point_3d to Parameter_or_variable_of_state	354
3.3.51	Change to Item_version_relationship	354
3.3.52	Change to Multi_language_string	354
3.3.53	Change to Shape_element_relationship	355
3.3.54	Classification_association to Behaviour_description	355
3.3.55	Classification_association to Document	355
3.3.56	Classification_association to Document_representation	355
3.3.57	Classification_association to Document_type_property	355
3.3.58	Classification_association to General_classification	355
3.3.59	Classification_association to Item	356

3.3.60	Classification_association to Property . . . . .	356
3.3.61	Classification_attribute to General_classification . . . . .	356
3.3.62	Classification_attribute to Multi_language_string . . . . .	356
3.3.63	Classification_attribute to Parameter_or_variable_of_state . . . . .	356
3.3.64	Classification_attribute to Property . . . . .	356
3.3.65	Classification_system to Multi_language_string . . . . .	357
3.3.66	Closed_shell to Face . . . . .	357
3.3.67	Coil to Parameter_or_variable_of_state . . . . .	357
3.3.68	Coil to Terminal . . . . .	357
3.3.69	Composite_equation to Equation_section . . . . .	357
3.3.70	Compound_model to Topologically_connected_set . . . . .	357
3.3.71	Connector_information to Control_information . . . . .	357
3.3.72	Connector_information to Electrical_information . . . . .	358
3.3.73	Connector_information to Hydraulic_information . . . . .	358
3.3.74	Connector_information to Multi_body_information . . . . .	358
3.3.75	Contact_ratio to Physical_model . . . . .	358
3.3.76	Context_dependent_appearance_assignment to Model_image . . . . .	358
3.3.77	Control_connection to Control_information . . . . .	358
3.3.78	Control_connection to Control_port . . . . .	359
3.3.79	Control_element to Control_port . . . . .	359
3.3.80	Control_information to Control_element . . . . .	359
3.3.81	Control_port to Control_port_definition . . . . .	359
3.3.82	Coupled_coil to Coil . . . . .	359
3.3.83	Coupled_coil to Parameter_or_variable_of_state . . . . .	359
3.3.84	Csg_model to B_rep_model . . . . .	359
3.3.85	Csg_model to Boolean_result . . . . .	360
3.3.86	Csg_model to Csg_primitive . . . . .	360
3.3.87	Csg_model to Faceted_b_rep_model . . . . .	360
3.3.88	Csg_model to Solid_replica . . . . .	360
3.3.89	Csg_model to Swept_face_solid . . . . .	360
3.3.90	Current_steered_current_source to Parameter_or_variable_of_state . . . . .	361
3.3.91	Current_steered_source to Ideal_independent_voltage_source . . . . .	361
3.3.92	Current_steered_source to Parameter_or_variable_of_state . . . . .	361
3.3.93	Current_steered_voltage_source to Parameter_or_variable_of_state . . . . .	361
3.3.94	Curve_set_3d to Curve . . . . .	361
3.3.95	Curve_set_3d to Point . . . . .	361
3.3.96	Cylindrical_direction to Parameter_or_variable_of_state . . . . .	362
3.3.97	Cylindrical_point_3d to Parameter_or_variable_of_state . . . . .	362
3.3.98	D_element to Parameter_or_variable_of_state . . . . .	362
3.3.99	Damper_rot_direction_related to Direction_3d . . . . .	362
3.3.100	Damper_rot_direction_related to Parameter_or_variable_of_state . . . . .	362
3.3.101	Damper_rot_frame_related to Frame . . . . .	363
3.3.102	Damper_rot_frame_related to Parameter_or_variable_of_state . . . . .	363
3.3.103	Damper_trans_direction_related to Direction_3d . . . . .	363
3.3.104	Damper_trans_direction_related to Parameter_or_variable_of_state . . . . .	363
3.3.105	Damper_trans_frame_related to Frame . . . . .	363

3.3.106	Damper_trans_frame_related to Parameter_or_variable_of_state . . . . .	363
3.3.107	Damper_trans_point_to_point to Parameter_or_variable_of_state . . . . .	364
3.3.108	Data_environment to Multi_language_string . . . . .	364
3.3.109	Date_and_person_assignment to Date_and_person_organization . . . . .	364
3.3.110	Date_and_person_assignment to Design_discipline_item_definition . . . . .	364
3.3.111	Date_and_person_assignment to Document . . . . .	364
3.3.112	Date_and_person_assignment to Document_file . . . . .	364
3.3.113	Date_and_person_assignment to Document_representation . . . . .	365
3.3.114	Date_and_person_assignment to Document_version . . . . .	365
3.3.115	Date_and_person_assignment to Geometric_model . . . . .	365
3.3.116	Date_and_person_assignment to Item . . . . .	365
3.3.117	Date_and_person_assignment to Item_instance . . . . .	365
3.3.118	Date_and_person_assignment to Item_version . . . . .	365
3.3.119	Date_and_person_assignment to Material . . . . .	366
3.3.120	Date_and_person_assignment to Multi_language_string . . . . .	366
3.3.121	Date_and_person_assignment to Property . . . . .	366
3.3.122	Date_and_person_assignment to Styled_model . . . . .	366
3.3.123	Date_and_person_organization to Date_time . . . . .	366
3.3.124	Date_and_person_organization to Organization . . . . .	366
3.3.125	Date_and_person_organization to Person_in_organization . . . . .	367
3.3.126	Date_time_assignment to Date_time . . . . .	367
3.3.127	Date_time_assignment to Design_discipline_item_definition . . . . .	367
3.3.128	Date_time_assignment to Document . . . . .	367
3.3.129	Date_time_assignment to Document_file . . . . .	367
3.3.130	Date_time_assignment to Document_representation . . . . .	367
3.3.131	Date_time_assignment to Document_version . . . . .	368
3.3.132	Date_time_assignment to Geometric_model . . . . .	368
3.3.133	Date_time_assignment to Item . . . . .	368
3.3.134	Date_time_assignment to Item_instance . . . . .	368
3.3.135	Date_time_assignment to Item_version . . . . .	368
3.3.136	Date_time_assignment to Material . . . . .	368
3.3.137	Date_time_assignment to Multi_language_string . . . . .	369
3.3.138	Date_time_assignment to Property . . . . .	369
3.3.139	Date_time_assignment to Styled_model . . . . .	369
3.3.140	Dead_zone_element to Parameter_or_variable_of_state . . . . .	369
3.3.141	Derived_point to Item_instance . . . . .	369
3.3.142	Derived_point to Multi_body_information . . . . .	369
3.3.143	Design_discipline_item_definition to Application_context . . . . .	370
3.3.144	Design_discipline_item_definition to Item_version . . . . .	370
3.3.145	Design_discipline_item_definition to Multi_language_string . . . . .	370
3.3.146	Detailed_element to Multi_language_string . . . . .	370
3.3.147	Diagonal_matrix to Parameter_or_variable_of_state . . . . .	370
3.3.148	Digital_document to Digital_file . . . . .	370
3.3.149	Diode to Parameter_or_variable_of_state . . . . .	371
3.3.150	Diode to Terminal . . . . .	371
3.3.151	Direction_base_of_frame to Frame . . . . .	371

3.3.152	Direction_explicit to Frame . . . . .	371
3.3.153	Direction_on_curve to Point_on_curve . . . . .	371
3.3.154	Direction_on_surface to Point_on_surface . . . . .	371
3.3.155	Direction_perpendicular to Direction_3d . . . . .	371
3.3.156	Dissipationless_line to Parameter_or_variable_of_state . . . . .	372
3.3.157	Dissipationless_line to Terminal . . . . .	372
3.3.158	Document to Multi_language_string . . . . .	372
3.3.159	Document_assignment to Change . . . . .	372
3.3.160	Document_assignment to Classification_system . . . . .	373
3.3.161	Document_assignment to Design_discipline_item_definition . . . . .	373
3.3.162	Document_assignment to Document . . . . .	373
3.3.163	Document_assignment to Document_file . . . . .	373
3.3.164	Document_assignment to Document_representation . . . . .	373
3.3.165	Document_assignment to Document_version . . . . .	373
3.3.166	Document_assignment to General_classification . . . . .	374
3.3.167	Document_assignment to Item_instance . . . . .	374
3.3.168	Document_assignment to Item_shape . . . . .	374
3.3.169	Document_assignment to Material . . . . .	374
3.3.170	Document_assignment to Property . . . . .	374
3.3.171	Document_assignment to Shape_element . . . . .	374
3.3.172	Document_assignment to Shape_element_relationship . . . . .	375
3.3.173	Document_assignment to Specific_item_classification . . . . .	375
3.3.174	Document_assignment to Surface_condition . . . . .	375
3.3.175	Document_file to Document_content_property . . . . .	375
3.3.176	Document_file to Document_creation_property . . . . .	375
3.3.177	Document_file to Document_format_property . . . . .	375
3.3.178	Document_file to Document_size_property . . . . .	375
3.3.179	Document_file to Document_type_property . . . . .	376
3.3.180	Document_file to External_file_id_and_location . . . . .	376
3.3.181	Document_file_relationship to Document_file . . . . .	376
3.3.182	Document_file_relationship to Multi_language_string . . . . .	376
3.3.183	Document_format_property to Rectangular_size . . . . .	376
3.3.184	Document_representation to Document_content_property . . . . .	376
3.3.185	Document_representation to Document_creation_property . . . . .	377
3.3.186	Document_representation to Document_format_property . . . . .	377
3.3.187	Document_representation to Document_location_property . . . . .	377
3.3.188	Document_representation to Document_size_property . . . . .	377
3.3.189	Document_representation to Document_version . . . . .	377
3.3.190	Document_representation to Multi_language_string . . . . .	377
3.3.191	Document_structure to Document_representation . . . . .	377
3.3.192	Document_structure to Multi_language_string . . . . .	378
3.3.193	Document_type_property to Classification_system . . . . .	378
3.3.194	Document_version to Document . . . . .	378
3.3.195	Document_version to Multi_language_string . . . . .	378
3.3.196	Document_version_relationship to Document_version . . . . .	378
3.3.197	Document_version_relationship to Multi_language_string . . . . .	379

3.3.198	Edge_loop to Oriented_edge_curve . . . . .	379
3.3.199	Edge_transition to Oriented_edge_curve . . . . .	379
3.3.200	Edge_transition to Vertex_point . . . . .	379
3.3.201	Electrical_connectivity_definition to Electrical_information . . . . .	379
3.3.202	Electrical_connectivity_definition to Terminal . . . . .	379
3.3.203	Electrical_element to Electrical_parameter_type . . . . .	380
3.3.204	Electrical_information to Electrical_element . . . . .	380
3.3.205	Electrical_parameter_type to Parameter_or_variable_of_state . . . . .	380
3.3.206	Electrical_sensor_element to Parameter_or_variable_of_state_with_symbol . . .	380
3.3.207	Electrical_sensor_element to Terminal . . . . .	380
3.3.208	Electrical_user_defined_sensor to Electrical_sensor_element_definition . . . . .	380
3.3.209	Equation to Equation . . . . .	381
3.3.210	Equation to Matrix . . . . .	381
3.3.211	Equation to Parameter_or_variable_of_state . . . . .	381
3.3.212	Equation_section to Equation . . . . .	381
3.3.213	Equation_section to Section_value . . . . .	381
3.3.214	Equation_system to Equation . . . . .	381
3.3.215	Euler_parameter_defined_rotation to Generic_joint . . . . .	381
3.3.216	Euler_parameter_defined_rotation to Spherical_joint . . . . .	382
3.3.217	External_description to Digital_file . . . . .	382
3.3.218	External_description to Parameter_or_variable_of_state . . . . .	382
3.3.219	External_file_id_and_location to Document_location_property . . . . .	382
3.3.220	Face to Face_bound . . . . .	382
3.3.221	Face to Surface . . . . .	382
3.3.222	Face_bound to Edge_loop . . . . .	383
3.3.223	Face_bound to Vertex_loop . . . . .	383
3.3.224	Face_transition to Face . . . . .	383
3.3.225	Face_transition to Oriented_edge_curve . . . . .	383
3.3.226	Faceted_b_rep to Faceted_closed_shell . . . . .	383
3.3.227	Faceted_b_rep_model to Faceted_b_rep . . . . .	383
3.3.228	Faceted_closed_shell to Faceted_face . . . . .	383
3.3.229	Faceted_face to Plane . . . . .	384
3.3.230	Faceted_face to Poly_loop . . . . .	384
3.3.231	Force_or_joint_element to Frame . . . . .	384
3.3.232	Force_sensor to Direction_3d . . . . .	384
3.3.233	Force_sensor to Parameter_or_variable_of_state_with_symbol . . . . .	384
3.3.234	Frame to Item_instance . . . . .	384
3.3.235	Frame to Multi_body_information . . . . .	384
3.3.236	Full_model_change to Detailed_element . . . . .	385
3.3.237	Full_model_change to Geometric_model_relationship . . . . .	385
3.3.238	Full_model_change to Styled_model_relationship . . . . .	385
3.3.239	Gear_joint to Parameter_or_variable_of_state . . . . .	385
3.3.240	General_classification to Classification_system . . . . .	385
3.3.241	General_classification to Multi_language_string . . . . .	386
3.3.242	General_classification_hierarchy to General_classification . . . . .	386
3.3.243	General_direction_related_force to Composite_equation . . . . .	386

3.3.244	General_direction_related_force to Direction_3d . . . . .	386
3.3.245	General_direction_related_force to Equation . . . . .	386
3.3.246	General_direction_related_force to Equation_system . . . . .	386
3.3.247	General_direction_related_force to External_description . . . . .	387
3.3.248	General_direction_related_force to Graph . . . . .	387
3.3.249	General_direction_related_force to Parameter_or_variable_of_state . . . . .	387
3.3.250	General_direction_related_force to Vhdl_description . . . . .	387
3.3.251	General_direction_related_torque to Composite_equation . . . . .	387
3.3.252	General_direction_related_torque to Direction_3d . . . . .	387
3.3.253	General_direction_related_torque to Equation . . . . .	388
3.3.254	General_direction_related_torque to Equation_system . . . . .	388
3.3.255	General_direction_related_torque to External_description . . . . .	388
3.3.256	General_direction_related_torque to Graph . . . . .	388
3.3.257	General_direction_related_torque to Parameter_or_variable_of_state . . . . .	388
3.3.258	General_direction_related_torque to Vhdl_description . . . . .	388
3.3.259	General_electric_element to Terminal . . . . .	389
3.3.260	General_frame_related_force to Composite_equation . . . . .	389
3.3.261	General_frame_related_force to Equation . . . . .	389
3.3.262	General_frame_related_force to Equation_system . . . . .	389
3.3.263	General_frame_related_force to External_description . . . . .	389
3.3.264	General_frame_related_force to Frame . . . . .	389
3.3.265	General_frame_related_force to Graph . . . . .	390
3.3.266	General_frame_related_force to Parameter_or_variable_of_state . . . . .	390
3.3.267	General_frame_related_force to Vhdl_description . . . . .	390
3.3.268	General_frame_related_torque to Composite_equation . . . . .	390
3.3.269	General_frame_related_torque to Equation . . . . .	390
3.3.270	General_frame_related_torque to Equation_system . . . . .	390
3.3.271	General_frame_related_torque to External_description . . . . .	391
3.3.272	General_frame_related_torque to Frame . . . . .	391
3.3.273	General_frame_related_torque to Graph . . . . .	391
3.3.274	General_frame_related_torque to Parameter_or_variable_of_state . . . . .	391
3.3.275	General_frame_related_torque to Vhdl_description . . . . .	391
3.3.276	General_item_definition_relationship to Multi_language_string . . . . .	391
3.3.277	General_point_to_point_force to Composite_equation . . . . .	392
3.3.278	General_point_to_point_force to Equation . . . . .	392
3.3.279	General_point_to_point_force to Equation_system . . . . .	392
3.3.280	General_point_to_point_force to External_description . . . . .	392
3.3.281	General_point_to_point_force to Graph . . . . .	392
3.3.282	General_point_to_point_force to Parameter_or_variable_of_state . . . . .	392
3.3.283	General_point_to_point_force to Vhdl_description . . . . .	393
3.3.284	General_property to Parameter_or_variable_of_state . . . . .	393
3.3.285	General_tolerances to Document_file . . . . .	393
3.3.286	General_tolerances to General_tolerance_table . . . . .	393
3.3.287	Geometric_model to Frame . . . . .	393
3.3.288	Geometric_model to Multi_language_string . . . . .	393
3.3.289	Geometric_model to Template_instance . . . . .	394

3.3.290	Geometric_model_relationship to Geometric_model . . . . .	394
3.3.291	Geometric_model_relationship to Multi_language_string . . . . .	394
3.3.292	Geometric_model_relationship_with_transformation to Orientation_translation_defined_frame . . . . .	394
3.3.293	Geometric_point_3d to Frame . . . . .	394
3.3.294	Geometric_set_3d to Curve . . . . .	394
3.3.295	Geometric_set_3d to Point . . . . .	395
3.3.296	Geometric_set_3d to Surface . . . . .	395
3.3.297	Geometrical_relationship to Geometric_model_relationship_with_transformation	395
3.3.298	Geometrical_relationship to Multi_language_string . . . . .	395
3.3.299	Geometrical_relationship to Template_instance . . . . .	395
3.3.300	Geometrically_bounded_surface_model to Geometric_set_3d . . . . .	396
3.3.301	Graph to Graph_value_list . . . . .	396
3.3.302	Graph_value_list to Parameter_or_variable_of_state_with_symbol . . . . .	396
3.3.303	Gravity to Direction_3d . . . . .	396
3.3.304	Gravity to Parameter_or_variable_of_state . . . . .	396
3.3.305	Hardness to Multi_language_string . . . . .	396
3.3.306	Hardness to Parameter_or_variable_of_state . . . . .	396
3.3.307	Hidden_element_handling to Appearance_assignment . . . . .	397
3.3.308	Hidden_element_handling to Model_image . . . . .	397
3.3.309	Hybrid_geometric_model_3d to Detailed_geometric_model_element . . . . .	397
3.3.310	Hydraulic_chamber_variable_pressure to Parameter_or_variable_of_state . . . . .	397
3.3.311	Hydraulic_chamber_variable_pressure_constant_volume to Hydraulic_port . . . . .	397
3.3.312	Hydraulic_chamber_variable_pressure_constant_volume to Parameter_or_variable_of_state . . . . .	397
3.3.313	Hydraulic_connection to Hydraulic_information . . . . .	398
3.3.314	Hydraulic_connection to Hydraulic_port . . . . .	398
3.3.315	Hydraulic_information to Hydraulic_element . . . . .	398
3.3.316	Hydraulic_information to Hydraulic_fluid . . . . .	398
3.3.317	Hydraulic_port to Hydraulic_port_definition . . . . .	398
3.3.318	Hydraulic_tank_constant_pressure to Hydraulic_port . . . . .	398
3.3.319	Hydraulic_tank_constant_pressure to Parameter_or_variable_of_state . . . . .	399
3.3.320	I_element to Parameter_or_variable_of_state . . . . .	399
3.3.321	Ideal_independent_current_source to Parameter_or_variable_of_state . . . . .	399
3.3.322	Ideal_independent_voltage_source to Parameter_or_variable_of_state . . . . .	399
3.3.323	Ideal_source_element to Composite_equation . . . . .	399
3.3.324	Ideal_source_element to Equation . . . . .	399
3.3.325	Ideal_source_element to Equation_system . . . . .	400
3.3.326	Ideal_source_element to External_description . . . . .	400
3.3.327	Ideal_source_element to Graph . . . . .	400
3.3.328	Ideal_source_element to Parameter_or_variable_of_state . . . . .	400
3.3.329	Ideal_source_element to Terminal . . . . .	400
3.3.330	Ideal_source_element to Vhdl_description . . . . .	400
3.3.331	Incremental_model_change to Geometric_model . . . . .	401
3.3.332	Incremental_model_change to Incremental_model_change . . . . .	401
3.3.333	Incremental_model_change to Styled_model . . . . .	401

3.3.334	Instance_placement to Geometric_model_relationship_with_transformation . . .	401
3.3.335	Instance_placement to Single_instance . . . . .	402
3.3.336	Instance_placement to Template_instance . . . . .	402
3.3.337	Interpolation to Graph_value_list . . . . .	402
3.3.338	Item to Multi_language_string . . . . .	402
3.3.339	Item_definition_relationship to Design_discipline_item_definition . . . . .	402
3.3.340	Item_instance to Design_discipline_item_definition . . . . .	403
3.3.341	Item_instance to Multi_language_string . . . . .	403
3.3.342	Item_instance_relationship to Item_instance . . . . .	403
3.3.343	Item_instance_relationship to Multi_language_string . . . . .	403
3.3.344	Item_shape to Design_discipline_item_definition . . . . .	403
3.3.345	Item_shape to Item_instance . . . . .	404
3.3.346	Item_shape to Multi_language_string . . . . .	404
3.3.347	Item_version to Item . . . . .	404
3.3.348	Item_version to Multi_language_string . . . . .	404
3.3.349	Item_version_relationship to Item_version . . . . .	404
3.3.350	Item_version_relationship to Multi_language_string . . . . .	404
3.3.351	Joint_position to Pre_defined_joint_element . . . . .	405
3.3.352	Joint_range to Parameter_or_variable_of_state . . . . .	405
3.3.353	Joint_range to Pre_defined_joint_element . . . . .	405
3.3.354	Joint_velocity to Parameter_or_variable_of_state . . . . .	405
3.3.355	Joint_velocity to Pre_defined_joint_element . . . . .	405
3.3.356	Kinematic_joint_sensor to Joint_element . . . . .	405
3.3.357	Kinematic_joint_sensor to Parameter_or_variable_of_state_with_symbol . . . . .	406
3.3.358	Kinematic_sensor_rotation to Orientation_translation_defined_frame . . . . .	406
3.3.359	Kinematic_sensor_rotation to Origin_direction_defined_frame . . . . .	406
3.3.360	Kinematic_sensor_translation to Direction_3d . . . . .	406
3.3.361	Kinematic_sensor_translation to Parameter_or_variable_of_state_with_symbol . . . . .	406
3.3.362	Kinematic_sensor_translation to Point . . . . .	406
3.3.363	Light_source to Model_image . . . . .	407
3.3.364	Mass_property to Geometric_point_3d . . . . .	407
3.3.365	Mass_property to Parameter_or_variable_of_state . . . . .	407
3.3.366	Material to Behaviour_description . . . . .	407
3.3.367	Material to Design_discipline_item_definition . . . . .	407
3.3.368	Material to Item_instance . . . . .	407
3.3.369	Material to Item_shape . . . . .	407
3.3.370	Material to Material_property . . . . .	408
3.3.371	Material to Shape_element . . . . .	408
3.3.372	Material to Shape_element_relationship . . . . .	408
3.3.373	Material_parameter to Data_environment . . . . .	408
3.3.374	Material_parameter to Material_property . . . . .	408
3.3.375	Measurement_path to Curve . . . . .	408
3.3.376	Measurement_path to Frame . . . . .	408
3.3.377	Model_change to Change . . . . .	409
3.3.378	Model_change to Detailed_element . . . . .	409
3.3.379	Model_change to Multi_language_string . . . . .	409

3.3.380	Model_image to Multi_language_string . . . . .	409
3.3.381	Model_image to Styled_model . . . . .	409
3.3.382	Moments_of_inertia to Frame . . . . .	409
3.3.383	Moments_of_inertia to Symmetric_matrix_3x3 . . . . .	409
3.3.384	Mos_field_effect_transistor to Parameter_or_variable_of_state . . . . .	410
3.3.385	Mos_field_effect_transistor to Terminal . . . . .	410
3.3.386	Multi_body_information to Interaction_element . . . . .	410
3.3.387	Multi_language_string to String_with_language . . . . .	410
3.3.388	Named_size to Classification_system . . . . .	411
3.3.389	Next_higher_assembly to Assembly_definition . . . . .	411
3.3.390	Next_higher_assembly to Geometric_model_relationship_with_transformation .	411
3.3.391	Next_higher_assembly to Item_instance . . . . .	411
3.3.392	Next_higher_assembly to Template_instance . . . . .	411
3.3.393	Organization_relationship to Multi_language_string . . . . .	412
3.3.394	Organization_relationship to Organization . . . . .	412
3.3.395	Orientation_angle_defined_frame to Parameter_or_variable_of_state . . . . .	412
3.3.396	Orientation_euler_parameter_defined_frame to Parameter_or_variable_of_state .	412
3.3.397	Orientation_rotation_matrix_defined_frame to Generic_matrix_3x3 . . . . .	412
3.3.398	Orientation_three_point_defined_frame to Geometric_point_3d . . . . .	413
3.3.399	Orientation_translation_defined_frame to Frame . . . . .	413
3.3.400	Oriented_edge_curve to B_spline_curve . . . . .	413
3.3.401	Oriented_edge_curve to Circle . . . . .	413
3.3.402	Oriented_edge_curve to Curve_on_surface . . . . .	413
3.3.403	Oriented_edge_curve to Ellipse . . . . .	413
3.3.404	Oriented_edge_curve to Hyperbola . . . . .	413
3.3.405	Oriented_edge_curve to Line . . . . .	414
3.3.406	Oriented_edge_curve to Parabola . . . . .	414
3.3.407	Oriented_edge_curve to Polyline . . . . .	414
3.3.408	Oriented_edge_curve to Vertex_point . . . . .	414
3.3.409	Origin_direction_defined_frame to Direction_3d . . . . .	414
3.3.410	Origin_direction_defined_frame to Point . . . . .	414
3.3.411	Origin_point to Frame . . . . .	414
3.3.412	P_element to Parameter_or_variable_of_state . . . . .	415
3.3.413	Parameter_or_variable_of_state_classification to Parameter_or_variable_of_state	415
3.3.414	Parameterizable_fluid to Parameter_or_variable_of_state . . . . .	415
3.3.415	Person_in_organization to Organization . . . . .	415
3.3.416	Person_in_organization to Person . . . . .	415
3.3.417	Person_organization_assignment to Design_discipline_item_definition . . . . .	415
3.3.418	Person_organization_assignment to Document . . . . .	416
3.3.419	Person_organization_assignment to Document_file . . . . .	416
3.3.420	Person_organization_assignment to Document_representation . . . . .	416
3.3.421	Person_organization_assignment to Document_version . . . . .	416
3.3.422	Person_organization_assignment to Geometric_model . . . . .	416
3.3.423	Person_organization_assignment to Item . . . . .	416
3.3.424	Person_organization_assignment to Item_instance . . . . .	416
3.3.425	Person_organization_assignment to Item_version . . . . .	417

3.3.426	Person_organization_assignment to Material . . . . .	417
3.3.427	Person_organization_assignment to Multi_language_string . . . . .	417
3.3.428	Person_organization_assignment to Organization . . . . .	417
3.3.429	Person_organization_assignment to Person_in_organization . . . . .	417
3.3.430	Person_organization_assignment to Property . . . . .	417
3.3.431	Person_organization_assignment to Styled_model . . . . .	418
3.3.432	Physical_document to Hardcopy . . . . .	418
3.3.433	Pipe to Hydraulic_port . . . . .	418
3.3.434	Pipe to Parameter_or_variable_of_state . . . . .	418
3.3.435	Pipe_wave_propagation_viscous_friction to Parameter_or_variable_of_state . . . . .	419
3.3.436	Planar_curve_joint to Curve . . . . .	419
3.3.437	Point_direction to Geometric_point_3d . . . . .	419
3.3.438	Point_direction_model to Point_direction_sequence . . . . .	419
3.3.439	Point_direction_model to Point_sequence . . . . .	419
3.3.440	Point_direction_sequence to Point_direction . . . . .	419
3.3.441	Point_direction_sequence to Point_on_surface . . . . .	420
3.3.442	Point_on_curve to Curve . . . . .	420
3.3.443	Point_on_curve to Parameter_or_variable_of_state . . . . .	420
3.3.444	Point_on_planar_curve_joint to Curve . . . . .	420
3.3.445	Point_on_surface to Parameter_or_variable_of_state . . . . .	420
3.3.446	Point_on_surface to Surface . . . . .	420
3.3.447	Point_on_surface_joint to Surface . . . . .	420
3.3.448	Point_sequence to Geometric_point_3d . . . . .	420
3.3.449	Poly_loop to Geometric_point_3d . . . . .	421
3.3.450	Position_sensor_frame_rotation_angle to Parameter_or_variable_of_state . . . . .	421
3.3.451	Position_sensor_frame_rotation_euler to Parameter_or_variable_of_state . . . . .	421
3.3.452	Position_sensor_frame_rotation_matrix to Generic_matrix_3x3 . . . . .	421
3.3.453	Position_sensor_vector_rotation to Direction_3d . . . . .	421
3.3.454	Position_sensor_vector_rotation to Parameter_or_variable_of_state_with_symbol . . . . .	421
3.3.455	Property to Behaviour_description . . . . .	421
3.3.456	Property to Design_discipline_item_definition . . . . .	422
3.3.457	Property to Item_instance . . . . .	422
3.3.458	Property to Item_shape . . . . .	422
3.3.459	Property to Multi_language_string . . . . .	422
3.3.460	Property to Shape_element . . . . .	422
3.3.461	Property to Shape_element_relationship . . . . .	422
3.3.462	Property_change to Change . . . . .	423
3.3.463	Property_change to Multi_language_string . . . . .	423
3.3.464	Property_change to Parameter_or_variable_of_state . . . . .	423
3.3.465	Property_relationship to Multi_language_string . . . . .	423
3.3.466	Property_relationship to Property . . . . .	423
3.3.467	Pure_liquid_fluid to Parameter_or_variable_of_state . . . . .	424
3.3.468	Pure_vapour_fluid to Parameter_or_variable_of_state . . . . .	424
3.3.469	Rack_and_pinion_joint to Parameter_or_variable_of_state . . . . .	424
3.3.470	Rate_limiter_element to Parameter_or_variable_of_state . . . . .	424
3.3.471	Reaction_force_sensor to Joint_element . . . . .	424

3.3.472	Reaction_torque_sensor to Joint_element . . . . .	425
3.3.473	Rectangular_size to Parameter_or_variable_of_state . . . . .	425
3.3.474	Resistor to Parameter_or_variable_of_state . . . . .	425
3.3.475	Resistor to Terminal . . . . .	425
3.3.476	Rotation_matrix_defined_rotation to Generic_joint . . . . .	425
3.3.477	Rotation_matrix_defined_rotation to Spherical_joint . . . . .	426
3.3.478	Rubber_frame_related to Frame . . . . .	426
3.3.479	Rubber_frame_related to Parameter_or_variable_of_state . . . . .	426
3.3.480	Saturation_element to Parameter_or_variable_of_state . . . . .	426
3.3.481	Saturation_with_hysteresis_element to Parameter_or_variable_of_state . . . . .	426
3.3.482	Screw_joint to Parameter_or_variable_of_state . . . . .	427
3.3.483	Section_value to Parameter_or_variable_of_state_with_symbol . . . . .	427
3.3.484	Shape_description_association to Geometric_model . . . . .	427
3.3.485	Shape_description_association to Item_shape . . . . .	427
3.3.486	Shape_description_association to Shape_element . . . . .	427
3.3.487	Shape_description_association to Shape_element_relationship . . . . .	427
3.3.488	Shape_element to Item_shape . . . . .	428
3.3.489	Shape_element to Multi_language_string . . . . .	428
3.3.490	Shape_element_relationship to Multi_language_string . . . . .	428
3.3.491	Shape_element_relationship to Shape_element . . . . .	428
3.3.492	Shell to Face . . . . .	428
3.3.493	Solid_replica to B_rep_model . . . . .	428
3.3.494	Solid_replica to Boolean_result . . . . .	429
3.3.495	Solid_replica to Csg_primitive . . . . .	429
3.3.496	Solid_replica to Faceted_b_rep_model . . . . .	429
3.3.497	Solid_replica to Solid_replica . . . . .	429
3.3.498	Solid_replica to Swept_face_solid . . . . .	429
3.3.499	Sparse_matrix to Parameter_or_variable_of_state . . . . .	429
3.3.500	Specific_item_classification to Item . . . . .	429
3.3.501	Specific_item_classification to Multi_language_string . . . . .	430
3.3.502	Specific_item_classification_hierarchy to Specific_item_classification . . . . .	430
3.3.503	Specified_instance to Assembly_definition . . . . .	430
3.3.504	Specified_instance to Item_instance . . . . .	430
3.3.505	Spherical_direction to Parameter_or_variable_of_state . . . . .	430
3.3.506	Spherical_point_3d to Parameter_or_variable_of_state . . . . .	430
3.3.507	Spring_rot_direction_related to Direction_3d . . . . .	431
3.3.508	Spring_rot_direction_related to Parameter_or_variable_of_state . . . . .	431
3.3.509	Spring_rot_frame_related to Frame . . . . .	431
3.3.510	Spring_rot_frame_related to Parameter_or_variable_of_state . . . . .	431
3.3.511	Spring_trans_direction_related to Direction_3d . . . . .	431
3.3.512	Spring_trans_direction_related to Parameter_or_variable_of_state . . . . .	432
3.3.513	Spring_trans_frame_related to Frame . . . . .	432
3.3.514	Spring_trans_frame_related to Parameter_or_variable_of_state . . . . .	432
3.3.515	Spring_trans_point_to_point to Parameter_or_variable_of_state . . . . .	432
3.3.516	Steered_source_element to Terminal . . . . .	432
3.3.517	String_with_language to Language . . . . .	433

3.3.518	Styled_element to Appearance_assignment . . . . .	433
3.3.519	Styled_element to Detailed_model_element . . . . .	433
3.3.520	Styled_model to Geometric_model . . . . .	433
3.3.521	Styled_model to Multi_language_string . . . . .	433
3.3.522	Styled_model to Styled_element . . . . .	433
3.3.523	Styled_model to Template_instance . . . . .	433
3.3.524	Styled_model_relationship to Multi_language_string . . . . .	433
3.3.525	Styled_model_relationship to Styled_model . . . . .	434
3.3.526	Surface_appearance to Surface_appearance_element . . . . .	434
3.3.527	Surface_appearance_element to Visual_appearance . . . . .	434
3.3.528	Surface_condition_association to Item_shape . . . . .	434
3.3.529	Surface_condition_association to Shape_element . . . . .	434
3.3.530	Surface_condition_association to Surface_condition . . . . .	434
3.3.531	Surface_joint to Surface . . . . .	435
3.3.532	Surface_model to Shell . . . . .	435
3.3.533	Surface_texture to Measurement_path . . . . .	435
3.3.534	Surface_texture_parameter to Parameter_or_variable_of_state . . . . .	435
3.3.535	Surface_texture_parameter to Surface_texture . . . . .	435
3.3.536	Swept_face_solid to Face . . . . .	435
3.3.537	Symmetric_matrix to Parameter_or_variable_of_state . . . . .	435
3.3.538	Symmetric_matrix_3x3 to Parameter_or_variable_of_state . . . . .	436
3.3.539	T1_element to Parameter_or_variable_of_state . . . . .	436
3.3.540	T2_element to Parameter_or_variable_of_state . . . . .	436
3.3.541	Tactile_appearance to Multi_language_string . . . . .	436
3.3.542	Tactile_appearance to Parameter_or_variable_of_state . . . . .	436
3.3.543	Template_instance to Geometric_model . . . . .	437
3.3.544	Template_instance to Orientation_translation_defined_frame . . . . .	437
3.3.545	Template_instance to Styled_model . . . . .	437
3.3.546	Terminal to Item_instance . . . . .	437
3.3.547	Terminal to Single_instance . . . . .	437
3.3.548	Terminal to Terminal_definition . . . . .	437
3.3.549	Three_step_controller_element to Parameter_or_variable_of_state . . . . .	437
3.3.550	Throttle to Hydraulic_port . . . . .	438
3.3.551	Throttle to Parameter_or_variable_of_state . . . . .	438
3.3.552	Throttle_laminar_turbulent to Parameter_or_variable_of_state . . . . .	438
3.3.553	Throttle_laminar_turbulent_controlled_cross_section to Composite_equation . . . . .	438
3.3.554	Throttle_laminar_turbulent_controlled_cross_section to Equation . . . . .	439
3.3.555	Throttle_laminar_turbulent_controlled_cross_section to Equation_system . . . . .	439
3.3.556	Throttle_laminar_turbulent_controlled_cross_section to External_description . . . . .	439
3.3.557	Throttle_laminar_turbulent_controlled_cross_section to Graph . . . . .	439
3.3.558	Throttle_laminar_turbulent_controlled_cross_section to Parameter_or_variable_of_state . . . . .	439
3.3.559	Throttle_laminar_turbulent_controlled_cross_section to Vhdl_description . . . . .	440
3.3.560	Tolerance_table_cell to General_tolerance_table . . . . .	440
3.3.561	Tolerance_table_cell to Multi_language_string . . . . .	440
3.3.562	Tolerance_table_cell to Plus_minus_toleranced_datum . . . . .	440

3.3.563	Tolerance_table_cell to Significant_number_of_digits . . . . .	440
3.3.564	Tolerance_table_cell to Upper_lower_limit . . . . .	440
3.3.565	Tolerance_table_cell to Upper_lower_toleranced_datum . . . . .	441
3.3.566	Topologically_connected_set to Face . . . . .	441
3.3.567	Topologically_connected_set to Oriented_edge_curve . . . . .	441
3.3.568	Torque_sensor to Direction_3d . . . . .	441
3.3.569	Torque_sensor to Parameter_or_variable_of_state_with_symbol . . . . .	441
3.3.570	Torque_sensor to Point . . . . .	441
3.3.571	Translation_cartesian_defined_frame to Parameter_or_variable_of_state . . . . .	441
3.3.572	Translation_cylindrical_defined_frame to Parameter_or_variable_of_state . . . . .	442
3.3.573	Translation_spherical_defined_frame to Parameter_or_variable_of_state . . . . .	442
3.3.574	Translation_two_point_definition to Geometric_point_3d . . . . .	442
3.3.575	Treatment_result to Multi_language_string . . . . .	442
3.3.576	Two_point_direction to Geometric_point_3d . . . . .	443
3.3.577	Two_step_controller_element to Parameter_or_variable_of_state . . . . .	443
3.3.578	Two_step_controller_with_hysteresis_element to Parameter_or_variable_of_state . . . . .	443
3.3.579	Universal_joint to Parameter_or_variable_of_state . . . . .	443
3.3.580	User_defined_direction_related_force to Direction_3d . . . . .	443
3.3.581	User_defined_direction_related_force to Parameter_or_variable_of_state . . . . .	443
3.3.582	User_defined_direction_related_torque to Direction_3d . . . . .	444
3.3.583	User_defined_direction_related_torque to Parameter_or_variable_of_state . . . . .	444
3.3.584	User_defined_electric_element to Composite_equation . . . . .	444
3.3.585	User_defined_electric_element to Equation . . . . .	444
3.3.586	User_defined_electric_element to Equation_system . . . . .	444
3.3.587	User_defined_electric_element to External_description . . . . .	444
3.3.588	User_defined_electric_element to Graph . . . . .	445
3.3.589	User_defined_electric_element to Terminal . . . . .	445
3.3.590	User_defined_electric_element to Vhdl_description . . . . .	445
3.3.591	User_defined_frame_related_force to Frame . . . . .	445
3.3.592	User_defined_frame_related_force to Parameter_or_variable_of_state . . . . .	445
3.3.593	User_defined_frame_related_torque to Frame . . . . .	445
3.3.594	User_defined_frame_related_torque to Parameter_or_variable_of_state . . . . .	445
3.3.595	User_defined_hydraulic_element to Composite_equation . . . . .	446
3.3.596	User_defined_hydraulic_element to Equation . . . . .	446
3.3.597	User_defined_hydraulic_element to Equation_system . . . . .	446
3.3.598	User_defined_hydraulic_element to External_description . . . . .	446
3.3.599	User_defined_hydraulic_element to Graph . . . . .	446
3.3.600	User_defined_hydraulic_element to Hydraulic_port . . . . .	446
3.3.601	User_defined_hydraulic_element to Vhdl_description . . . . .	447
3.3.602	User_defined_joint_element to Parameter_or_variable_of_state . . . . .	447
3.3.603	User_defined_point_to_point_force to Parameter_or_variable_of_state . . . . .	447
3.3.604	Value_limitation to Limits_and_fits . . . . .	447
3.3.605	Value_limitation to Multi_language_string . . . . .	447
3.3.606	Value_limitation to Parameter_or_variable_of_state . . . . .	447
3.3.607	Value_limitation to Plus_minus_bounds . . . . .	447
3.3.608	Value_limitation to Value_limit . . . . .	448

3.3.609	Value_limitation to Value_range . . . . .	448
3.3.610	Velocity_sensor_rotation to Direction_3d . . . . .	448
3.3.611	Velocity_sensor_rotation to Parameter_or_variable_of_state_with_symbol . . . . .	448
3.3.612	Velocity_sensor_translation to Orientation_translation_defined_frame . . . . .	448
3.3.613	Velocity_sensor_translation to Origin_direction_defined_frame . . . . .	448
3.3.614	Vertex_loop to Vertex_point . . . . .	449
3.3.615	Vertex_point to Point . . . . .	449
3.3.616	Vhdl_description to Digital_file . . . . .	449
3.3.617	Vhdl_description to Vhdl_interface_entity . . . . .	449
3.3.618	Vhdl_interface_entity to Parameter_or_variable_of_state . . . . .	449
3.3.619	Vhdl_interface_entity to Terminal . . . . .	449
3.3.620	Visual_appearance to Multi_language_string . . . . .	449
3.3.621	Visual_structure_element_property to Electrical_element . . . . .	450
3.3.622	Visual_structure_element_property to Interaction_element . . . . .	450
3.3.623	Visual_structure_element_property to Matrix . . . . .	450
3.3.624	Visual_structure_element_property to Parameter_or_variable_of_state . . . . .	450
3.3.625	Voltage_steered_current_source to Parameter_or_variable_of_state . . . . .	450
3.3.626	Voltage_steered_source to Parameter_or_variable_of_state . . . . .	451
3.3.627	Voltage_steered_source to Terminal . . . . .	451
3.3.628	Voltage_steered_voltage_source to Parameter_or_variable_of_state . . . . .	451
3.3.629	Wireframe_model_3d to Curve_set_3d . . . . .	451
4	Application interpreted model . . . . .	452
4.1	Mapping table . . . . .	452
4.2	AIM EXPRESS short listing . . . . .	932
Annex A (normative)	AIM EXPRESS expanded listing . . . . .	979
Annex F (informative)	Application activity model . . . . .	1352
F.1	Application activity model definitions and abbreviations . . . . .	1352
F.2	Application activity model diagrams . . . . .	1356
Annex G (informative)	Application reference model . . . . .	1365
Annex H (informative)	AIM EXPRESS-G . . . . .	1416
Annex J (informative)	AIM EXPRESS listing . . . . .	1599
Annex K (informative)	ARM EXPRESS listing . . . . .	1600
Bibliography	. . . . .	1601
Index	. . . . .	1602
<b>Figures</b>		
Figure 1	Block representation of an absolute value element . . . . .	55

Figure 2	Signal flow of an addition element . . . . .	59
Figure 3	Circuit diagram of a N-channel barrier layer field effect transistor. . . . .	65
Figure 4	Circuit diagram of a P-channel barrier layer field effect transistor. . . . .	65
Figure 5	Circuit diagram of a PNP transistor. . . . .	68
Figure 6	Circuit diagram of a NPN transistor. . . . .	68
Figure 7	Signal flow of a branching element . . . . .	70
Figure 8	Circuit diagram of a capacitor. . . . .	72
Figure 9	Description of cartesian points . . . . .	74
Figure 10	Circuit diagram of a coil. . . . .	80
Figure 11	Circuit diagram of a coupled coil. . . . .	86
Figure 12	Circuit diagram of a current steered current source. . . . .	87
Figure 13	Circuit diagram of a current steered voltage source. . . . .	88
Figure 14	Predefined colours . . . . .	90
Figure 15	Predefined curve fonts . . . . .	90
Figure 16	Example of a cylindrical joint. . . . .	92
Figure 17	Description of cylindrical coordinates . . . . .	94
Figure 18	Block representation of a differentiator . . . . .	95
Figure 19	Block representation of a dead zone element . . . . .	104
Figure 20	Circuit diagram of a diode. . . . .	109
Figure 21	Circuit diagram of a dissipationless line. . . . .	114
Figure 22	Edge transition . . . . .	134
Figure 23	Circuit diagram of a current sensor. . . . .	136
Figure 24	Circuit diagram of a power sensor. . . . .	137
Figure 25	Circuit diagram of a voltage sensor. . . . .	140
Figure 26	General_tolerances . . . . .	163
Figure 27	Geometrical_relationship . . . . .	170
Figure 28	Hardness . . . . .	174
Figure 29	Block representation of an integrator . . . . .	181
Figure 30	Block representation of a differentiator with first order lag . . . . .	182
Figure 31	Circuit diagram of an ideal independent current source. . . . .	182
Figure 32	Circuit diagram of an ideal independent voltage source. . . . .	183
Figure 33	Internal terminal connection of a 9-pin connector . . . . .	187
Figure 34	Circuit diagram of a N-channel self locking MOS field effect transistor. . . . .	211
Figure 35	Circuit diagram of a N-channel self conducting MOS field effect transistor. . . . .	211
Figure 36	Circuit diagram of a P-channel self locking MOS field effect transistor. . . . .	212
Figure 37	Circuit diagram of a P-channel self conducting MOS field effect transistor. . . . .	212
Figure 38	Description of cardan-angles . . . . .	219
Figure 39	Description of euler-parameters . . . . .	220
Figure 40	Orientation of frame $x'y'z'$ relative to frame $xyz$ . . . . .	221
Figure 41	Rotation of a frame around x-axis . . . . .	221
Figure 42	Frame definition with three points . . . . .	222
Figure 43	Frame definition with origin and direction . . . . .	225
Figure 44	Block representation of a differentiator with proportional gain . . . . .	226
Figure 45	Block representation of a differentiator with gain and first order lag . . . . .	226
Figure 46	Block representation of a proportional block . . . . .	227
Figure 47	Block representation of an integrator and differentiator with proportional gain . . . . .	228

Figure 48	Block representation of an integrator and differentiator with proportional gain and first order lag . . . . .	228
Figure 49	Block representation of an integrator with proportional gain . . . . .	229
Figure 50	Block representation of an integrator with proportional gain and first order lag . . . . .	230
Figure 51	Block representation of a proportional block with first order lag . . . . .	230
Figure 52	Block representation of a proportional block with second order lag . . . . .	231
Figure 53	Example of a planar joint. . . . .	244
Figure 54	Example of a prismatic joint. . . . .	255
Figure 55	Example of a rack-and-pinion joint. . . . .	262
Figure 56	Block representation of a rate limiter . . . . .	263
Figure 57	Circuit diagram of a resistor. . . . .	267
Figure 58	Example of a revolute joint. . . . .	267
Figure 59	Right_angular_wedge and its attributes . . . . .	268
Figure 60	Block representation of a saturation element . . . . .	272
Figure 61	Parameters used in the equation . . . . .	273
Figure 62	Block representation of a saturation element with hysteresis . . . . .	273
Figure 63	Example of a screw joint. . . . .	274
Figure 64	Shape_aspect on a shaft . . . . .	278
Figure 65	Signal flow of a sign reversal element . . . . .	280
Figure 66	Block representation of a signum function element . . . . .	281
Figure 67	Spherical frame definition . . . . .	288
Figure 68	Example of a spherical joint. . . . .	289
Figure 69	Text appearance and rotation . . . . .	312
Figure 70	Block representation of a three point controller . . . . .	313
Figure 71	Block representation of a two point controller . . . . .	325
Figure 72	Block representation of a two point controller with hysteresis . . . . .	326
Figure 73	Circuit diagram of a voltage steered current source. . . . .	343
Figure 74	Circuit diagram of a voltage steered voltage source. . . . .	344
Figure F.1	AAM diagram of node A-0: MechaSTEP process chain . . . . .	1357
Figure F.2	AAM diagram of node A0: Creation and optimization of mechatronic systems . . . . .	1358
Figure F.3	AAM diagram of node A1: Generate complete model . . . . .	1359
Figure F.4	AAM diagram of node A11: Create multi body system . . . . .	1360
Figure F.5	AAM diagram of node A115: Derive MBS behavioural description . . . . .	1361
Figure F.6	AAM diagram of node A12: Create finite element system . . . . .	1362
Figure F.7	AAM diagram of node A13: Create hydraulic/pneumatic system . . . . .	1363
Figure F.8	AAM diagram of node A16: Assemble complete model . . . . .	1364
G.1 - G.50	ARM diagrams in EXPRESS G . . . . .	1366 - 1415
1 - 182	AIM diagrams in EXPRESS G . . . . .	1417 - 1598

**Tables**

Table 1	Logical grouping of UoFs . . . . .	14
Table 2	Mapping table behaviour_description UoF (B1) . . . . .	454
Table 3	Mapping table surface_condition UoF (C1) . . . . .	458
Table 4	Mapping table control_information UoF (D1) . . . . .	471
Table 5	Mapping table electric_information UoF (D2) . . . . .	487

Table 6	Mapping table hydraulic_information UoF (D3)	521
Table 7	Mapping table multi_body_information UoF (D4)	545
Table 8	Mapping table connector_information UoF (D5)	608
Table 9	Mapping table connector_information UoF (D6)	611
Table 10	Mapping table external_reference_mechanism UoF (E1)	612
Table 11	Mapping table hybrid_model UoF (G1)	642
Table 12	Mapping table wireframe_model_3d UoF (G2)	652
Table 13	Mapping table connected_surface_model UoF (G3)	663
Table 14	Mapping table faceted_b_rep_model UoF (G4)	685
Table 15	Mapping table b_rep_model UoF (G5)	697
Table 16	Mapping table compound_model UoF (G6)	719
Table 17	Mapping table csg_model UoF (G7)	742
Table 18	Mapping table geometrically_bounded_surface_model UoF (G8)	779
Table 19	Mapping table measured_data UoF (MD1)	790
Table 20	Mapping table mathematic_information UoF (MI1)	792
Table 21	Mapping table geometric_presentation UoF (P1)	799
Table 22	Mapping table shaded_presentation UoF (P2)	816
Table 23	Mapping table parameter_definition UoF (PD1)	822
Table 24	Mapping table item_property UoF (PR1)	824
Table 25	Mapping table product_management_data UoF (S1)	839
Table 26	Mapping table element_structure UoF (S2)	873
Table 27	Mapping table item_definition_structure UoF (S3)	881
Table 28	Mapping table change_management UoF (S4)	902
Table 29	Mapping table classification UoF (S5)	913
Table 30	Mapping table dimension_tolerance UoF (T1)	922
Table 31	Mapping table empty_pages UoF (T2)	931
Table J.1	File names for schemas	1599