

PAS 1013: 2001 (D)

MechaSTEP_ - STEP-Datenmodelle zur Simulation mechatronischer Systeme

Contents	Page
1 Normative references	2
2 Terms, definitions, and abbreviations	7
2.1 Terms defined in ISO 10303-1	7
2.2 Terms defined in ISO 10303-31	8
2.3 Terms defined in ISO 10303-42	8
2.4 Terms defined in ISO 10303-44	10
2.5 Terms defined in ISO 10303-45	10
2.6 Terms defined in ISO 10303-46	10
2.7 Terms defined in ISO 10303-47	10
2.8 Terms defined in ISO 10303-105	11
2.9 Terms defined in ISO 10303-202	11
2.10 Terms defined in ISO 13584-42	11
2.11 Abbreviations	11
3 Information requirements	13
3.1 Units of functionality	13
3.2 Application objects	54
3.2.1 Absolute_value_element	55
3.2.2 Acceleration_sensor_rotation	55
3.2.3 Acceleration_sensor_translation	56
3.2.4 Accuracy	57
3.2.5 Addition_element	58
3.2.6 Appearance_assignment	58
3.2.7 Application_context	59
3.2.8 Applied_force_sensor	60
3.2.9 Applied_torque_sensor	61
3.2.10 Assembly_definition	61
3.2.11 B_rep	61
3.2.12 B_rep_model	62
3.2.13 B_spline_curve	62
3.2.14 B_spline_surface	63
3.2.15 Barrier_layer_field_effect_transistor	63
3.2.16 Behaviour_description	65
3.2.17 Bipolar_transistor	66
3.2.18 Block	68
3.2.19 Body_reference_frame	68
3.2.20 Boolean_result	68
3.2.21 Branching_element	69
3.2.22 Bushing_frame_related	70
3.2.23 Capacitor	71
3.2.24 Cartesian_direction	72
3.2.25 Cartesian_point_3d	73

3.2.26	Change	73
3.2.27	Circle	75
3.2.28	Classification_association	75
3.2.29	Classification_attribute	76
3.2.30	Classification_system	78
3.2.31	Closed_shell	78
3.2.32	Coil	78
3.2.33	Composite_curve	80
3.2.34	Composite_equation	80
3.2.35	Compound_model	80
3.2.36	Conical_surface	81
3.2.37	Connection_element	81
3.2.38	Connector_information	81
3.2.39	Contact_ratio	81
3.2.40	Container	82
3.2.41	Context_dependent_appearance_assignment	82
3.2.42	Control_connection	83
3.2.43	Control_element	83
3.2.44	Control_information	84
3.2.45	Control_port	84
3.2.46	Control_port_definition	84
3.2.47	Coupled_coil	84
3.2.48	Csg_model	86
3.2.49	Csg_primitive	86
3.2.50	Current_steered_current_source	86
3.2.51	Current_steered_source	87
3.2.52	Current_steered_voltage_source	88
3.2.53	Curve	88
3.2.54	Curve_appearance	89
3.2.55	Curve_on_surface	89
3.2.56	Curve_set_3d	90
3.2.57	Cylindrical_direction	91
3.2.58	Cylindrical_joint	91
3.2.59	Cylindrical_point_3d	92
3.2.60	Cylindrical_surface	93
3.2.61	D_element	94
3.2.62	D_t1_element	95
3.2.63	Damper_rot_direction_related	95
3.2.64	Damper_rot_frame_related	96
3.2.65	Damper_trans_direction_related	96
3.2.66	Damper_trans_frame_related	97
3.2.67	Damper_trans_point_to_point	98
3.2.68	Data_environment	98
3.2.69	Date_and_person_assignment	99
3.2.70	Date_and_person_organization	100
3.2.71	Date_time	101

3.2.72	Date_time_assignment	101
3.2.73	Dead_zone_element	103
3.2.74	Derived_point	104
3.2.75	Design_discipline_item_definition	105
3.2.76	Detailed_element	106
3.2.77	Detailed_geometric_model_element	106
3.2.78	Detailed_model_element	107
3.2.79	Diagonal_matrix	107
3.2.80	Digital_document	107
3.2.81	Digital_file	108
3.2.82	Diode	108
3.2.83	Direction_3d	109
3.2.84	Direction_base_of_frame	109
3.2.85	Direction_explicit	110
3.2.86	Direction_on_curve	110
3.2.87	Direction_on_surface	110
3.2.88	Direction_perpendicular	111
3.2.89	Dissipationless_line	111
3.2.90	Document	113
3.2.91	Document_assignment	114
3.2.92	Document_content_property	116
3.2.93	Document_creation_property	118
3.2.94	Document_file	119
3.2.95	Document_file_relationship	120
3.2.96	Document_format_property	123
3.2.97	Document_location_property	124
3.2.98	Document_representation	125
3.2.99	Document_size_property	127
3.2.100	Document_structure	127
3.2.101	Document_type_property	129
3.2.102	Document_version	130
3.2.103	Document_version_relationship	131
3.2.104	Edge_loop	132
3.2.105	Edge_transition	133
3.2.106	Electrical_connectivity_definition	134
3.2.107	Electrical_current_sensor	135
3.2.108	Electrical_element	135
3.2.109	Electrical_information	136
3.2.110	Electrical_parameter_type	136
3.2.111	Electrical_power_sensor	137
3.2.112	Electrical_sensor_element	137
3.2.113	Electrical_sensor_element_definition	139
3.2.114	Electrical_temperature_sensor	139
3.2.115	Electrical_user_defined_sensor	139
3.2.116	Electrical_voltage_sensor	140
3.2.117	Ellipse	140

3.2.118	Equation	140
3.2.119	Equation_section	141
3.2.120	Equation_system	142
3.2.121	Euler_parameter_defined_rotation	142
3.2.122	External_description	142
3.2.123	External_file_id_and_location	143
3.2.124	External_terminal_connection	144
3.2.125	Face	144
3.2.126	Face_bound	144
3.2.127	Face_transition	145
3.2.128	Faceted_b_rep	146
3.2.129	Faceted_b_rep_model	147
3.2.130	Faceted_closed_shell	147
3.2.131	Faceted_face	148
3.2.132	Force_element_3d	148
3.2.133	Force_or_joint_element	149
3.2.134	Force_sensor	149
3.2.135	Frame	150
3.2.136	Full_model_change	151
3.2.137	Fully_restricted_joint	151
3.2.138	Gear_joint	151
3.2.139	General_classification	153
3.2.140	General_classification_hierarchy	154
3.2.141	General_direction_related_force	155
3.2.142	General_direction_related_torque	156
3.2.143	General_electric_element	157
3.2.144	General_frame_related_force	157
3.2.145	General_frame_related_torque	158
3.2.146	General_item_definition_relationship	159
3.2.147	General_point_to_point_force	160
3.2.148	General_property	160
3.2.149	General_tolerance_table	161
3.2.150	General_tolerances	162
3.2.151	Generic_joint	162
3.2.152	Generic_matrix	163
3.2.153	Generic_matrix_3x3	164
3.2.154	Geometric_model	164
3.2.155	Geometric_model_relationship	166
3.2.156	Geometric_model_relationship_with_transformation	167
3.2.157	Geometric_model_version	167
3.2.158	Geometric_point_3d	167
3.2.159	Geometric_set_3d	168
3.2.160	Geometrical_relationship	168
3.2.161	Geometrically_bounded_surface_model	169
3.2.162	Graph	170
3.2.163	Graph_value_list	171

3.2.164	Gravity	171
3.2.165	Half_space_solid	172
3.2.166	Hardcopy	172
3.2.167	Hardness	172
3.2.168	Hatching	174
3.2.169	Hidden_element_handling	175
3.2.170	Homokinetic_universal_joint	176
3.2.171	Hybrid_geometric_model_3d	176
3.2.172	Hydraulic_chamber_variable_pressure	176
3.2.173	Hydraulic_chamber_variable_pressure_constant_volume	176
3.2.174	Hydraulic_connection	178
3.2.175	Hydraulic_element	178
3.2.176	Hydraulic_fluid	178
3.2.177	Hydraulic_information	178
3.2.178	Hydraulic_port	179
3.2.179	Hydraulic_port_definition	179
3.2.180	Hydraulic_tank_constant_pressure	179
3.2.181	Hyperbola	180
3.2.182	I_element	180
3.2.183	I_t1_element	181
3.2.184	Ideal_independent_current_source	182
3.2.185	Ideal_independent_voltage_source	182
3.2.186	Ideal_source_element	183
3.2.187	Identity_matrix	184
3.2.188	Incremental_model_change	184
3.2.189	Inertial_frame	185
3.2.190	Instance_placement	185
3.2.191	Interaction_element	186
3.2.192	Internal_terminal_connection	186
3.2.193	Interpolation	186
3.2.194	Item	187
3.2.195	Item_definition_relationship	188
3.2.196	Item_instance	189
3.2.197	Item_instance_relationship	190
3.2.198	Item_shape	191
3.2.199	Item_version	192
3.2.200	Item_version_relationship	193
3.2.201	Joint_element	194
3.2.202	Joint_position	195
3.2.203	Joint_range	195
3.2.204	Joint_velocity	196
3.2.205	Kinematic_joint_sensor	197
3.2.206	Kinematic_sensor_rotation	198
3.2.207	Kinematic_sensor_translation	198
3.2.208	Language	199
3.2.209	Light_source	199

3.2.210	Limits_and_fits	200
3.2.211	Line	201
3.2.212	Linear_control_element	201
3.2.213	Mass_property	201
3.2.214	Material	202
3.2.215	Material_parameter	203
3.2.216	Material_property	203
3.2.217	Matrix	204
3.2.218	Measurement_path	204
3.2.219	Mixture_of_liquid_and_vapour_fluid	204
3.2.220	Model_change	205
3.2.221	Model_image	206
3.2.222	Moments_of_inertia	208
3.2.223	Mos_field_effect_transistor	208
3.2.224	Multi_body_information	211
3.2.225	Multi_language_string	212
3.2.226	Named_size	213
3.2.227	Next_higher_assembly	213
3.2.228	Non_linear_control_element	214
3.2.229	Offset_curve	215
3.2.230	Offset_surface	215
3.2.231	Organization	215
3.2.232	Organization_relationship	216
3.2.233	Orientation_angle_defined_frame	218
3.2.234	Orientation_euler_parameter_defined_frame	218
3.2.235	Orientation_rotation_matrix_defined_frame	219
3.2.236	Orientation_three_point_defined_frame	220
3.2.237	Orientation_translation_defined_frame	222
3.2.238	Oriented_edge_curve	223
3.2.239	Origin_direction_defined_frame	223
3.2.240	Origin_point	224
3.2.241	P_d_element	225
3.2.242	P_d_t1_element	225
3.2.243	P_element	226
3.2.244	P_i_d_element	227
3.2.245	P_i_d_t1_element	228
3.2.246	P_i_element	229
3.2.247	P_i_t1_element	229
3.2.248	P_t1_element	230
3.2.249	P_t2_element	231
3.2.250	Parabola	231
3.2.251	Parameter_or_variable_of_state	231
3.2.252	Parameter_or_variable_of_state_classification	232
3.2.253	Parameter_or_variable_of_state_with_symbol	233
3.2.254	Parameter_or_variable_of_state_with_symbol_value	233
3.2.255	Parameter_or_variable_of_state_with_value	233

3.2.256	Parameterizable_fluid	234
3.2.257	Partial_document_assignment	235
3.2.258	Passiv_element	235
3.2.259	Person	235
3.2.260	Person_in_organization	236
3.2.261	Person_organization_assignment	237
3.2.262	Physical_document	239
3.2.263	Physical_model	239
3.2.264	Physical_representation	239
3.2.265	Pipe	240
3.2.266	Pipe_compressibility_viscous_friction	242
3.2.267	Pipe_wave_propagation_viscous_friction	242
3.2.268	Planar_curve_joint	243
3.2.269	Planar_joint	243
3.2.270	Plane	244
3.2.271	Plus_minus_bounds	244
3.2.272	Plus_minus_toleranced_datum	245
3.2.273	Point	246
3.2.274	Point_appearance	246
3.2.275	Point_direction	246
3.2.276	Point_direction_model	247
3.2.277	Point_direction_sequence	247
3.2.278	Point_on_curve	248
3.2.279	Point_on_planar_curve_joint	249
3.2.280	Point_on_surface	249
3.2.281	Point_on_surface_joint	250
3.2.282	Point_sequence	250
3.2.283	Poly_loop	250
3.2.284	Polyline	251
3.2.285	Position_sensor_frame_rotation_angle	251
3.2.286	Position_sensor_frame_rotation_euler	252
3.2.287	Position_sensor_frame_rotation_matrix	253
3.2.288	Position_sensor_translation	253
3.2.289	Position_sensor_vector_rotation	254
3.2.290	Pre_defined_joint_element	254
3.2.291	Prismatic_joint	254
3.2.292	Property	255
3.2.293	Property_change	256
3.2.294	Property_relationship	257
3.2.295	Pure_liquid_fluid	259
3.2.296	Pure_vapour_fluid	260
3.2.297	Quantified_instance	261
3.2.298	Rack_and_pinion_joint	261
3.2.299	Rate_limiter_element	262
3.2.300	Reaction_force_sensor	263
3.2.301	Reaction_torque_sensor	264

3.2.302	Rectangular_size	264
3.2.303	Resistor	265
3.2.304	Revolute_joint	266
3.2.305	Right_angular_wedge	267
3.2.306	Right_circular_cone	268
3.2.307	Right_circular_cylinder	268
3.2.308	Rolling_curve_joint	268
3.2.309	Rolling_surface_joint	269
3.2.310	Rotation_matrix_defined_rotation	269
3.2.311	Rubber_frame_related	269
3.2.312	Saturation_element	271
3.2.313	Saturation_with_hysteresis_element	272
3.2.314	Screw_joint	273
3.2.315	Section_value	275
3.2.316	Semiconductor_element	275
3.2.317	Sensor_element	275
3.2.318	Serial_spring_damper_trans_point_to_point	276
3.2.319	Shape_description_association	276
3.2.320	Shape_element	277
3.2.321	Shape_element_relationship	278
3.2.322	Shell	279
3.2.323	Sign_reversal_element	279
3.2.324	Significant_number_of_digits	280
3.2.325	Signum_function_element	280
3.2.326	Single_instance	280
3.2.327	Sliding_curve_joint	281
3.2.328	Sliding_surface_joint	281
3.2.329	Solid_fill_area	281
3.2.330	Solid_of_linear_extrusion	281
3.2.331	Solid_of_revolution	281
3.2.332	Solid_replica	282
3.2.333	Sparse_matrix	282
3.2.334	Specific_item_classification	283
3.2.335	Specific_item_classification_hierarchy	285
3.2.336	Specified_instance	286
3.2.337	Sphere	287
3.2.338	Spherical_direction	287
3.2.339	Spherical_joint	287
3.2.340	Spherical_point_3d	288
3.2.341	Spherical_surface	290
3.2.342	Spring_rot_direction_related	290
3.2.343	Spring_rot_frame_related	291
3.2.344	Spring_trans_direction_related	291
3.2.345	Spring_trans_frame_related	292
3.2.346	Spring_trans_point_to_point	293
3.2.347	Standard_brake_fluid	294

3.2.348	Standard_diesel_fluid	294
3.2.349	Standard_gasoline_fluid	294
3.2.350	Steered_source_element	294
3.2.351	String_with_language	295
3.2.352	Styled_element	296
3.2.353	Styled_model	296
3.2.354	Styled_model_relationship	298
3.2.355	Styled_model_version	299
3.2.356	Surface	299
3.2.357	Surface_appearance	299
3.2.358	Surface_appearance_element	300
3.2.359	Surface_condition	300
3.2.360	Surface_condition_association	301
3.2.361	Surface_joint	301
3.2.362	Surface_model	302
3.2.363	Surface_of_linear_extrusion	303
3.2.364	Surface_of_revolution	303
3.2.365	Surface_texture	303
3.2.366	Surface_texture_parameter	304
3.2.367	Swept_face_solid	305
3.2.368	Symmetric_matrix	305
3.2.369	Symmetric_matrix_3x3	306
3.2.370	T1_element	306
3.2.371	T2_element	307
3.2.372	Tactile_appearance	307
3.2.373	Template_instance	309
3.2.374	Terminal	310
3.2.375	Terminal_definition	311
3.2.376	Text_appearance	311
3.2.377	Three_step_controller_element	312
3.2.378	Throttle	313
3.2.379	Throttle_laminar_turbulent	315
3.2.380	Throttle_laminar_turbulent_controlled_cross_section	315
3.2.381	Tiling	316
3.2.382	Tolerance_table_cell	316
3.2.383	Topologically_connected_set	318
3.2.384	Toroidal_surface	318
3.2.385	Torque_sensor	318
3.2.386	Torus	319
3.2.387	Trans_plain_joint	319
3.2.388	Translation_cartesian_defined_frame	319
3.2.389	Translation_cylindrical_defined_frame	320
3.2.390	Translation_spherical_defined_frame	321
3.2.391	Translation_two_point_definition	322
3.2.392	Treatment_result	322
3.2.393	Trimmed_curve	323

3.2.394	Trimmed_surface	323
3.2.395	Two_point_direction	323
3.2.396	Two_step_controller_element	324
3.2.397	Two_step_controller_with_hysteresis_element	325
3.2.398	Universal_joint	326
3.2.399	Unrestricted_joint	327
3.2.400	Upper_lower_limit	327
3.2.401	Upper_lower_toleranced_datum	327
3.2.402	User_defined_direction_related_force	328
3.2.403	User_defined_direction_related_torque	328
3.2.404	User_defined_electric_element	329
3.2.405	User_defined_frame_related_force	330
3.2.406	User_defined_frame_related_torque	331
3.2.407	User_defined_hydraulic_element	332
3.2.408	User_defined_joint_element	333
3.2.409	User_defined_point_to_point_force	333
3.2.410	Value_limit	334
3.2.411	Value_limitation	334
3.2.412	Value_range	335
3.2.413	Vector_appearance	336
3.2.414	Velocity_sensor_rotation	336
3.2.415	Velocity_sensor_translation	337
3.2.416	Vertex_loop	337
3.2.417	Vertex_point	337
3.2.418	Vhdl_description	338
3.2.419	Vhdl_interface_entity	338
3.2.420	Visual_appearance	339
3.2.421	Visual_structure_element_property	341
3.2.422	Voltage_steered_current_source	342
3.2.423	Voltage_steered_source	342
3.2.424	Voltage_steered_voltage_source	344
3.2.425	Wireframe_model_3d	344
3.3	Application assertions	345
3.3.1	Acceleration_sensor_rotation to Direction_3d	345
3.3.2	Acceleration_sensor_rotation to Orientation_translation_defined_frame	345
3.3.3	Acceleration_sensor_rotation to Origin_direction_defined_frame	345
3.3.4	Acceleration_sensor_rotation to Parameter_or_variable_of_state_with_symbol	345
3.3.5	Acceleration_sensor_translation to Orientation_translation_defined_frame	345
3.3.6	Acceleration_sensor_translation to Origin_direction_defined_frame	346
3.3.7	Accuracy to Face	346
3.3.8	Accuracy to Geometric_model	346
3.3.9	Accuracy to Multi_language_string	346
3.3.10	Accuracy to Oriented_edge_curve	346
3.3.11	Accuracy to Vertex_point	346
3.3.12	Addition_element to Control_port	347
3.3.13	Appearance_assignment to Curve_appearance	347

3.3.14	Appearance_assignment to Hatching	347
3.3.15	Appearance_assignment to Point_appearance	347
3.3.16	Appearance_assignment to Solid_fill_area	347
3.3.17	Appearance_assignment to Surface_appearance	347
3.3.18	Appearance_assignment to Text_appearance	348
3.3.19	Appearance_assignment to Tiling	348
3.3.20	Appearance_assignment to Vector_appearance	348
3.3.21	Application_context to Multi_language_string	348
3.3.22	Applied_force_sensor to Force_element_3d	348
3.3.23	Applied_torque_sensor to Force_element_3d	348
3.3.24	B_rep to Closed_shell	349
3.3.25	B_rep_model to B_rep	349
3.3.26	Barrier_layer_field_effect_transistor to Parameter_or_variable_of_state	349
3.3.27	Barrier_layer_field_effect_transistor to Terminal	349
3.3.28	Behaviour_description to Composite_equation	349
3.3.29	Behaviour_description to Design_discipline_item_definition	350
3.3.30	Behaviour_description to Equation	350
3.3.31	Behaviour_description to Equation_system	350
3.3.32	Behaviour_description to External_description	350
3.3.33	Behaviour_description to Graph	350
3.3.34	Behaviour_description to Vhdl_description	350
3.3.35	Bipolar_transistor to Parameter_or_variable_of_state	351
3.3.36	Bipolar_transistor to Terminal	351
3.3.37	Boolean_result to B_rep_model	351
3.3.38	Boolean_result to Boolean_result	351
3.3.39	Boolean_result to Csg_primitive	352
3.3.40	Boolean_result to Faceted_b_rep_model	352
3.3.41	Boolean_result to Half_space_solid	352
3.3.42	Boolean_result to Solid_replica	352
3.3.43	Boolean_result to Swept_face_solid	353
3.3.44	Branching_element to Control_port	353
3.3.45	Bushing_frame_related to Frame	353
3.3.46	Bushing_frame_related to Parameter_or_variable_of_state	353
3.3.47	Capacitor to Parameter_or_variable_of_state	354
3.3.48	Capacitor to Terminal	354
3.3.49	Cartesian_direction to Parameter_or_variable_of_state	354
3.3.50	Cartesian_point_3d to Parameter_or_variable_of_state	354
3.3.51	Change to Item_version_relationship	354
3.3.52	Change to Multi_language_string	354
3.3.53	Change to Shape_element_relationship	355
3.3.54	Classification_association to Behaviour_description	355
3.3.55	Classification_association to Document	355
3.3.56	Classification_association to Document_representation	355
3.3.57	Classification_association to Document_type_property	355
3.3.58	Classification_association to General_classification	355
3.3.59	Classification_association to Item	356

3.3.60	Classification_association to Property	356
3.3.61	Classification_attribute to General_classification	356
3.3.62	Classification_attribute to Multi_language_string	356
3.3.63	Classification_attribute to Parameter_or_variable_of_state	356
3.3.64	Classification_attribute to Property	356
3.3.65	Classification_system to Multi_language_string	357
3.3.66	Closed_shell to Face	357
3.3.67	Coil to Parameter_or_variable_of_state	357
3.3.68	Coil to Terminal	357
3.3.69	Composite_equation to Equation_section	357
3.3.70	Compound_model to Topologically_connected_set	357
3.3.71	Connector_information to Control_information	357
3.3.72	Connector_information to Electrical_information	358
3.3.73	Connector_information to Hydraulic_information	358
3.3.74	Connector_information to Multi_body_information	358
3.3.75	Contact_ratio to Physical_model	358
3.3.76	Context_dependent_appearance_assignment to Model_image	358
3.3.77	Control_connection to Control_information	358
3.3.78	Control_connection to Control_port	359
3.3.79	Control_element to Control_port	359
3.3.80	Control_information to Control_element	359
3.3.81	Control_port to Control_port_definition	359
3.3.82	Coupled_coil to Coil	359
3.3.83	Coupled_coil to Parameter_or_variable_of_state	359
3.3.84	Csg_model to B_rep_model	359
3.3.85	Csg_model to Boolean_result	360
3.3.86	Csg_model to Csg_primitive	360
3.3.87	Csg_model to Faceted_b_rep_model	360
3.3.88	Csg_model to Solid_replica	360
3.3.89	Csg_model to Swept_face_solid	360
3.3.90	Current_steered_current_source to Parameter_or_variable_of_state	361
3.3.91	Current_steered_source to Ideal_independent_voltage_source	361
3.3.92	Current_steered_source to Parameter_or_variable_of_state	361
3.3.93	Current_steered_voltage_source to Parameter_or_variable_of_state	361
3.3.94	Curve_set_3d to Curve	361
3.3.95	Curve_set_3d to Point	361
3.3.96	Cylindrical_direction to Parameter_or_variable_of_state	362
3.3.97	Cylindrical_point_3d to Parameter_or_variable_of_state	362
3.3.98	D_element to Parameter_or_variable_of_state	362
3.3.99	Damper_rot_direction_related to Direction_3d	362
3.3.100	Damper_rot_direction_related to Parameter_or_variable_of_state	362
3.3.101	Damper_rot_frame_related to Frame	363
3.3.102	Damper_rot_frame_related to Parameter_or_variable_of_state	363
3.3.103	Damper_trans_direction_related to Direction_3d	363
3.3.104	Damper_trans_direction_related to Parameter_or_variable_of_state	363
3.3.105	Damper_trans_frame_related to Frame	363

3.3.106	Damper_trans_frame_related to Parameter_or_variable_of_state	363
3.3.107	Damper_trans_point_to_point to Parameter_or_variable_of_state	364
3.3.108	Data_environment to Multi_language_string	364
3.3.109	Date_and_person_assignment to Date_and_person_organization	364
3.3.110	Date_and_person_assignment to Design_discipline_item_definition	364
3.3.111	Date_and_person_assignment to Document	364
3.3.112	Date_and_person_assignment to Document_file	364
3.3.113	Date_and_person_assignment to Document_representation	365
3.3.114	Date_and_person_assignment to Document_version	365
3.3.115	Date_and_person_assignment to Geometric_model	365
3.3.116	Date_and_person_assignment to Item	365
3.3.117	Date_and_person_assignment to Item_instance	365
3.3.118	Date_and_person_assignment to Item_version	365
3.3.119	Date_and_person_assignment to Material	366
3.3.120	Date_and_person_assignment to Multi_language_string	366
3.3.121	Date_and_person_assignment to Property	366
3.3.122	Date_and_person_assignment to Styled_model	366
3.3.123	Date_and_person_organization to Date_time	366
3.3.124	Date_and_person_organization to Organization	366
3.3.125	Date_and_person_organization to Person_in_organization	367
3.3.126	Date_time_assignment to Date_time	367
3.3.127	Date_time_assignment to Design_discipline_item_definition	367
3.3.128	Date_time_assignment to Document	367
3.3.129	Date_time_assignment to Document_file	367
3.3.130	Date_time_assignment to Document_representation	367
3.3.131	Date_time_assignment to Document_version	368
3.3.132	Date_time_assignment to Geometric_model	368
3.3.133	Date_time_assignment to Item	368
3.3.134	Date_time_assignment to Item_instance	368
3.3.135	Date_time_assignment to Item_version	368
3.3.136	Date_time_assignment to Material	368
3.3.137	Date_time_assignment to Multi_language_string	369
3.3.138	Date_time_assignment to Property	369
3.3.139	Date_time_assignment to Styled_model	369
3.3.140	Dead_zone_element to Parameter_or_variable_of_state	369
3.3.141	Derived_point to Item_instance	369
3.3.142	Derived_point to Multi_body_information	369
3.3.143	Design_discipline_item_definition to Application_context	370
3.3.144	Design_discipline_item_definition to Item_version	370
3.3.145	Design_discipline_item_definition to Multi_language_string	370
3.3.146	Detailed_element to Multi_language_string	370
3.3.147	Diagonal_matrix to Parameter_or_variable_of_state	370
3.3.148	Digital_document to Digital_file	370
3.3.149	Diode to Parameter_or_variable_of_state	371
3.3.150	Diode to Terminal	371
3.3.151	Direction_base_of_frame to Frame	371

3.3.152	Direction_explicit to Frame	371
3.3.153	Direction_on_curve to Point_on_curve	371
3.3.154	Direction_on_surface to Point_on_surface	371
3.3.155	Direction_perpendicular to Direction_3d	371
3.3.156	Dissipationless_line to Parameter_or_variable_of_state	372
3.3.157	Dissipationless_line to Terminal	372
3.3.158	Document to Multi_language_string	372
3.3.159	Document_assignment to Change	372
3.3.160	Document_assignment to Classification_system	373
3.3.161	Document_assignment to Design_discipline_item_definition	373
3.3.162	Document_assignment to Document	373
3.3.163	Document_assignment to Document_file	373
3.3.164	Document_assignment to Document_representation	373
3.3.165	Document_assignment to Document_version	373
3.3.166	Document_assignment to General_classification	374
3.3.167	Document_assignment to Item_instance	374
3.3.168	Document_assignment to Item_shape	374
3.3.169	Document_assignment to Material	374
3.3.170	Document_assignment to Property	374
3.3.171	Document_assignment to Shape_element	374
3.3.172	Document_assignment to Shape_element_relationship	375
3.3.173	Document_assignment to Specific_item_classification	375
3.3.174	Document_assignment to Surface_condition	375
3.3.175	Document_file to Document_content_property	375
3.3.176	Document_file to Document_creation_property	375
3.3.177	Document_file to Document_format_property	375
3.3.178	Document_file to Document_size_property	375
3.3.179	Document_file to Document_type_property	376
3.3.180	Document_file to External_file_id_and_location	376
3.3.181	Document_file_relationship to Document_file	376
3.3.182	Document_file_relationship to Multi_language_string	376
3.3.183	Document_format_property to Rectangular_size	376
3.3.184	Document_representation to Document_content_property	376
3.3.185	Document_representation to Document_creation_property	377
3.3.186	Document_representation to Document_format_property	377
3.3.187	Document_representation to Document_location_property	377
3.3.188	Document_representation to Document_size_property	377
3.3.189	Document_representation to Document_version	377
3.3.190	Document_representation to Multi_language_string	377
3.3.191	Document_structure to Document_representation	377
3.3.192	Document_structure to Multi_language_string	378
3.3.193	Document_type_property to Classification_system	378
3.3.194	Document_version to Document	378
3.3.195	Document_version to Multi_language_string	378
3.3.196	Document_version_relationship to Document_version	378
3.3.197	Document_version_relationship to Multi_language_string	379

3.3.198	Edge_loop to Oriented_edge_curve	379
3.3.199	Edge_transition to Oriented_edge_curve	379
3.3.200	Edge_transition to Vertex_point	379
3.3.201	Electrical_connectivity_definition to Electrical_information	379
3.3.202	Electrical_connectivity_definition to Terminal	379
3.3.203	Electrical_element to Electrical_parameter_type	380
3.3.204	Electrical_information to Electrical_element	380
3.3.205	Electrical_parameter_type to Parameter_or_variable_of_state	380
3.3.206	Electrical_sensor_element to Parameter_or_variable_of_state_with_symbol . . .	380
3.3.207	Electrical_sensor_element to Terminal	380
3.3.208	Electrical_user_defined_sensor to Electrical_sensor_element_definition	380
3.3.209	Equation to Equation	381
3.3.210	Equation to Matrix	381
3.3.211	Equation to Parameter_or_variable_of_state	381
3.3.212	Equation_section to Equation	381
3.3.213	Equation_section to Section_value	381
3.3.214	Equation_system to Equation	381
3.3.215	Euler_parameter_defined_rotation to Generic_joint	381
3.3.216	Euler_parameter_defined_rotation to Spherical_joint	382
3.3.217	External_description to Digital_file	382
3.3.218	External_description to Parameter_or_variable_of_state	382
3.3.219	External_file_id_and_location to Document_location_property	382
3.3.220	Face to Face_bound	382
3.3.221	Face to Surface	382
3.3.222	Face_bound to Edge_loop	383
3.3.223	Face_bound to Vertex_loop	383
3.3.224	Face_transition to Face	383
3.3.225	Face_transition to Oriented_edge_curve	383
3.3.226	Faceted_b_rep to Faceted_closed_shell	383
3.3.227	Faceted_b_rep_model to Faceted_b_rep	383
3.3.228	Faceted_closed_shell to Faceted_face	383
3.3.229	Faceted_face to Plane	384
3.3.230	Faceted_face to Poly_loop	384
3.3.231	Force_or_joint_element to Frame	384
3.3.232	Force_sensor to Direction_3d	384
3.3.233	Force_sensor to Parameter_or_variable_of_state_with_symbol	384
3.3.234	Frame to Item_instance	384
3.3.235	Frame to Multi_body_information	384
3.3.236	Full_model_change to Detailed_element	385
3.3.237	Full_model_change to Geometric_model_relationship	385
3.3.238	Full_model_change to Styled_model_relationship	385
3.3.239	Gear_joint to Parameter_or_variable_of_state	385
3.3.240	General_classification to Classification_system	385
3.3.241	General_classification to Multi_language_string	386
3.3.242	General_classification_hierarchy to General_classification	386
3.3.243	General_direction_related_force to Composite_equation	386

3.3.244	General_direction_related_force to Direction_3d	386
3.3.245	General_direction_related_force to Equation	386
3.3.246	General_direction_related_force to Equation_system	386
3.3.247	General_direction_related_force to External_description	387
3.3.248	General_direction_related_force to Graph	387
3.3.249	General_direction_related_force to Parameter_or_variable_of_state	387
3.3.250	General_direction_related_force to Vhdl_description	387
3.3.251	General_direction_related_torque to Composite_equation	387
3.3.252	General_direction_related_torque to Direction_3d	387
3.3.253	General_direction_related_torque to Equation	388
3.3.254	General_direction_related_torque to Equation_system	388
3.3.255	General_direction_related_torque to External_description	388
3.3.256	General_direction_related_torque to Graph	388
3.3.257	General_direction_related_torque to Parameter_or_variable_of_state	388
3.3.258	General_direction_related_torque to Vhdl_description	388
3.3.259	General_electric_element to Terminal	389
3.3.260	General_frame_related_force to Composite_equation	389
3.3.261	General_frame_related_force to Equation	389
3.3.262	General_frame_related_force to Equation_system	389
3.3.263	General_frame_related_force to External_description	389
3.3.264	General_frame_related_force to Frame	389
3.3.265	General_frame_related_force to Graph	390
3.3.266	General_frame_related_force to Parameter_or_variable_of_state	390
3.3.267	General_frame_related_force to Vhdl_description	390
3.3.268	General_frame_related_torque to Composite_equation	390
3.3.269	General_frame_related_torque to Equation	390
3.3.270	General_frame_related_torque to Equation_system	390
3.3.271	General_frame_related_torque to External_description	391
3.3.272	General_frame_related_torque to Frame	391
3.3.273	General_frame_related_torque to Graph	391
3.3.274	General_frame_related_torque to Parameter_or_variable_of_state	391
3.3.275	General_frame_related_torque to Vhdl_description	391
3.3.276	General_item_definition_relationship to Multi_language_string	391
3.3.277	General_point_to_point_force to Composite_equation	392
3.3.278	General_point_to_point_force to Equation	392
3.3.279	General_point_to_point_force to Equation_system	392
3.3.280	General_point_to_point_force to External_description	392
3.3.281	General_point_to_point_force to Graph	392
3.3.282	General_point_to_point_force to Parameter_or_variable_of_state	392
3.3.283	General_point_to_point_force to Vhdl_description	393
3.3.284	General_property to Parameter_or_variable_of_state	393
3.3.285	General_tolerances to Document_file	393
3.3.286	General_tolerances to General_tolerance_table	393
3.3.287	Geometric_model to Frame	393
3.3.288	Geometric_model to Multi_language_string	393
3.3.289	Geometric_model to Template_instance	394

3.3.290	Geometric_model_relationship to Geometric_model	394
3.3.291	Geometric_model_relationship to Multi_language_string	394
3.3.292	Geometric_model_relationship_with_transformation to Orientation_translation_defined_frame	394
3.3.293	Geometric_point_3d to Frame	394
3.3.294	Geometric_set_3d to Curve	394
3.3.295	Geometric_set_3d to Point	395
3.3.296	Geometric_set_3d to Surface	395
3.3.297	Geometrical_relationship to Geometric_model_relationship_with_transformation	395
3.3.298	Geometrical_relationship to Multi_language_string	395
3.3.299	Geometrical_relationship to Template_instance	395
3.3.300	Geometrically_bounded_surface_model to Geometric_set_3d	396
3.3.301	Graph to Graph_value_list	396
3.3.302	Graph_value_list to Parameter_or_variable_of_state_with_symbol	396
3.3.303	Gravity to Direction_3d	396
3.3.304	Gravity to Parameter_or_variable_of_state	396
3.3.305	Hardness to Multi_language_string	396
3.3.306	Hardness to Parameter_or_variable_of_state	396
3.3.307	Hidden_element_handling to Appearance_assignment	397
3.3.308	Hidden_element_handling to Model_image	397
3.3.309	Hybrid_geometric_model_3d to Detailed_geometric_model_element	397
3.3.310	Hydraulic_chamber_variable_pressure to Parameter_or_variable_of_state	397
3.3.311	Hydraulic_chamber_variable_pressure_constant_volume to Hydraulic_port	397
3.3.312	Hydraulic_chamber_variable_pressure_constant_volume to Parameter_or_variable_of_state	397
3.3.313	Hydraulic_connection to Hydraulic_information	398
3.3.314	Hydraulic_connection to Hydraulic_port	398
3.3.315	Hydraulic_information to Hydraulic_element	398
3.3.316	Hydraulic_information to Hydraulic_fluid	398
3.3.317	Hydraulic_port to Hydraulic_port_definition	398
3.3.318	Hydraulic_tank_constant_pressure to Hydraulic_port	398
3.3.319	Hydraulic_tank_constant_pressure to Parameter_or_variable_of_state	399
3.3.320	I_element to Parameter_or_variable_of_state	399
3.3.321	Ideal_independent_current_source to Parameter_or_variable_of_state	399
3.3.322	Ideal_independent_voltage_source to Parameter_or_variable_of_state	399
3.3.323	Ideal_source_element to Composite_equation	399
3.3.324	Ideal_source_element to Equation	399
3.3.325	Ideal_source_element to Equation_system	400
3.3.326	Ideal_source_element to External_description	400
3.3.327	Ideal_source_element to Graph	400
3.3.328	Ideal_source_element to Parameter_or_variable_of_state	400
3.3.329	Ideal_source_element to Terminal	400
3.3.330	Ideal_source_element to Vhdl_description	400
3.3.331	Incremental_model_change to Geometric_model	401
3.3.332	Incremental_model_change to Incremental_model_change	401
3.3.333	Incremental_model_change to Styled_model	401

3.3.334	Instance_placement to Geometric_model_relationship_with_transformation . . .	401
3.3.335	Instance_placement to Single_instance	402
3.3.336	Instance_placement to Template_instance	402
3.3.337	Interpolation to Graph_value_list	402
3.3.338	Item to Multi_language_string	402
3.3.339	Item_definition_relationship to Design_discipline_item_definition	402
3.3.340	Item_instance to Design_discipline_item_definition	403
3.3.341	Item_instance to Multi_language_string	403
3.3.342	Item_instance_relationship to Item_instance	403
3.3.343	Item_instance_relationship to Multi_language_string	403
3.3.344	Item_shape to Design_discipline_item_definition	403
3.3.345	Item_shape to Item_instance	404
3.3.346	Item_shape to Multi_language_string	404
3.3.347	Item_version to Item	404
3.3.348	Item_version to Multi_language_string	404
3.3.349	Item_version_relationship to Item_version	404
3.3.350	Item_version_relationship to Multi_language_string	404
3.3.351	Joint_position to Pre_defined_joint_element	405
3.3.352	Joint_range to Parameter_or_variable_of_state	405
3.3.353	Joint_range to Pre_defined_joint_element	405
3.3.354	Joint_velocity to Parameter_or_variable_of_state	405
3.3.355	Joint_velocity to Pre_defined_joint_element	405
3.3.356	Kinematic_joint_sensor to Joint_element	405
3.3.357	Kinematic_joint_sensor to Parameter_or_variable_of_state_with_symbol	406
3.3.358	Kinematic_sensor_rotation to Orientation_translation_defined_frame	406
3.3.359	Kinematic_sensor_rotation to Origin_direction_defined_frame	406
3.3.360	Kinematic_sensor_translation to Direction_3d	406
3.3.361	Kinematic_sensor_translation to Parameter_or_variable_of_state_with_symbol	406
3.3.362	Kinematic_sensor_translation to Point	406
3.3.363	Light_source to Model_image	407
3.3.364	Mass_property to Geometric_point_3d	407
3.3.365	Mass_property to Parameter_or_variable_of_state	407
3.3.366	Material to Behaviour_description	407
3.3.367	Material to Design_discipline_item_definition	407
3.3.368	Material to Item_instance	407
3.3.369	Material to Item_shape	407
3.3.370	Material to Material_property	408
3.3.371	Material to Shape_element	408
3.3.372	Material to Shape_element_relationship	408
3.3.373	Material_parameter to Data_environment	408
3.3.374	Material_parameter to Material_property	408
3.3.375	Measurement_path to Curve	408
3.3.376	Measurement_path to Frame	408
3.3.377	Model_change to Change	409
3.3.378	Model_change to Detailed_element	409
3.3.379	Model_change to Multi_language_string	409

3.3.380	Model_image to Multi_language_string	409
3.3.381	Model_image to Styled_model	409
3.3.382	Moments_of_inertia to Frame	409
3.3.383	Moments_of_inertia to Symmetric_matrix_3x3	409
3.3.384	Mos_field_effect_transistor to Parameter_or_variable_of_state	410
3.3.385	Mos_field_effect_transistor to Terminal	410
3.3.386	Multi_body_information to Interaction_element	410
3.3.387	Multi_language_string to String_with_language	410
3.3.388	Named_size to Classification_system	411
3.3.389	Next_higher_assembly to Assembly_definition	411
3.3.390	Next_higher_assembly to Geometric_model_relationship_with_transformation .	411
3.3.391	Next_higher_assembly to Item_instance	411
3.3.392	Next_higher_assembly to Template_instance	411
3.3.393	Organization_relationship to Multi_language_string	412
3.3.394	Organization_relationship to Organization	412
3.3.395	Orientation_angle_defined_frame to Parameter_or_variable_of_state	412
3.3.396	Orientation_euler_parameter_defined_frame to Parameter_or_variable_of_state .	412
3.3.397	Orientation_rotation_matrix_defined_frame to Generic_matrix_3x3	412
3.3.398	Orientation_three_point_defined_frame to Geometric_point_3d	413
3.3.399	Orientation_translation_defined_frame to Frame	413
3.3.400	Oriented_edge_curve to B_spline_curve	413
3.3.401	Oriented_edge_curve to Circle	413
3.3.402	Oriented_edge_curve to Curve_on_surface	413
3.3.403	Oriented_edge_curve to Ellipse	413
3.3.404	Oriented_edge_curve to Hyperbola	413
3.3.405	Oriented_edge_curve to Line	414
3.3.406	Oriented_edge_curve to Parabola	414
3.3.407	Oriented_edge_curve to Polyline	414
3.3.408	Oriented_edge_curve to Vertex_point	414
3.3.409	Origin_direction_defined_frame to Direction_3d	414
3.3.410	Origin_direction_defined_frame to Point	414
3.3.411	Origin_point to Frame	414
3.3.412	P_element to Parameter_or_variable_of_state	415
3.3.413	Parameter_or_variable_of_state_classification to Parameter_or_variable_of_state	415
3.3.414	Parameterizable_fluid to Parameter_or_variable_of_state	415
3.3.415	Person_in_organization to Organization	415
3.3.416	Person_in_organization to Person	415
3.3.417	Person_organization_assignment to Design_discipline_item_definition	415
3.3.418	Person_organization_assignment to Document	416
3.3.419	Person_organization_assignment to Document_file	416
3.3.420	Person_organization_assignment to Document_representation	416
3.3.421	Person_organization_assignment to Document_version	416
3.3.422	Person_organization_assignment to Geometric_model	416
3.3.423	Person_organization_assignment to Item	416
3.3.424	Person_organization_assignment to Item_instance	416
3.3.425	Person_organization_assignment to Item_version	417

3.3.426	Person_organization_assignment to Material	417
3.3.427	Person_organization_assignment to Multi_language_string	417
3.3.428	Person_organization_assignment to Organization	417
3.3.429	Person_organization_assignment to Person_in_organization	417
3.3.430	Person_organization_assignment to Property	417
3.3.431	Person_organization_assignment to Styled_model	418
3.3.432	Physical_document to Hardcopy	418
3.3.433	Pipe to Hydraulic_port	418
3.3.434	Pipe to Parameter_or_variable_of_state	418
3.3.435	Pipe_wave_propagation_viscous_friction to Parameter_or_variable_of_state	419
3.3.436	Planar_curve_joint to Curve	419
3.3.437	Point_direction to Geometric_point_3d	419
3.3.438	Point_direction_model to Point_direction_sequence	419
3.3.439	Point_direction_model to Point_sequence	419
3.3.440	Point_direction_sequence to Point_direction	419
3.3.441	Point_direction_sequence to Point_on_surface	420
3.3.442	Point_on_curve to Curve	420
3.3.443	Point_on_curve to Parameter_or_variable_of_state	420
3.3.444	Point_on_planar_curve_joint to Curve	420
3.3.445	Point_on_surface to Parameter_or_variable_of_state	420
3.3.446	Point_on_surface to Surface	420
3.3.447	Point_on_surface_joint to Surface	420
3.3.448	Point_sequence to Geometric_point_3d	420
3.3.449	Poly_loop to Geometric_point_3d	421
3.3.450	Position_sensor_frame_rotation_angle to Parameter_or_variable_of_state	421
3.3.451	Position_sensor_frame_rotation_euler to Parameter_or_variable_of_state	421
3.3.452	Position_sensor_frame_rotation_matrix to Generic_matrix_3x3	421
3.3.453	Position_sensor_vector_rotation to Direction_3d	421
3.3.454	Position_sensor_vector_rotation to Parameter_or_variable_of_state_with_symbol	421
3.3.455	Property to Behaviour_description	421
3.3.456	Property to Design_discipline_item_definition	422
3.3.457	Property to Item_instance	422
3.3.458	Property to Item_shape	422
3.3.459	Property to Multi_language_string	422
3.3.460	Property to Shape_element	422
3.3.461	Property to Shape_element_relationship	422
3.3.462	Property_change to Change	423
3.3.463	Property_change to Multi_language_string	423
3.3.464	Property_change to Parameter_or_variable_of_state	423
3.3.465	Property_relationship to Multi_language_string	423
3.3.466	Property_relationship to Property	423
3.3.467	Pure_liquid_fluid to Parameter_or_variable_of_state	424
3.3.468	Pure_vapour_fluid to Parameter_or_variable_of_state	424
3.3.469	Rack_and_pinion_joint to Parameter_or_variable_of_state	424
3.3.470	Rate_limiter_element to Parameter_or_variable_of_state	424
3.3.471	Reaction_force_sensor to Joint_element	424

3.3.472	Reaction_torque_sensor to Joint_element	425
3.3.473	Rectangular_size to Parameter_or_variable_of_state	425
3.3.474	Resistor to Parameter_or_variable_of_state	425
3.3.475	Resistor to Terminal	425
3.3.476	Rotation_matrix_defined_rotation to Generic_joint	425
3.3.477	Rotation_matrix_defined_rotation to Spherical_joint	426
3.3.478	Rubber_frame_related to Frame	426
3.3.479	Rubber_frame_related to Parameter_or_variable_of_state	426
3.3.480	Saturation_element to Parameter_or_variable_of_state	426
3.3.481	Saturation_with_hysteresis_element to Parameter_or_variable_of_state	426
3.3.482	Screw_joint to Parameter_or_variable_of_state	427
3.3.483	Section_value to Parameter_or_variable_of_state_with_symbol	427
3.3.484	Shape_description_association to Geometric_model	427
3.3.485	Shape_description_association to Item_shape	427
3.3.486	Shape_description_association to Shape_element	427
3.3.487	Shape_description_association to Shape_element_relationship	427
3.3.488	Shape_element to Item_shape	428
3.3.489	Shape_element to Multi_language_string	428
3.3.490	Shape_element_relationship to Multi_language_string	428
3.3.491	Shape_element_relationship to Shape_element	428
3.3.492	Shell to Face	428
3.3.493	Solid_replica to B_rep_model	428
3.3.494	Solid_replica to Boolean_result	429
3.3.495	Solid_replica to Csg_primitive	429
3.3.496	Solid_replica to Faceted_b_rep_model	429
3.3.497	Solid_replica to Solid_replica	429
3.3.498	Solid_replica to Swept_face_solid	429
3.3.499	Sparse_matrix to Parameter_or_variable_of_state	429
3.3.500	Specific_item_classification to Item	429
3.3.501	Specific_item_classification to Multi_language_string	430
3.3.502	Specific_item_classification_hierarchy to Specific_item_classification	430
3.3.503	Specified_instance to Assembly_definition	430
3.3.504	Specified_instance to Item_instance	430
3.3.505	Spherical_direction to Parameter_or_variable_of_state	430
3.3.506	Spherical_point_3d to Parameter_or_variable_of_state	430
3.3.507	Spring_rot_direction_related to Direction_3d	431
3.3.508	Spring_rot_direction_related to Parameter_or_variable_of_state	431
3.3.509	Spring_rot_frame_related to Frame	431
3.3.510	Spring_rot_frame_related to Parameter_or_variable_of_state	431
3.3.511	Spring_trans_direction_related to Direction_3d	431
3.3.512	Spring_trans_direction_related to Parameter_or_variable_of_state	432
3.3.513	Spring_trans_frame_related to Frame	432
3.3.514	Spring_trans_frame_related to Parameter_or_variable_of_state	432
3.3.515	Spring_trans_point_to_point to Parameter_or_variable_of_state	432
3.3.516	Steered_source_element to Terminal	432
3.3.517	String_with_language to Language	433

3.3.518	Styled_element to Appearance_assignment	433
3.3.519	Styled_element to Detailed_model_element	433
3.3.520	Styled_model to Geometric_model	433
3.3.521	Styled_model to Multi_language_string	433
3.3.522	Styled_model to Styled_element	433
3.3.523	Styled_model to Template_instance	433
3.3.524	Styled_model_relationship to Multi_language_string	433
3.3.525	Styled_model_relationship to Styled_model	434
3.3.526	Surface_appearance to Surface_appearance_element	434
3.3.527	Surface_appearance_element to Visual_appearance	434
3.3.528	Surface_condition_association to Item_shape	434
3.3.529	Surface_condition_association to Shape_element	434
3.3.530	Surface_condition_association to Surface_condition	434
3.3.531	Surface_joint to Surface	435
3.3.532	Surface_model to Shell	435
3.3.533	Surface_texture to Measurement_path	435
3.3.534	Surface_texture_parameter to Parameter_or_variable_of_state	435
3.3.535	Surface_texture_parameter to Surface_texture	435
3.3.536	Swept_face_solid to Face	435
3.3.537	Symmetric_matrix to Parameter_or_variable_of_state	435
3.3.538	Symmetric_matrix_3x3 to Parameter_or_variable_of_state	436
3.3.539	T1_element to Parameter_or_variable_of_state	436
3.3.540	T2_element to Parameter_or_variable_of_state	436
3.3.541	Tactile_appearance to Multi_language_string	436
3.3.542	Tactile_appearance to Parameter_or_variable_of_state	436
3.3.543	Template_instance to Geometric_model	437
3.3.544	Template_instance to Orientation_translation_defined_frame	437
3.3.545	Template_instance to Styled_model	437
3.3.546	Terminal to Item_instance	437
3.3.547	Terminal to Single_instance	437
3.3.548	Terminal to Terminal_definition	437
3.3.549	Three_step_controller_element to Parameter_or_variable_of_state	437
3.3.550	Throttle to Hydraulic_port	438
3.3.551	Throttle to Parameter_or_variable_of_state	438
3.3.552	Throttle_laminar_turbulent to Parameter_or_variable_of_state	438
3.3.553	Throttle_laminar_turbulent_controlled_cross_section to Composite_equation	438
3.3.554	Throttle_laminar_turbulent_controlled_cross_section to Equation	439
3.3.555	Throttle_laminar_turbulent_controlled_cross_section to Equation_system	439
3.3.556	Throttle_laminar_turbulent_controlled_cross_section to External_description	439
3.3.557	Throttle_laminar_turbulent_controlled_cross_section to Graph	439
3.3.558	Throttle_laminar_turbulent_controlled_cross_section to Parameter_or_variable_of_state	439
3.3.559	Throttle_laminar_turbulent_controlled_cross_section to Vhdl_description	440
3.3.560	Tolerance_table_cell to General_tolerance_table	440
3.3.561	Tolerance_table_cell to Multi_language_string	440
3.3.562	Tolerance_table_cell to Plus_minus_toleranced_datum	440

3.3.563	Tolerance_table_cell to Significant_number_of_digits	440
3.3.564	Tolerance_table_cell to Upper_lower_limit	440
3.3.565	Tolerance_table_cell to Upper_lower_toleranced_datum	441
3.3.566	Topologically_connected_set to Face	441
3.3.567	Topologically_connected_set to Oriented_edge_curve	441
3.3.568	Torque_sensor to Direction_3d	441
3.3.569	Torque_sensor to Parameter_or_variable_of_state_with_symbol	441
3.3.570	Torque_sensor to Point	441
3.3.571	Translation_cartesian_defined_frame to Parameter_or_variable_of_state	441
3.3.572	Translation_cylindrical_defined_frame to Parameter_or_variable_of_state	442
3.3.573	Translation_spherical_defined_frame to Parameter_or_variable_of_state	442
3.3.574	Translation_two_point_definition to Geometric_point_3d	442
3.3.575	Treatment_result to Multi_language_string	442
3.3.576	Two_point_direction to Geometric_point_3d	443
3.3.577	Two_step_controller_element to Parameter_or_variable_of_state	443
3.3.578	Two_step_controller_with_hysteresis_element to Parameter_or_variable_of_state	443
3.3.579	Universal_joint to Parameter_or_variable_of_state	443
3.3.580	User_defined_direction_related_force to Direction_3d	443
3.3.581	User_defined_direction_related_force to Parameter_or_variable_of_state	443
3.3.582	User_defined_direction_related_torque to Direction_3d	444
3.3.583	User_defined_direction_related_torque to Parameter_or_variable_of_state	444
3.3.584	User_defined_electric_element to Composite_equation	444
3.3.585	User_defined_electric_element to Equation	444
3.3.586	User_defined_electric_element to Equation_system	444
3.3.587	User_defined_electric_element to External_description	444
3.3.588	User_defined_electric_element to Graph	445
3.3.589	User_defined_electric_element to Terminal	445
3.3.590	User_defined_electric_element to Vhdl_description	445
3.3.591	User_defined_frame_related_force to Frame	445
3.3.592	User_defined_frame_related_force to Parameter_or_variable_of_state	445
3.3.593	User_defined_frame_related_torque to Frame	445
3.3.594	User_defined_frame_related_torque to Parameter_or_variable_of_state	445
3.3.595	User_defined_hydraulic_element to Composite_equation	446
3.3.596	User_defined_hydraulic_element to Equation	446
3.3.597	User_defined_hydraulic_element to Equation_system	446
3.3.598	User_defined_hydraulic_element to External_description	446
3.3.599	User_defined_hydraulic_element to Graph	446
3.3.600	User_defined_hydraulic_element to Hydraulic_port	446
3.3.601	User_defined_hydraulic_element to Vhdl_description	447
3.3.602	User_defined_joint_element to Parameter_or_variable_of_state	447
3.3.603	User_defined_point_to_point_force to Parameter_or_variable_of_state	447
3.3.604	Value_limitation to Limits_and_fits	447
3.3.605	Value_limitation to Multi_language_string	447
3.3.606	Value_limitation to Parameter_or_variable_of_state	447
3.3.607	Value_limitation to Plus_minus_bounds	447
3.3.608	Value_limitation to Value_limit	448

3.3.609	Value_limitation to Value_range	448
3.3.610	Velocity_sensor_rotation to Direction_3d	448
3.3.611	Velocity_sensor_rotation to Parameter_or_variable_of_state_with_symbol	448
3.3.612	Velocity_sensor_translation to Orientation_translation_defined_frame	448
3.3.613	Velocity_sensor_translation to Origin_direction_defined_frame	448
3.3.614	Vertex_loop to Vertex_point	449
3.3.615	Vertex_point to Point	449
3.3.616	Vhdl_description to Digital_file	449
3.3.617	Vhdl_description to Vhdl_interface_entity	449
3.3.618	Vhdl_interface_entity to Parameter_or_variable_of_state	449
3.3.619	Vhdl_interface_entity to Terminal	449
3.3.620	Visual_appearance to Multi_language_string	449
3.3.621	Visual_structure_element_property to Electrical_element	450
3.3.622	Visual_structure_element_property to Interaction_element	450
3.3.623	Visual_structure_element_property to Matrix	450
3.3.624	Visual_structure_element_property to Parameter_or_variable_of_state	450
3.3.625	Voltage_steered_current_source to Parameter_or_variable_of_state	450
3.3.626	Voltage_steered_source to Parameter_or_variable_of_state	451
3.3.627	Voltage_steered_source to Terminal	451
3.3.628	Voltage_steered_voltage_source to Parameter_or_variable_of_state	451
3.3.629	Wireframe_model_3d to Curve_set_3d	451
4	Application interpreted model	452
4.1	Mapping table	452
4.2	AIM EXPRESS short listing	932
Annex A (normative)	AIM EXPRESS expanded listing	979
Annex F (informative)	Application activity model	1352
F.1	Application activity model definitions and abbreviations	1352
F.2	Application activity model diagrams	1356
Annex G (informative)	Application reference model	1365
Annex H (informative)	AIM EXPRESS-G	1416
Annex J (informative)	AIM EXPRESS listing	1599
Annex K (informative)	ARM EXPRESS listing	1600
Bibliography	1601
Index	1602
Figures		
Figure 1	Block representation of an absolute value element	55

Figure 2	Signal flow of an addition element	59
Figure 3	Circuit diagram of a N-channel barrier layer field effect transistor.	65
Figure 4	Circuit diagram of a P-channel barrier layer field effect transistor.	65
Figure 5	Circuit diagram of a PNP transistor.	68
Figure 6	Circuit diagram of a NPN transistor.	68
Figure 7	Signal flow of a branching element	70
Figure 8	Circuit diagram of a capacitor.	72
Figure 9	Description of cartesian points	74
Figure 10	Circuit diagram of a coil.	80
Figure 11	Circuit diagram of a coupled coil.	86
Figure 12	Circuit diagram of a current steered current source.	87
Figure 13	Circuit diagram of a current steered voltage source.	88
Figure 14	Predefined colours	90
Figure 15	Predefined curve fonts	90
Figure 16	Example of a cylindrical joint.	92
Figure 17	Description of cylindrical coordinates	94
Figure 18	Block representation of a differentiator	95
Figure 19	Block representation of a dead zone element	104
Figure 20	Circuit diagram of a diode.	109
Figure 21	Circuit diagram of a dissipationless line.	114
Figure 22	Edge transition	134
Figure 23	Circuit diagram of a current sensor.	136
Figure 24	Circuit diagram of a power sensor.	137
Figure 25	Circuit diagram of a voltage sensor.	140
Figure 26	General_tolerances	163
Figure 27	Geometrical_relationship	170
Figure 28	Hardness	174
Figure 29	Block representation of an integrator	181
Figure 30	Block representation of a differentiator with first order lag	182
Figure 31	Circuit diagram of an ideal independent current source.	182
Figure 32	Circuit diagram of an ideal independent voltage source.	183
Figure 33	Internal terminal connection of a 9-pin connector	187
Figure 34	Circuit diagram of a N-channel self locking MOS field effect transistor.	211
Figure 35	Circuit diagram of a N-channel self conducting MOS field effect transistor.	211
Figure 36	Circuit diagram of a P-channel self locking MOS field effect transistor.	212
Figure 37	Circuit diagram of a P-channel self conducting MOS field effect transistor.	212
Figure 38	Description of cardan-angles	219
Figure 39	Description of euler-parameters	220
Figure 40	Orientation of frame $x'y'z'$ relative to frame xyz	221
Figure 41	Rotation of a frame around x-axis	221
Figure 42	Frame definition with three points	222
Figure 43	Frame definition with origin and direction	225
Figure 44	Block representation of a differentiator with proportional gain	226
Figure 45	Block representation of a differentiator with gain and first order lag	226
Figure 46	Block representation of a proportional block	227
Figure 47	Block representation of an integrator and differentiator with proportional gain	228

Figure 48	Block representation of an integrator and differentiator with proportional gain and first order lag	228
Figure 49	Block representation of an integrator with proportional gain	229
Figure 50	Block representation of an integrator with proportional gain and first order lag	230
Figure 51	Block representation of a proportional block with first order lag	230
Figure 52	Block representation of a proportional block with second order lag	231
Figure 53	Example of a planar joint.	244
Figure 54	Example of a prismatic joint.	255
Figure 55	Example of a rack-and-pinion joint.	262
Figure 56	Block representation of a rate limiter	263
Figure 57	Circuit diagram of a resistor.	267
Figure 58	Example of a revolute joint.	267
Figure 59	Right_angular_wedge and its attributes	268
Figure 60	Block representation of a saturation element	272
Figure 61	Parameters used in the equation	273
Figure 62	Block representation of a saturation element with hysteresis	273
Figure 63	Example of a screw joint.	274
Figure 64	Shape_aspect on a shaft	278
Figure 65	Signal flow of a sign reversal element	280
Figure 66	Block representation of a signum function element	281
Figure 67	Spherical frame definition	288
Figure 68	Example of a spherical joint.	289
Figure 69	Text appearance and rotation	312
Figure 70	Block representation of a three point controller	313
Figure 71	Block representation of a two point controller	325
Figure 72	Block representation of a two point controller with hysteresis	326
Figure 73	Circuit diagram of a voltage steered current source.	343
Figure 74	Circuit diagram of a voltage steered voltage source.	344
Figure F.1	AAM diagram of node A-0: MechaSTEP process chain	1357
Figure F.2	AAM diagram of node A0: Creation and optimization of mechatronic systems	1358
Figure F.3	AAM diagram of node A1: Generate complete model	1359
Figure F.4	AAM diagram of node A11: Create multi body system	1360
Figure F.5	AAM diagram of node A115: Derive MBS behavioural description	1361
Figure F.6	AAM diagram of node A12: Create finite element system	1362
Figure F.7	AAM diagram of node A13: Create hydraulic/pneumatic system	1363
Figure F.8	AAM diagram of node A16: Assemble complete model	1364
G.1 - G.50	ARM diagrams in EXPRESS G	1366 - 1415
1 - 182	AIM diagrams in EXPRESS G	1417 - 1598

Tables

Table 1	Logical grouping of UoFs	14
Table 2	Mapping table behaviour_description UoF (B1)	454
Table 3	Mapping table surface_condition UoF (C1)	458
Table 4	Mapping table control_information UoF (D1)	471
Table 5	Mapping table electric_information UoF (D2)	487

Table 6	Mapping table hydraulic_information UoF (D3)	521
Table 7	Mapping table multi_body_information UoF (D4)	545
Table 8	Mapping table connector_information UoF (D5)	608
Table 9	Mapping table connector_information UoF (D6)	611
Table 10	Mapping table external_reference_mechanism UoF (E1)	612
Table 11	Mapping table hybrid_model UoF (G1)	642
Table 12	Mapping table wireframe_model_3d UoF (G2)	652
Table 13	Mapping table connected_surface_model UoF (G3)	663
Table 14	Mapping table faceted_b_rep_model UoF (G4)	685
Table 15	Mapping table b_rep_model UoF (G5)	697
Table 16	Mapping table compound_model UoF (G6)	719
Table 17	Mapping table csg_model UoF (G7)	742
Table 18	Mapping table geometrically_bounded_surface_model UoF (G8)	779
Table 19	Mapping table measured_data UoF (MD1)	790
Table 20	Mapping table mathematic_information UoF (MI1)	792
Table 21	Mapping table geometric_presentation UoF (P1)	799
Table 22	Mapping table shaded_presentation UoF (P2)	816
Table 23	Mapping table parameter_definition UoF (PD1)	822
Table 24	Mapping table item_property UoF (PR1)	824
Table 25	Mapping table product_management_data UoF (S1)	839
Table 26	Mapping table element_structure UoF (S2)	873
Table 27	Mapping table item_definition_structure UoF (S3)	881
Table 28	Mapping table change_management UoF (S4)	902
Table 29	Mapping table classification UoF (S5)	913
Table 30	Mapping table dimension_tolerance UoF (T1)	922
Table 31	Mapping table empty_pages UoF (T2)	931
Table J.1	File names for schemas	1599