

# ISO/IEC 29341-20-11:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 20-11: Audio video device control protocol - Level 4 - Connection manager service

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>vi</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviations .....</b>	<b>4</b>
<b>3.1</b>	<b>Provisioning terms .....</b>	<b>4</b>
<b>3.2</b>	<b>Symbols .....</b>	<b>5</b>
<b>4</b>	<b>Notations and Conventions .....</b>	<b>5</b>
<b>4.1</b>	<b>Notation .....</b>	<b>5</b>
<b>4.1.1</b>	<b>Data Types .....</b>	<b>5</b>
<b>4.1.2</b>	<b>Strings Embedded in Other Strings .....</b>	<b>6</b>
<b>4.1.3</b>	<b>Extended Backus-Naur Form .....</b>	<b>6</b>
<b>4.2</b>	<b>Derived Data Types .....</b>	<b>7</b>
<b>4.2.1</b>	<b>Summary .....</b>	<b>7</b>
<b>4.2.2</b>	<b>CSV Lists .....</b>	<b>7</b>
<b>4.3</b>	<b>Management of XML Namespaces in Standardized DCPs .....</b>	<b>8</b>
<b>4.3.1</b>	<b>Namespace Prefix Requirements .....</b>	<b>12</b>
<b>4.3.2</b>	<b>Namespace Names, Namespace Versioning and Schema Versioning .....</b>	<b>13</b>
<b>4.3.3</b>	<b>Namespace Usage Examples .....</b>	<b>15</b>
<b>4.4</b>	<b>Vendor-defined Extensions .....</b>	<b>15</b>
<b>4.4.1</b>	<b>Vendor-defined Action Names .....</b>	<b>15</b>
<b>4.4.2</b>	<b>Vendor-defined State Variable Names .....</b>	<b>15</b>
<b>4.4.3</b>	<b>Vendor-defined XML Elements and attributes .....</b>	<b>16</b>
<b>4.4.4</b>	<b>Vendor-defined Property Names .....</b>	<b>16</b>
<b>5</b>	<b>Service Modeling Definitions .....</b>	<b>16</b>
<b>5.1</b>	<b>ServiceType .....</b>	<b>16</b>
<b>5.2</b>	<b>State Variables .....</b>	<b>17</b>
<b>5.2.1</b>	<b>State Variable Overview .....</b>	<b>17</b>
<b>5.2.2</b>	<b>SourceProtocolInfo .....</b>	<b>17</b>
<b>5.2.3</b>	<b>SinkProtocolInfo .....</b>	<b>18</b>
<b>5.2.4</b>	<b>CurrentConnectionIDs .....</b>	<b>18</b>
<b>5.2.5</b>	<b>FeatureList .....</b>	<b>18</b>
<b>5.2.6</b>	<b>ClockUpdateID .....</b>	<b>18</b>
<b>5.2.7</b>	<b>DeviceClockInfoUpdates .....</b>	<b>19</b>
<b>5.2.8</b>	<b>A_ARG_TYPE_ConnectionStatus .....</b>	<b>20</b>
<b>5.2.9</b>	<b>A_ARG_TYPE_ConnectionManager .....</b>	<b>20</b>
<b>5.2.10</b>	<b>A_ARG_TYPE_Direction .....</b>	<b>20</b>
<b>5.2.11</b>	<b>A_ARG_TYPE_ProtocolInfo .....</b>	<b>20</b>
<b>5.2.12</b>	<b>A_ARG_TYPE_ConnectionID .....</b>	<b>20</b>
<b>5.2.13</b>	<b>A_ARG_TYPE_AVTransportID .....</b>	<b>20</b>
<b>5.2.14</b>	<b>A_ARG_TYPE_RcsID .....</b>	<b>21</b>
<b>5.2.15</b>	<b>A_ARG_TYPE_ItemInfoFilter .....</b>	<b>21</b>
<b>5.2.16</b>	<b>A_ARG_TYPE_Result .....</b>	<b>22</b>
<b>5.2.17</b>	<b>A_ARG_TYPE_RenderingInfoList .....</b>	<b>22</b>
<b>5.3</b>	<b>Eventing and Moderation .....</b>	<b>28</b>
<b>5.4</b>	<b>Actions .....</b>	<b>28</b>
<b>5.4.1</b>	<b>Action Overview .....</b>	<b>28</b>
<b>5.4.2</b>	<b>GetProtocolInfo() .....</b>	<b>29</b>
<b>5.4.3</b>	<b>PrepareForConnection() .....</b>	<b>29</b>

5.4.4	ConnectionComplete()	31
5.4.5	GetCurrentConnectionIDs()	32
5.4.6	GetCurrentConnectionInfo()	33
5.4.7	GetRendererItemInfo()	34
5.4.8	GetFeatureList()	35
5.4.9	Common Error Codes	35
6	XML Service Description	36
7	Test	40
Annex A (normative) Protocol Specifics		41
A.1	Application to HTTP Streaming	41
A.1.1	ProtocollInfo Definition	41
A.1.2	Implementation of PrepareForConnection()	41
A.1.3	Implementation of ConnectionComplete()	41
A.1.4	Automatic Connection Cleanup	41
A.2	Application to RTSP/RTP/UDP Streaming	42
A.2.1	ProtocollInfo Definition	42
A.2.2	Implementation of PrepareForConnection()	42
A.2.3	Implementation of ConnectionComplete()	42
A.2.4	Automatic Connection Cleanup	42
A.3	Application to Device-Internal Streaming	42
A.4	Application to IEC61883 Streaming	43
A.4.1	ProtocollInfo Definition	43
A.4.2	Implementation of PrepareForConnection()	44
A.4.3	Implementation of ConnectionComplete()	45
A.4.4	Automatic Connection Cleanup	45
A.5	Application to Vendor-specific Streaming	46
Annex B (normative) CM features		47
B.1	Introduction	47
B.2	Requirements for the CLOCKS SYNC feature, Version 1	47
Annex C (informative) Theory of Operation		53
C.1	Purpose	53
C.2	ProtocollInfo Concept	53
C.2.1	4th Field - <additionalInfo>	54
C.2.2	IEC61883 Exception	55
C.2.3	Formal EBNF for the 4th field	55
C.2.4	ProtocollInfo Conventions for Protected Content	56
C.3	Typical Control Point Operations	57
C.3.1	Introduction	57
C.3.2	Establishing a New Connection	57
C.3.3	Dealing with Ongoing Connections	58
C.4	Relation to Devices without ConnectionManagers	58
C.5	PrepareForConnection() and ConnectionComplete()	59
C.5.1	PrepareForConnection()	59
C.5.2	ConnectionComplete()	59
C.5.3	General Usage Model	59
C.5.4	Relationship to AVTransport and RenderingControl Services	60
C.5.5	ConnectionIDs	60
C.5.6	AVTransportIDs and RcsIDs	61
C.6	Determining if ContentDirectory items are playable	61
C.7	CLOCKS SYNC feature	66
C.7.1	Examples of CLOCKS SYNC feature	67
Annex D (informative) Bibliography		70

## List of Tables

Table 1 — EBNF Operators.....	7
Table 2 — CSV Examples.....	8
Table 3 — Namespace Definitions.....	9
Table 4 — Schema-related Information.....	11
Table 5 — Default Namespaces for the AV Specifications.....	13
Table 6 — State Variables.....	17
Table 7 — allowedValueList for <a href="#"><u>A_ARG_TYPE_ConnectionStatus</u></a> .....	20
Table 8 — allowedValueList for <a href="#"><u>A_ARG_TYPE_Direction</u></a> .....	20
Table 9 — Event Moderation.....	28
Table 10 — Actions.....	28
Table 11 — Arguments for <a href="#"><u>GetProtocolInfo()</u></a> .....	29
Table 12 — Arguments for <a href="#"><u>PrepareForConnection()</u></a> .....	30
Table 13 — Error Codes for <a href="#"><u>PrepareForConnection()</u></a> .....	31
Table 14 — Arguments for <a href="#"><u>ConnectionComplete()</u></a> .....	32
Table 15 — Error Codes for <a href="#"><u>ConnectionComplete()</u></a> .....	32
Table 16 — Arguments for <a href="#"><u>GetCurrentConnectionIDs()</u></a> .....	32
Table 17 — Error Codes for <a href="#"><u>GetCurrentConnectionIDs()</u></a> .....	33
Table 18 — Arguments for <a href="#"><u>GetCurrentConnectionInfo()</u></a> .....	33
Table 19 — Error Codes for <a href="#"><u>GetCurrentConnectionInfo()</u></a> .....	34
Table 20 — Arguments for <a href="#"><u>GetRendererItemInfo()</u></a> .....	34
Table 21 — Error Codes for <a href="#"><u>GetRendererItemInfo()</u></a> .....	35
Table 22 — Arguments for <a href="#"><u>GetFeatureList()</u></a> .....	35
Table 23 — Error Codes for <a href="#"><u>GetFeatureList()</u></a> .....	35
Table 24 — Common Error Codes.....	36
Table A.1 — <contentFormat> for Protocol IEC61883.....	44
Table B.1 — <i>CM features</i> .....	47
Table B.2 — Required characteristics of the <i>CLOCKSYNC feature</i> element.....	49
Table B.3 — Allowed values for the <syncProtocolID> element.....	50
Table B.4 — Allowed formats for the <masterClockID> element.....	51
Table B.5 — Allowed values for the <supportedTimestamps> element.....	51
Table C.1 — Defined Protocols and their associated <a href="#"><u>ProtocolInfo</u></a> Values.....	54