

# DIN SPEC 70122:2018-11 (E)

Electromobility - Conformance tests for digital communication between a d.c. EV charging station and an electric vehicle for control of d.c. charging in the Combined Charging System; Text in English, only on CD-ROM

---

<b>Inhalt</b>		<b>Seite</b>
<b>1</b>	<b>Scope.....</b>	<b>7</b>
<b>2</b>	<b>Normative references .....</b>	<b>7</b>
<b>3</b>	<b>Terms and definitions.....</b>	<b>8</b>
<b>4</b>	<b>Symbols (and abbreviated terms) .....</b>	<b>13</b>
<b>5</b>	<b>Conventions.....</b>	<b>14</b>
<b>5.1</b>	<b>Requirement structure.....</b>	<b>14</b>
<b>5.2</b>	<b>Test system description .....</b>	<b>14</b>
<b>6</b>	<b>Test architecture reference model.....</b>	<b>14</b>
<b>6.1</b>	<b>General information.....</b>	<b>14</b>
<b>6.2</b>	<b>Platform adapter interface.....</b>	<b>15</b>
<b>6.3</b>	<b>SUT adapter interfaces .....</b>	<b>15</b>
<b>6.4</b>	<b>Codecs .....</b>	<b>16</b>
<b>7</b>	<b>Test suite conventions .....</b>	<b>17</b>
<b>7.1</b>	<b>General information.....</b>	<b>17</b>
<b>7.2</b>	<b>Test suite structure (TSS) .....</b>	<b>17</b>
<b>7.3</b>	<b>Test profiles .....</b>	<b>19</b>
<b>7.3.1</b>	<b>Test configurations.....</b>	<b>20</b>
<b>7.3.2</b>	<b>Components and ports.....</b>	<b>20</b>
<b>7.3.3</b>	<b>Protocol Implementation Conformance Statement (PICS) Definition .....</b>	<b>23</b>
<b>7.3.4</b>	<b>Protocol Implementation extra Information for Testing (PIXIT) Definition .....</b>	<b>24</b>
<b>7.3.5</b>	<b>Test control .....</b>	<b>26</b>
<b>7.4</b>	<b>Test suite identifiers .....</b>	<b>28</b>
<b>7.4.1</b>	<b>Module identifiers.....</b>	<b>29</b>
<b>7.4.2</b>	<b>Test case identifiers.....</b>	<b>29</b>
<b>7.4.3</b>	<b>Template identifiers.....</b>	<b>30</b>
<b>7.4.4</b>	<b>Function identifiers .....</b>	<b>31</b>
<b>7.4.5</b>	<b>Timer identifiers .....</b>	<b>32</b>
<b>7.4.6</b>	<b>PICS/PIXIT identifiers.....</b>	<b>33</b>
<b>7.4.7</b>	<b>Verdict identifiers .....</b>	<b>34</b>
<b>7.5</b>	<b>Test suite coverage .....</b>	<b>34</b>
<b>7.6</b>	<b>Test case description.....</b>	<b>88</b>
<b>7.7</b>	<b>Test case specification .....</b>	<b>90</b>
<b>7.7.1</b>	<b>Data types .....</b>	<b>90</b>
<b>7.7.2</b>	<b>Templates .....</b>	<b>90</b>
<b>7.7.3</b>	<b>Timeouts and timers .....</b>	<b>91</b>
<b>7.7.4</b>	<b>Library functions .....</b>	<b>91</b>
<b>7.7.5</b>	<b>Common behavior.....</b>	<b>91</b>
<b>7.7.6</b>	<b>Test case modelling .....</b>	<b>91</b>
<b>7.7.7</b>	<b>Message handling depending on SUT type.....</b>	<b>92</b>
<b>7.7.8</b>	<b>IEC 61851-1 PWM event handling and control.....</b>	<b>92</b>
<b>7.7.9</b>	<b>Data link status control functionality .....</b>	<b>94</b>
<b>7.7.10</b>	<b>EIM status control functionality .....</b>	<b>94</b>
<b>7.7.11</b>	<b>Transmission power limitation functionality.....</b>	<b>95</b>

8	Test case descriptions for Physical and Data Link Layer .....	96
8.1	General information .....	96
8.2	SECC + PLC bridge test cases .....	96
8.3	EVCC + PLC bridge test cases.....	96
9	Test case descriptions for DIN SPEC 70121 SLAC messages.....	97
9.1	General information.....	97
9.2	SECC + PLC bridge test cases .....	98
9.2.1	SECC test cases for CmSlacParm .....	98
9.2.2	SECC test cases for AttenuationCharacterization.....	100
9.2.3	SECC test cases for CmValidate .....	114
9.2.4	SECC test cases for CmSlacMatch.....	122
9.2.5	SECC test cases for PLCLinkStatus.....	136
9.2.6	SECC test cases for CmAmpMap .....	140
9.3	EVCC + PLC bridge test cases.....	144
9.3.1	EVCC test cases for CmSlacParm.....	144
9.3.2	EVCC test cases for AttenuationCharacterization .....	151
9.3.3	EVCC test cases for CmValidate .....	162
9.3.4	EVCC test cases for CmValidateOrCmSlacMatch.....	174
9.3.5	EVCC test cases for CmSlacMatch .....	174
9.3.6	EVCC test cases for PLCLinkStatus .....	184
9.3.7	EVCC test cases for CmAmpMap.....	186
10	Test case descriptions for DIN SPEC 70121 V2GTP .....	191
10.1	General information.....	191
10.2	SECC + PLC bridge test cases .....	191
10.3	EVCC + PLC bridge test cases.....	194
11	Test case descriptions for DIN SPEC 70121 SDP messages.....	198
11.1	General information.....	198
11.2	SECC + PLC bridge test cases .....	198
11.3	EVCC + PLC bridge test cases.....	199
12	Test case descriptions for DIN SPEC 70121 V2G application layer messages .....	203
12.1	General information.....	203
12.2	SECC + PLC bridge test cases .....	203
12.2.1	V2G protocol handshake.....	203
12.2.2	V2G messages .....	206
12.3	EVCC + PLC bridge test cases.....	283
12.3.1	V2G protocol handshake .....	283
12.3.2	V2G messages .....	285
13	Modifications for ISO 15118 Interoperability.....	392
13.1	General information.....	392
13.2	Requirements revision.....	392
13.3	PIXIT Definition for ISO 15118 Interoperability.....	392
13.4	Test suite identifiers for ISO 15118 Interoperability.....	393
13.4.1	Test case identifiers .....	393
13.4.2	Function identifiers.....	394
13.4.3	PIXIT identifiers .....	394
13.5	Test case descriptions for DIN SPEC 70121 SLAC messages.....	395
13.5.1	General information.....	395
13.5.2	SECC + PLC bridge test cases .....	395
13.5.3	EVCC + PLC bridge test cases.....	400
13.6	Test case descriptions for DIN SPEC 70121 SDP messages.....	408
13.6.1	General information.....	408
13.6.2	SECC + PLC bridge test cases .....	408
13.6.3	EVCC + PLC bridge test cases.....	410
13.7	Test case descriptions for DIN SPEC 70121 V2G application layer messages .....	415
13.7.1	General information.....	415

13.7.2 SECC + PLC bridge test cases .....	415
<b>Annex A (normative) Configuration specifications.....</b>	<b>418</b>
A.1 Timer configuration .....	418
A.2 PICS configuration.....	419
A.3 PIXIT configuration .....	421
<b>Annex B (normative) Control part specification.....</b>	<b>422</b>
B.1 SECC control parts .....	422
B.2 EVCC control parts .....	431
<b>Annex C (normative) Test-case specifications for DIN SPEC 70121 SLAC messages .....</b>	<b>443</b>
C.1 SECC + PLC bridge test cases .....	443
C.1.1 SECC test cases for CmSlacParm .....	443
C.1.2 SECC test cases for AttenuationCharacterization.....	446
C.1.3 SECC test cases for CmValidate.....	453
C.1.4 SECC test cases for CmSlacMatch .....	458
C.1.5 SECC test cases for PLCLinkStatus.....	465
C.1.6 SECC test cases for CmAmpMap .....	468
C.2 EVCC + PLC bridge test cases.....	470
C.2.1 EVCC test cases for CmSlacParm.....	470
C.2.2 EVCC test cases for AttenuationCharacterization .....	474
C.2.3 EVCC test cases for CmValidate .....	481
C.2.4 EVCC test cases for CmValidateOrCmSlacMatch .....	489
C.2.5 EVCC test cases for CmSlacMatch.....	489
C.2.6 EVCC test cases for PLCLinkStatus .....	495
C.2.7 EVCC test cases for CmAmpMap.....	497
<b>Annex D (normative) Test-case specifications for DIN SPEC 70121 V2GTP.....</b>	<b>500</b>
D.1 SECC + PLC bridge test cases .....	500
D.2 EVCC + PLC bridge test cases.....	502
<b>Annex E (normative) Test-case specifications for DIN SPEC 70121 SDP messages .....</b>	<b>505</b>
E.1 SECC + PLC bridge test cases .....	505
E.2 EVCC + PLC bridge test cases.....	507
<b>Annex F (normative) Test-case specifications for DIN SPEC 70121 V2G application layer</b>	
<b>messages .....</b>	<b>511</b>
F.1 SECC + PLC bridge test cases .....	511
F.1.1 V2G protocol handshake.....	511
F.1.2 V2G messages .....	514
F.2 EVCC + PLC bridge test cases.....	548
F.2.1 V2G protocol handshake .....	548
F.2.2 V2G messages .....	549
<b>Annex G (normative) Function specifications for supporting test execution.....</b>	<b>597</b>
G.1 Configuration functions.....	597
G.2 Pre-condition functions.....	601
G.2.1 SECC + PLC bridge functions.....	601
G.2.2 EVCC + PLC bridge functions .....	607
G.3 Post-condition functions.....	613
G.3.1 SECC + PLC bridge functions.....	613
G.3.2 EVCC + PLC bridge functions .....	614
G.4 Common behavior functions.....	614
G.4.1 SECC + PLC bridge functions.....	614
G.4.2 EVCC + PLC bridge functions .....	616
G.5 Library functions .....	619
<b>Annex H (normative) Function specifications for DIN SPEC 70121SLAC messages .....</b>	<b>622</b>
H.1 SECC + PLC bridge functions.....	622
H.1.1 SECC functions for CmSlacParm.....	622
H.1.2 SECC functions for AttenuationCharacterization .....	625

H.1.3	SECC functions for CmValidate.....	640
H.1.4	SECC functions for CmSlacMatch .....	657
H.1.5	SECC functions for CmSetKey.....	663
H.1.6	SECC functions for PLCLinkStatus .....	664
H.1.7	SECC functions for CmAmpMap.....	667
H.2	EVCC + PLC bridge functions.....	672
H.2.1	EVCC functions for CmSlacParm .....	672
H.2.2	EVCC functions for AttenuationCharacterization .....	675
H.2.3	EVCC functions for CmValidate .....	704
H.2.4	EVCC functions for CmValidateOrCmSlacMatch .....	728
H.2.5	EVCC functions for CmSlacMatch.....	730
H.2.6	EVCC functions for CmSetKey .....	733
H.2.7	EVCC functions for PLCLinkStatus.....	734
H.2.8	EVCC functions for CmAmpMap.....	736
Annex I (normative) Function specifications for DIN SPEC 70121 V2GTP .....		742
I.1	SECC + PLC bridge functions .....	742
I.2	EVCC + PLC bridge functions.....	744
Annex J (normative) Function specifications for DIN SPEC 70121 SDP messages.....		746
J.1	SECC + PLC bridge functions .....	746
J.2	EVCC + PLC bridge functions.....	747
Annex K (normative) Function specifications for DIN SPEC 70121 V2G application layer		
	messages .....	751
K.1	SECC + PLC bridge functions .....	751
K.1.1	V2G protocol handshake.....	751
K.1.2	V2G messages .....	755
K.2	EVCC + PLC bridge functions.....	840
K.2.1	V2G protocol handshake.....	840
K.2.2	V2G messages .....	843
Annex L (normative) Template specifications for DIN SPEC 70121 SLAC messages.....		924
L.1	Common + PLC bridge templates .....	924
L.1.1	CMN templates for CmSlacParm .....	925
L.1.2	CMN templates for CmStartAttenCharInd .....	926
L.1.3	CMN templates for CmMnbcSoundInd.....	926
L.1.4	CMN templates for CmAttenCharRsp .....	927
L.1.5	CMN templates for CmValidate .....	927
L.1.6	CMN templates for CmSlacMatch.....	929
L.1.7	CMN templates for CmSetKey .....	931
L.1.8	CMN templates for CmAmpMap.....	931
L.1.9	CMN templates for CmNwStats.....	933
L.2	SECC + PLC bridge templates .....	934
L.2.1	SECC templates for CmAttenCharInd .....	934
L.3	EVCC + PLC bridge templates.....	934
L.3.1	EVCC templates for CmAttenProfileInd.....	934
L.3.2	EVCC templates for CmAttenCharInd.....	935
Annex M (normative) Template specifications for V2G TCP Port Control .....		937
Annex N (normative) Template specifications for DIN SPEC 70121 V2GTP .....		938
N.1	Common + PLC bridge templates .....	938
Annex O (normative) Template specifications for DIN SPEC 70121 SDP messages.....		940
O.1	Common + PLC bridge templates .....	940
Annex P (normative) Template specifications for DIN SPEC 70121 V2G application layer		
	messages .....	941
P.1	Common + PLC bridge templates .....	941
P.1.1	V2G protocol handshake.....	941
P.1.2	V2G messages .....	942

<b>P.2</b>	<b>SECC + PLC bridge templates .....</b>	<b>949</b>
<b>P.2.1</b>	<b>V2G protocol handshake .....</b>	<b>949</b>
<b>P.2.2</b>	<b>V2G messages .....</b>	<b>949</b>
<b>P.3</b>	<b>EVCC + PLC bridge templates .....</b>	<b>953</b>
<b>P.3.1</b>	<b>V2G protocol handshake .....</b>	<b>953</b>
<b>P.3.2</b>	<b>V2G messages .....</b>	<b>953</b>
<b>Annex Q (normative)</b>	<b>Data type definitions.....</b>	<b>956</b>
<b>Q.1</b>	<b>Data types for PICS.....</b>	<b>956</b>
<b>Q.2</b>	<b>Data types for PIXIT.....</b>	<b>956</b>
<b>Q.3</b>	<b>Data types for SLAC.....</b>	<b>957</b>
<b>Q.4</b>	<b>Data types for V2G TCP Port Control.....</b>	<b>961</b>
<b>Q.5</b>	<b>Data types for V2GTP .....</b>	<b>962</b>
<b>Q.6</b>	<b>Data types for SDP messages .....</b>	<b>963</b>
<b>Q.7</b>	<b>Data types for V2G messages .....</b>	<b>963</b>