

# ISO 10303-240:2005-12 (E)

## Industrial automation systems and integration - Product data representation and exchange - Part 240: Application protocol: Process plans for machined products

---

| <b>Contents</b>  |  | <b>Page</b> |
|--|--|-------------|
| <b>1</b>   | <b>Scope .....</b>   | <b>1</b>    |
| <b>2</b>   | <b>Normative references .....</b>                            | <b>3</b>    |
| <b>3</b>   | <b>Terms, definitions and abbreviations .....</b>            | <b>5</b>    |
| <b>3.4</b>   | <b>Other definitions .....</b>                               | <b>6</b>    |
| <b>3.5</b>   | <b>Abbreviations .....</b>                                   | <b>8</b>    |
| <b>4</b>   | <b>Information requirements .....</b>                        | <b>9</b>    |
| <b>4.1</b>   | <b>Units of functionality .....</b>                          | <b>10</b>   |
| <b>4.1.1</b>   | <b>administrative .....</b>                                  | <b>10</b>   |
| <b>4.1.2</b>   | <b>design_exception .....</b>                                | <b>11</b>   |
| <b>4.1.3</b>   | <b>library_reference .....</b>                               | <b>11</b>   |
| <b>4.1.4</b>   | <b>manufacturing_machine_tool_resources .....</b>            | <b>11</b>   |
| <b>4.1.5</b>   | <b>manufacturing_part_properties .....</b>                   | <b>12</b>   |
| <b>4.1.6</b>   | <b>manufacturing_process_requirement_documents .....</b>     | <b>13</b>   |
| <b>4.1.7</b>   | <b>measurement_limitations .....</b>                         | <b>14</b>   |
| <b>4.1.8</b>   | <b>part_model .....</b>                                      | <b>15</b>   |
| <b>4.1.9</b>   | <b>process_activities .....</b>                              | <b>15</b>   |
| <b>4.1.10</b>  | <b>process_plan .....</b>                                    | <b>17</b>   |
| <b>4.1.11</b>  | <b>shape_representation_for_process_planning .....</b>       | <b>17</b>   |
| <b>4.2</b>   | <b>Application objects .....</b>                             | <b>18</b>   |
| <b>4.3</b>   | <b>Application assertions .....</b>                          | <b>127</b>  |
| <b>5</b>   | <b>Application interpreted model .....</b>                   | <b>152</b>  |
| <b>5.1</b>   | <b>Mapping specification .....</b>                           | <b>152</b>  |
| <b>5.1.1</b>   | <b>administrative UoF .....</b>                              | <b>154</b>  |
| <b>5.1.2</b>   | <b>design_exception UoF .....</b>                            | <b>157</b>  |
| <b>5.1.3</b>   | <b>library_reference UoF .....</b>                           | <b>161</b>  |
| <b>5.1.4</b>   | <b>manufacturing_machine_tool_resources UoF .....</b>        | <b>169</b>  |
| <b>5.1.5</b>   | <b>manufacturing_part_properties UoF .....</b>               | <b>192</b>  |
| <b>5.1.6</b>   | <b>manufacturing_process_requirement_documents UoF .....</b> | <b>204</b>  |
| <b>5.1.7</b>   | <b>measurement_limitations UoF .....</b>                     | <b>230</b>  |
| <b>5.1.8</b>   | <b>part_model UoF .....</b>                                  | <b>252</b>  |
| <b>5.1.9</b>   | <b>process_activities UoF .....</b>                          | <b>261</b>  |
| <b>5.1.10</b>  | <b>process_plan UoF .....</b>                                | <b>293</b>  |
| <b>5.1.11</b>  | <b>shape_representation_for_process_planning UoF .....</b>   | <b>307</b>  |
| <b>5.2</b>   | <b>AIM EXPRESS short listing .....</b>                       | <b>326</b>  |
| <b>6</b>   | <b>Conformance requirements .....</b>                        | <b>443</b>  |
| <b>Annex A (normative) AIM EXPRESS expanded listing .....</b>                                  |  | <b>464</b>  |
| <b>Annex B (normative) AIM short names .....</b>   |  | <b>680</b>  |
| <b>Annex C (normative) Implementation method specific requirements .....</b>                   |  | <b>698</b>  |
| <b>Annex D (normative) Protocol Implementation Conformance Statement (PICS) proforma .....</b> |  | <b>699</b>  |
| <b>Annex E (normative) Information object registration .....</b>                               |  | <b>701</b>  |

|  |            |
|--|------------|
| <b>Annex F (informative) Application activity model .....</b>                  | <b>702</b> |
| <b>Annex G (informative) Application reference model .....</b>                 | <b>723</b> |
| <b>Annex H (informative) AIM EXPRESS-G .....</b>                               | <b>744</b> |
| <b>Annex J (informative) Computer interpretable listings .....</b>             | <b>781</b> |
| <b>Annex K (informative) Technical discussions .....</b>                       | <b>782</b> |
| <b>Bibliography .....</b>  | <b>783</b> |
| <b>Index .....</b>   | <b>784</b> |
| <b>Figures Figure 1 -- Process planning data planning model .....</b>          | <b>xix</b> |
| <b>Figure 2 -- Angular_dimension_tolerance .....</b>                           | <b>24</b>  |
| <b>Figure 3 -- Angular_size_dimension_tolerance .....</b>                      | <b>24</b>  |
| <b>Figure 4 -- Block_base_shape .....</b>                                      | <b>26</b>  |
| <b>Figure 5 -- Curved_dimension_tolerance .....</b>                            | <b>32</b>  |
| <b>Figure 6 -- Cylindrical_base_shape .....</b>                                | <b>33</b>  |
| <b>Figure 7 -- Diameter_dimension_tolerance .....</b>                          | <b>37</b>  |
| <b>Figure 8 -- Distance_along_curve_tolerance .....</b>                        | <b>39</b>  |
| <b>Figure 9 -- Fixture setup .....</b>   | <b>59</b>  |
| <b>Figure 10 -- Implicit_base_shape_representation .....</b>                   | <b>63</b>  |
| <b>Figure 11 -- Location_dimension_tolerance .....</b>                         | <b>67</b>  |
| <b>Figure 12 -- Machine cut sequence tolerance .....</b>                       | <b>73</b>  |
| <b>Figure 13 -- Manufactured_assembly and Mating_defintion .....</b>           | <b>74</b>  |
| <b>Figure 14 -- Property example .....</b>                                     | <b>78</b>  |
| <b>Figure 15 -- Ngon_base_shape .....</b>                                      | <b>84</b>  |
| <b>Figure 16 -- Part fixture relationship .....</b>                            | <b>89</b>  |
| <b>Figure 17 -- Part machine relationship .....</b>                            | <b>92</b>  |
| <b>Figure 18 -- Radial_dimension_tolerance .....</b>                           | <b>106</b> |
| <b>Figure F.1 -- IDEF0 Basic notation .....</b>                                | <b>702</b> |
| <b>Figure F.2 -- A-0 Process plans for machined parts .....</b>                | <b>712</b> |
| <b>Figure F.3 -- A0 Manufacture Mechanical Products .....</b>                  | <b>713</b> |
| <b>Figure F.4 -- A1 Engineer Manufacturing Process .....</b>                   | <b>714</b> |
| <b>Figure F.5 -- A11 Engineer Manufacturing Methods and Part Routing .....</b> | <b>715</b> |
| <b>Figure F.6 -- A115 Select Resources .....</b>                               | <b>716</b> |

|  |     |
|--|-----|
| Figure F.7 -- A12 Engineer Process Detail .....  | 717 |
| Figure F.8 -- A121 Specify and Sequence Operations .....                                 | 718 |
| Figure F.9 -- A1213 Engineer Material Removal .....                                      | 719 |
| Figure F.10 -- A14 Develop Tooling Packages .....  | 720 |
| Figure F.11 -- A15 Develop Equipment Instructions .....                                  | 721 |
| Figure F.12 -- A16 Finalize Manufacturing Data Package .....                             | 722 |
| Figure G.1 -- ARM EXPRESS-G diagram 1 of 20 .....  | 724 |
| Figure G.2 -- ARM EXPRESS-G diagram 2 of 20 .....  | 725 |
| Figure G.3 -- ARM EXPRESS-G diagram 3 of 20 .....  | 726 |
| Figure G.4 -- ARM EXPRESS-G diagram 4 of 20 .....  | 727 |
| Figure G.5 -- ARM EXPRESS-G diagram 5 of 20 .....  | 728 |
| Figure G.6 -- ARM EXPRESS-G diagram 6 of 20 .....  | 729 |
| Figure G.7 -- ARM EXPRESS-G diagram 7 of 20 .....  | 730 |
| Figure G.8 -- ARM EXPRESS-G diagram 8 of 20 .....  | 731 |
| Figure G.9 -- ARM EXPRESS-G diagram 9 of 20 .....  | 732 |
| Figure G.10 -- ARM EXPRESS-G diagram 10 of 20 .....                                      | 733 |
| Figure G.11 -- ARM EXPRESS-G diagram 11 of 20 .....                                      | 734 |
| Figure G.12 -- ARM EXPRESS-G diagram 12 of 20 .....                                      | 735 |
| Figure G.13 -- ARM EXPRESS-G diagram 13 of 20 .....                                      | 736 |
| Figure G.14 -- ARM EXPRESS-G diagram 14 of 20 .....                                      | 737 |
| Figure G.15 -- ARM EXPRESS-G diagram 15 of 20 .....                                      | 738 |
| Figure G.16 -- ARM EXPRESS-G diagram 16 of 20 .....                                      | 739 |
| Figure G.17 -- ARM EXPRESS-G diagram 17 of 20 .....                                      | 740 |
| Figure G.18 -- ARM EXPRESS-G diagram 18 of 20 .....                                      | 741 |
| Figure G.19 -- ARM EXPRESS-G diagram 19 of 20 .....                                      | 742 |
| Figure G.20 -- ARM EXPRESS-G diagram 20 of 20 .....                                      | 743 |
| Figure H.1 -- action - AIM EXPRESS-G diagram 1 of 36 .....                               | 745 |
| Figure H.2 -- action_method - AIM EXPRESS-G diagram 2 of 36 .....                        | 746 |
| Figure H.3 -- action_property - AIM EXPRESS-G diagram 3 of 36 .....                      | 747 |
| Figure H.4 -- action_resource - AIM EXPRESS-G diagram 4 of 36 .....                      | 748 |
| Figure H.5 -- contract and security_classification - AIM EXPRESS-G diagram 5 of 36 ..... | 749 |

|   |     |
|---|-----|
| Figure H.6 -- document- AIM EXPRESS-G diagram 6 of 36 .....                   | 750 |
| Figure H.7 -- document reference - AIM EXPRESS-G diagram 7 of 36 .....        | 751 |
| Figure H.8 -- identification assignment - AIM EXPRESS-G diagram 8 of 36 ..... | 752 |
| Figure H.9 -- group - AIM EXPRESS-G diagram 9 of 36 .....                     | 753 |
| Figure H.10 -- approval- AIM EXPRESS-G diagram 10 of 36 .....                 | 754 |
| Figure H.11 -- date - AIM EXPRESS-G diagram 11 of 36 .....                    | 755 |
| Figure H.12 -- person and organization - AIM EXPRESS-G diagram 12 of 36 ..... | 756 |
| Figure H.13 -- application context - AIM EXPRESS-G diagram 13 of 36 .....     | 757 |
| Figure H.14 -- product - AIM EXPRESS-G diagram 14 of 36 .....                 | 758 |
| Figure H.15 -- property definition - AIM EXPRESS-G diagram 15 of 36 .....     | 759 |
| Figure H.16 -- representation - AIM EXPRESS-G diagram 16 of 36 .....          | 760 |
| Figure H.17 -- shape representation - AIM EXPRESS-G diagram 17 of 36 .....    | 761 |
| Figure H.18 -- characterized object - AIM EXPRESS-G diagram 18 of 36 .....    | 762 |
| Figure H.19 -- shape aspect- AIM EXPRESS-G diagram 19 of 36 .....             | 763 |
| Figure H.20 -- geometry topology - AIM EXPRESS-G diagram 20 of 36 .....       | 764 |
| Figure H.21 -- point - AIM EXPRESS-G diagram 21 of 36 .....                   | 765 |
| Figure H.22 -- position - AIM EXPRESS-G diagram 22 of 36 .....                | 766 |
| Figure H.23 -- curve - AIM EXPRESS-G diagram 23 of 36 .....                   | 767 |
| Figure H.24 -- bounded curve - AIM EXPRESS-G diagram 24 of 36 .....           | 768 |
| Figure H.25 -- b_spline curve - AIM EXPRESS-G diagram 25 of 36 .....          | 769 |
| Figure H.26 -- surface - AIM EXPRESS-G diagram 26 of 36 .....                 | 770 |
| Figure H.27 -- bounded surface - AIM EXPRESS-G diagram 27 of 36 .....         | 771 |
| Figure H.28 -- topology - AIM EXPRESS-G diagram 28 of 36 .....                | 772 |
| Figure H.29 -- face and shell - AIM EXPRESS-G diagram 29 of 36 .....          | 773 |
| Figure H.30 -- geometric tolerance - AIM EXPRESS-G diagram 30 of 36 .....     | 774 |
| Figure H.31 -- dimensional tolerance - AIM EXPRESS-G diagram 31 of 36 .....   | 775 |
| Figure H.32 -- datum - AIM EXPRESS-G diagram 32 of 36 .....                   | 776 |
| Figure H.33 -- unit - AIM EXPRESS-G diagram 33 of 36 .....                    | 777 |
| Figure H.34 -- measure with unit - AIM EXPRESS-G diagram 34 of 36 .....       | 778 |
| Figure H.35 -- attributes - AIM EXPRESS-G diagram 35 of 36 .....              | 779 |
| Figure H.36 -- description attribute - AIM EXPRESS-G diagram 36 of 36 .....   | 780 |
| Tables Table 1 -- Conformance class elements .....                            | 444 |
| Table 2 -- AIM short names .....  | 680 |