DIN EN ISO 16484-5:2008-05 (E)

Building automation and control systems - Part 5: Data communication protocol (ISO 16484-5:2007); English version EN ISO 16484-5:2008, only on CD-ROM

Contents

Page

Foreword 3

1 Scope 4

2 Requirements 4

3 Revision of ANSI/ASHRAE 135 4

CONTENTS

FOREWORD ……vii
1 PURPOSE....1
2 SCOPE....1
3 DEFINITIONS....1
3.1 Terms Adopted from International Standards....1
3.2 Terms Defined for this Standard....2
3.3 Abbreviations and Acronyms Used in this Standard....5
4 BACnet PROTOCOL ARCHITECTURE....8
4.1 The BACnet Collapsed Architecture....9
4.2 BACnet Network Topology....11
4.3 Security....13
5 THE APPLICATION LAYER....14
5.1 The Application Layer Model....14
5.2 Segmentation of BACnet Messages....18
5.3 Transmission of BACnet APDUs....19
5.4 Application Protocol State Machines....23
5.5 Application Protocol Time Sequence Diagrams....37
5.6 Application Layer Service Conventions....45
6 THE NETWORK LAYER....47
6.1 Network Layer Service Specification....47
6.2 Network Layer PDU Structure....48
6.3 Messages for Multiple Recipients....53
6.4 Network Layer Protocol Messages....54
6.5 Network Layer Procedures....56
6.6 BACnet Routers....58
6.7 Point-To-Point Half-Routers....63
7 DATA LINK/PHYSICAL LAYERS: ISO 8802-3 ("Ethernet") LAN....68
7.1 The Use of ISO 8802-2 Logical Link Control (LLC)....68
7.2 Parameters Required by the LLC Primitives....68
7.3 Parameters Required by the MAC Primitives....68
7.4 Physical Media....68
8 DATA LINK/PHYSICAL LAYERS: ARCNET LAN....70
8.1 The Use of ISO 8802-2 Logical Link Control (LLC)....70
8.2 Parameters Required by the LLC Primitives....70
8.3 Mapping the LLC Services to the ARCNET MAC Layer....70
8.4 Parameters Required by the MAC Primitives....70
8.5 Physical Media....70
9 DATA LINK/PHYSICAL LAYERS: MASTER-SLAVE/TOKEN PASSING (MS/TP) LAN....72
9.1 Service Specification....72
9.2 Physical Layer....74
9.3 MS/TP Frame Format....76
9.4 Overview of the MS/TP Network....77
9.5 MS/TP Medium Access Control....78
9.6 Cyclic Redundancy Check (CRC)....94
9.7 Interfacing MS/TP LANs with Other BACnet LANs....95
9.8 Responding BACnet User Processing of Messages from MS/TP....95
9.9 Repeaters....95
10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP)....97
10.1 Overview....97
10.2 Service Specification....97
10.3 Point-to-Point Frame Format....102
10.4 PTP Medium Access Control Protocol....104
11 DATA LINK/PHYSICAL LAYERS: EIA/CEA-709.1 ("LonTalk") LAN....125
11.1 The Use of ISO 8802-2 Logical Link Control (LLC)....125
11.2 Parameters Required by the LLC Primitives....125

11.3 Mapping the LLC Services to the LonTalk Application Layer 125
11.4 Parameters Required by the Application Layer Primitives 125
11.5 Physical Media 126
12 MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS 127
12.1 Accumulator Object Type 130
12.2 Analog Input Object Type 138
12.3 Analog Output Object Type 143
12.4 Analog Value Object Type 148
12.5 Averaging Object Type 153
12.6 Binary Input Object Type 156
12.7 Binary Output Object Type 161
12.8 Binary Value Object Type 167
12.9 Calendar Object Type 172
12.10 Command Object Type 174
12.11 Device Object Type 178
12.12 Event Enrollment Object Type 185
12.13 File Object Type 190
12.14 Group Object Type 192
12.15 Life Safety Point Object Type 194
12.16 Life Safety Zone Object Type 200
12.17 Loop Object Type 206
12.18 Multi-state Input Object Type 213
12.19 Multi-state Output Object Type 217
12.20 Multi-state Value Object Type 221
12.21 Notification Class Object Type 226
12.22 Program Object Type 229
12.23 Pulse Converter Object Type 234
12.24 Schedule Object Type 241
12.25 Trend Log Object Type 246
13 ALARM AND EVENT SERVICES 252
13.1 Change of Value Reporting 253
13.2 Intrinsic Reporting 255
13.3 Algorithmic Change Reporting 258
13.4 Alarm and Event Occurrence and Notification 266
13.5 AcknowledgeAlarm Service 269
13.6 ConfirmedCOVNotification Service 271
13.7 UnconfirmedCOVNotification Service 273
13.8 ConfirmedEventNotification Service 274
13.9 UnconfirmedEventNotification Service 277
13.10 GetAlarmSummary Service 279
13.11 GetEnrollmentSummary Service 281
13.12 GetEventInformation Service 284
13.13 LifeSafetyOperation Service 286
13.14 SubscribeCOV Service 288
13.15 SubscribeCOVProperty Service 290
14 FILE ACCESS SERVICES 293
14.1 AtomicReadFile Service 294
14.2 AtomicWriteFile Service 297
15 OBJECT ACCESS SERVICES 299
15.1 AddListElement Service 299
15.2 RemoveListElement Service 301
15.3 CreateObject Service 303
15.4 DeleteObject Service 305
15.5 ReadProperty Service 306
15.6 ReadPropertyConditional Service 308
15.7 ReadPropertyMultiple Service 313
15.8 ReadRange Service 316

15.9 WriteProperty Service ... 320
15.10 WritePropertyMultiple Service ... 322
16 REMOTE DEVICE MANAGEMENT SERVICES ... 325
16.1 DeviceCommunicationControl Service ... 325
16.2 ConfirmedPrivateTransfer Service ... 327
16.3 UnconfirmedPrivateTransfer Service ... 329
16.4 ReinitializeDevice Service ... 330
16.5 ConfirmedTextMessage Service ... 332
16.6 UnconfirmedTextMessage Service ... 334
16.7 TimeSynchronization Service ... 335
16.8 UTCTimeSynchronization Service ... 336
16.9 Who-Has and I-Have Services ... 337
16.10 Who-Is and I-Am Services ... 339
17 VIRTUAL TERMINAL SERVICES ... 341
17.1 Virtual Terminal Model ... 341
17.2 VT-Open Service ... 345
17.3 VT-Close Service ... 347
17.4 VT-Data Service ... 348
17.5 Default-terminal Characteristics ... 350
18 ERROR, REJECT, and ABORT CODES ... 354
18.1 Error Class - DEVICE ... 354
18.2 Error Class - OBJECT ... 354
18.3 Error Class - PROPERTY ... 354
18.4 Error Class - RESOURCES ... 355
18.5 Error Class - SECURITY ... 355
18.6 Error Class - SERVICES ... 356
18.7 Error Class - VT ... 357
18.8 Reject Reason ... 357
18.9 Abort Reason ... 358
19 BACnet PROCEDURES ... 359
19.1 Backup and Restore ... 359
19.2 Command Prioritization ... 362
20 ENCODING BACnet PROTOCOL DATA UNITS ... 366
20.1 Encoding the Fixed Part of BACnet APDUs ... 366
20.2 Encoding the Variable Part of BACnet APDUs ... 376
21 FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS ... 390
22 CONFORMANCE AND INTEROPERABILITY ... 434
22.1 Conformance to BACnet ... 434
22.2 BACnet Interoperability ... 435
23 EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION ... 437
23.1 Extending Enumeration Values ... 437
23.2 Using the PrivateTransfer Services to Invoke Non-Standardized Services ... 437
23.3 Adding Proprietary Properties to a Standardized Object ... 438
23.4 Adding Proprietary Object Types to BACnet ... 438
23.5 Restrictions on Extending BACnet ... 439
24 NETWORK SECURITY ... 440
24.1 Security Architecture ... 440
24.2 Authentication Mechanisms ... 441
24.3 Data Confidentiality Mechanism ... 443
24.4 RequestKey Service ... 444
24.5 Authenticate Service ... 445
25 REFERENCES ... 448
ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) ... 450
ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) ... 452
ANNEX C - FORMAL DESCRIPTION OF OBJECT TYPE STRUCTURES (INFORMATIVE) ... 453
ANNEX D - EXAMPLES OF STANDARD OBJECT TYPES (INFORMATIVE) ... 465
D.1 Example of an Accumulator Object ... 465

D.2 Example of an Analog Input Object ... 465
D.3 Example of an Analog Output Object ... 466
D.4 Example of an Analog Value Object ... 466
D.5 Example of an Averaging Object ... 467
D.6 Example of a Binary Input Object ... 467
D.7 Example of a Binary Output Object ... 468
D.8 Example of a Binary Value Object ... 469
D.9 Example of a Calendar Object ... 470
D.10 Example of a Command Object ... 470
D.11 Example of a Device Object ... 471
D.12 Example of an Event Enrollment Object ... 473
D.13 Example of a File Object ... 475
D.14 Example of a Group Object ... 475
D.15 Example of a Life Safety Point Object ... 475
D.16 Example of a Life Safety Zone Object ... 476
D.17 Example of a Loop Object ... 477
D.18 Example of a Multi-state Input Object ... 478
D.19 Example of a Multi-state Output Object ... 479
D.20 Example of a Multi-state Value Object ... 480
D.21 Example of a Notification Class Object ... 480
D.22 Example of a Program Object ... 480
D.23 Example of a Pulse Converter Object ... 482
D.24 Example of a Schedule Object ... 482
D.25 Example of a Trend Log Object ... 483
ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) ... 485
E.1 Alarm and Event Services ... 485
E.2 File Access Services ... 489
E.3 Object Access Services ... 491
E.4 Remote Device Management Services ... 498
E.5 Virtual Terminal Services ... 501
E.6 Security Services ... 502
ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) ... 504
F.1 Example Encodings for Alarm and Event Services ... 504
F.2 Example Encodings for File Access Services ... 513
F.3 Example Encodings for Object Access Services ... 515
F.4 Example Encodings for Remote Device Management Services ... 529
F.5 Example Encodings for Virtual Terminal Services ... 534
F.6 Example Encodings for Security Services ... 536
ANNEX G - CALCULATION OF CRC (INFORMATIVE) ... 538
G.1 Calculation of the Header CRC ... 538
G.2 Calculation of the Data CRC ... 544
ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) ... 549
H.1 Mapping Non-BACnet Networks onto BACnet Routers ... 549
H.2 Multiple 'Virtual' BACnet Devices in a Single Physical Device ... 549
H.3 Using BACnet with the DARPA Internet Protocols ... 549
H.4 Using BACnet with the IPX Protocol ... 550
H.5 Using BACnet with EIB/KNX ... 552
ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) ... 563
ANNEX J - BACnet/IP (NORMATIVE) ... 565
J.1 General ... 565
J.2 BACnet Virtual Link Layer ... 565
J.3 BACnet/IP Directed Messages ... 569
J.4 BACnet/IP Broadcast Messages ... 569
J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network ... 571
J.6 Routing Between B/IP and non-BP/IP BACnet Networks ... 572
J.7 Routing Between Two B/IP BACnet Networks ... 573
J.8 Use of IP Multicast within BACnet/IP ... 575

J.9 Sources for Internet Information 576
ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) 577
K.1 Data Sharing BIBBs 577
K.1.1 BIBB - Data Sharing - ReadProperty - A (DS-RP-A) 577
K.1.2 BIBB-Data Sharing-ReadProperty-B (DS-RP-B) 577
K.1.3 BIBB - Data Sharing-ReadPropertyMultiple-A (DS-RPM-A) 577
K.1.4 BIBB - Data Sharing-ReadPropertyMultiple-B (DS-RPM-B) 577
K.1.5 BIBB - Data Sharing-ReadPropertyConditional-A (DS-RPC-A) 577
K.1.6 BIBB - Data Sharing-ReadPropertyConditional-B (DS-RPC-B) 578
K.1.7 BIBB - Data Sharing-WriteProperty-A (DS-WP-A) 578
K.1.8 BIBB - Data Sharing-WriteProperty-B (DS-WP-B) 578
K.1.9 BIBB - Data Sharing-WritePropertyMultiple-A (DS-WPM-A) 578
K.1.10 BIBB - Data Sharing-WritePropertyMultiple-B (DS-WPM-B) 578
K.1.11 BIBB - Data Sharing-COV-A (DS-COV-A) 578
K.1.12 BIBB - Data Sharing-COV-B (DS-COV-B) 579
K.1.13 BIBB - Data Sharing-COVP-A (DS-COVP-A) 579
K.1.14 BIBB - Data Sharing-COVP-B (DS-COVP-B) 579
K.1.15 BIBB - Data Sharing-COV-Unsolicited-A (DS-COVU-A) 579
K.1.16 BIBB - Data Sharing-COV-Unsolicited-B (DS-COVU-B) 579
K.2 Alarm and Event Management BIBBs 579
K.2.1 BIBB - Alarm and Event-Notification-A (AE-N-A) 580
K.2.2 BIBB - Alarm and Event-Notification Internal-B (AE-N-I-B) 580
K.2.3 BIBB - Alarm and Event-Notification External-B (AE-N-E-B) 580
K.2.4 BIBB - Alarm and Event-ACK-A (AE-ACK-A) 580
K.2.5 BIBB - Alarm and Event-ACK-B (AE-ACK-B) 580
K.2.6 BIBB - Alarm and Event-Alarm Summary-A (AE-ASUM-A) 580
K.2.7 BIBB - Alarm and Event-Alarm Summary-B (AE-ASUM-B) 581
K.2.8 BIBB - Alarm and Event-Enrollment Summary-A (AE-ESUM-A) 581
K.2.9 BIBB - Alarm and Event-Enrollment Summary-B (AE-ESUM-B) 581
K.2.10 BIBB - Alarm and Event-Information-A (AE-INFO-A) 581
K.2.11 BIBB - Alarm and Event-Information-B (AE-INFO-B) 581
K.2.12 BIBB - Alarm and Event-LifeSafety-A (AE-LS-A) 581
K.2.13 BIBB - Alarm and Event-LifeSafety-B (AE-LS-B) 581
K.3 Scheduling BIBBs 582
K.3.1 BIBB - Scheduling-A (SCHED-A) 582
K.3.2 BIBB - Scheduling-Internal-B (SCHED-I-B) 582
K.3.3 BIBB - Scheduling-External-B (SCHED-E-B) 582
K.4 Trending BIBBs 582
K.4.1 BIBB - Trending-Viewing and Modifying Trends-A (T-VMT-A) 582
K.4.2 BIBB - Trending-Viewing and Modifying Trends Internal-B (T-VMT-I-B) 582
K.4.3 BIBB - Trending-Viewing and Modifying Trends External-B (T-VMT-E-B) 582
K.4.4 BIBB - Trending-Automated Trend Retrieval-A (T-ATR-A) 583
K.4.5 BIBB - Trending-Automated Trend Retrieval-B (T-ATR-B) 583
K.5 Device and Network Management BIBBs 583
K.5.1 BIBB - Device Management-Dynamic Device Binding-A (DM-DDB-A) 583
K.5.2 BIBB - Device Management-Dynamic Device Binding-B (DM-DDB-B) 583
K.5.3 BIBB - Device Management-Dynamic Object Binding-A (DM-DOB-A) 584
K.5.4 BIBB - Device Management-Dynamic Object Binding-B (DM-DOB-B) 584
K.5.5 BIBB - Device Management-DeviceCommunicationControl-A (DM-DCC-A) 584
K.5.6 BIBB - Device Management-DeviceCommunicationControl-B (DM-DCC-B) 584
K.5.7 BIBB - Device Management-Private Transfer-A (DM-PT-A) 584
K.5.8 BIBB - Device Management-Private Transfer-B (DM-PT-B) 584
K.5.9 BIBB - Device Management-Text Message-A (DM-TM-A) 585
K.5.10 BIBB - Device Management-Text Message-B (DM-TM-B) 585
K.5.11 BIBB - Device Management-TimeSynchronization-A (DM-TS-A) 585
K.5.12 BIBB - Device Management-TimeSynchronization-B (DM-TS-B) 585
K.5.13 BIBB - Device Management-UTCTimeSynchronization-A (DM-UTC-A) 585

K.5.14 BIBB - Device Management-UTCTimeSynchronization-B (DM-UTC-B) 586
K.5.15 BIBB - Device Management-ReinitializeDevice-A (DM-RD-A) 586
K.5.16 BIBB - Device Management-ReinitializeDevice-B (DM-RD-B) 586
K.5.17 BIBB - Device Management-Backup and Restore-A (DM-BR-A) 586
K.5.18 BIBB - Device Management-Backup and Restore-B (DM-BR-B) 586
K.5.19 BIBB - Device Management-Restart-A (DM-R-A) 587
K.5.20 BIBB - Device Management-Restart-B (DM-R-B) 587
K.5.21 BIBB - Device Management-List Manipulation-A (DM-LM-A) 587
K.5.22 BIBB - Device Management-List Manipulation-B (DM-LM-B) 587
K.5.23 BIBB - Device Management-Object Creation and Deletion-A (DM-OCD-A) 587
K.5.24 BIBB - Device Management-Object Creation and Deletion-B (DM-OCD-B) 588
K.5.25 BIBB - Device Management-Virtual Terminal-A (DM-VT-A) 588
K.5.26 BIBB - Device Management-Virtual Terminal-B (DM-VT-B) 588
K.5.27 BIBB - Network Management-Connection Establishment-A (NM-CE-A) 588
K.5.28 BIBB - Network Management-Connection Establishment-B (NM-CE-B) 588
K.5.29 BIBB - Network Management-Router Configuration-A (NM-RC-A) 589
K.5.30 BIBB - Network Management-Router Configuration-B (NM-RC-B) 589
ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) 590
L.1 BACent Operator Workstation (B-OWS) 590
L.2 BACnet Building Controller (B-BC) 590
L.3 BACnet Advanced Application Controller (B-AAC) 591
L.4 BACnet Application Specific Controller (B-ASC) 591
L.5 BACnet Smart Actuator (B-SA) 592
L.6 BACnet Smart Sensor (B-SS) 592
L.7 Profiles of the Standard BACnet Devices 593
ANNEX M – GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) 594
M.1 Life Safety Message Group (0-31) 594
M.2 Property Safety Message Group (32-63) 595
M.3 Supervisory Message Group (64-95) 595
M.4 Trouble Message Group (96-127) 596
M.5 Miscellaneous Higher Priority Message Group (128-191) 597
M.5 Miscellaneous Lower Priority Message Group (192-255) 597
HISTORY OF REVISIONS 598